







NOW AVAILABLE IN THE DENVER MARKET

SIMPSON DOORS IN STOCK

at Boise Cascade Millwork | NEW FOR 2024



Boise Cascade Millwork is proud to offer Simpson pre-hung and slab exterior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Commerce City (Denver) location. Additional doors are available from Simpson's Redi-Ship® Program (see simpsondoor.com/rediship) for quick delivery. Contact your Boise Cascade Millwork representative for lead time. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility in Washington state. Contact your Boise Cascade Millwork representative today to order your dream Simpson door.

TABLE OF CONTENTS

p. 3


p. 9



SPECIAL ORDER
AND CUSTOM DOORS



DOUGLAS FIR EXTERIOR DOORS pp. 4-5



KNOTTY ALDER EXTERIOR DOORS pp. 6-7



HIGH PERFORMANCE SPECIAL ORDER EXTERIOR DOORS p. 8



DOUGLAS FIR INTERIOR DOORS



KNOTTY ALDER INTERIOR DOORS pp. 10-11



REDI-PRIME® INTERIOR DOORS pp. 12-13



REDI-SHIP® INTERIOR DOOR PROGRAM (IN STOCK AT SIMPSON) pp. 14-15

SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK



If you haven't found what you are looking for from our in stock offerings throughout this catalog, let your Boise Cascade Millwork representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade Millwork and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.













DOUGLAS FIR EXTERIOR DOORS

All Douglas Fir exterior doors and sidelights are 1–3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.





7002 Low-E 2'0', 2'6", 2'8", 3'0" x 6'8" 2'0', 2'6", 2'8", 3'0" x 8'0"



7701Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker Low-E 2'0', 2'6", 2'8", 3'0" x 6'8" 2'0', 2'6", 2'8", 3'0" x 8'0"



7701 Shaker Low-E 12", 14" x 6'8" 12", 14" x 8'0"



7002 WaterBarrier® with Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"



37010 Low-E 2'0", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'6", 2'8", 3'0" X 8'0"



37010 Shaker Low-E 2'0', 2'6", 2'8", 3'0" x 6'8" 2'0', 2'6", 2'8", 3'0" x 8'0"



37010WaterBarrier®
with Low-E
2'6", 2'8", 3'0" x 6'8'
2'6", 2'8", 3'0" x 8'0'



 7403 Shaker
 74

 Satin Etch IG
 Sa

 3'0" x 6'8"
 3'0"



7404 Shaker Satin Etch IG



7405 Shaker Satin Etch IG



DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"



7801DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37598

DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



37504 DHRP and Low-E 3'0" x 6'8" 3'0", 3'6" x 8'0"



37802 DHRP and Low-E 12", 14" x 6'8"



37506 DHRP and Low-E 3'0" x 6'8"



37803DHRP and Low-E

12", 14" x 6'8"

12", 14" x 8'0"



37508 DHRP and Low-E 3'0" x 6'8"



37804 DHRP and Low-E 12", 14" × 6'8" 12", 14" × 8'0"

DOUGLAS FIR EXTERIOR DOORS (CONTINUED)

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.





7044DHRP and
Low-E
2'8", 3'0" x 6'8



37444 DHRP and Low-E 2'8", 3'0" x 6'8



37944 DHRP and Low-E 2'8", 3'0" x 6'8



6801 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"



6801 Shaker
FP and
Low-E
3'0" x 6'8"



36802DHRP and Low-E 3'0" x 6'8"



36802 Shake FP and Low-E 3'0" x 6'8"



36803 DHRP and Low-E 3'0" x 6'8"



FP and Low-E 3'0" x 6'8"



Shaker 36804

DHRP and Low-E
3'0" x 6'8"



36804 Shaker FP and Low-E 3'0" x 6'8" 3'0" x 8'0"



7130DHRP
2'8", 3'0" x 6'8"







KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002 Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"



Low-E 12", 14" x 6'8 12", 14" x 8'0"



7501DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7801DHRP and

Low-E

12", 14" x 6'8"



7501DHRP and Seedy
Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



7801 DHRP and Seedy Baroque IG 12", 14" x 6'8" 12", 14" x 8'0"



37504DHRP and Low-E
2'6", 2'8", 3'0" x 6'8'
2'6", 2'8", 3'0" x 8'0"



37802 DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"



37504DHRP and Seedy
Baroque IG
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37802 DHRP and Seed Baroque IG 12", 14" x 6'8



37506DHRP and Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37803 DHRP and Low-E 12", 14" × 6'8" 12", 14" × 8'0"



DHRP and Seedy Baroque IG 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"



37803 DHRP and Seedy Baroque IG 12", 14" x 6'8 12", 14" x 8'0"



DHRP and Low-E 2'6", 2'8", 3'0" x 6'8' 2'6", 2'8", 3'0" x 8'0"



37804 DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0"



KNOTTY ALDER EXTERIOR DOORS (CONTINUED)

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.







37508



37804 Baroque IG 12", 14" x 6'8 12", 14" x 8'0"



6801 DHRP and Low-E 3'0" x 6'8"



DHRP and Low-E 12", 14" x 6'8"



6801 Shaker FP and Low-E 3'0" x 6'8"



DHRP and Seedy



6801 Shaker



36802 DHRP and Low-E 3'0" x 6'8"



36802 Shaker FP and Low-E 3'0" x 6'8"



36802



36802 Shaker



36803



36803 Shaker



36803 Baroque IG 3'0" x 6'8"







36804 Shaker FP and Low-E 3'0" x 6'8"





36804 Shaker



36806 DHRP and Low-E 3'0" x 6'8"



36806 Shaker FP and Low-E 3'0" x 6'8"



36806 DHRP and Seedy



36806 Shaker

HIGH PERFORMANCE SPECIAL ORDER DOORS - NO OVERHANG REQUIRED

There is nothing quite like the beauty of a Simpson wood door. And just because your exterior door opening may not have protection by a porch or overhang, doesn't mean you are stuck with a boring steel or fiberglass door. Both the Nantucket Collection™ of doors and WaterBarrier® technology upgrade available for any door are engineered differently, for the very toughest exposures. And both products carry an extended warranty with no overhang required. For more information, visit simpsondoor.com.



NANTUCKET COLLECTION™ - 10-YEAR WARRANTY

UNBEATABLE CONSTRUCTION

- · Mortise-and-tenon joinery with face-driven pins
- Two-piece laminated stile-and-rail construction
- · Can be stained or painted
- · Ten year warranty, no overhang required















WATERBARRIER® - 5-YEAR WARRANTY

AN OPTION FOR ANY DOOR

- · An overlay commonly used on concrete forms and street signs
- Excellent durability and resists moisture absorption
- · Choose any species to match interior architecture
- · Available for virtually any Simpson door
- Exterior of door to be painted. Interior can be stained or painted
- · Five year warranty, no overhang required





49901* Sapele Mahogany







7002* Bamboo with WB



36802* Sapele with WB

^{*} ALL DOORS SHOWN ON THIS PAGE ARE SPECIAL ORDER (NOT IN STOCK)



DOUGLAS FIR INTERIOR DOORS

Douglas Fir interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."





782 Shaker 3/8" FP 16", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



9382 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



730 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9330 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



755 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



9355 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



55 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9255 1-3/4" Fire-Rated 1-7/16" RP 2'8" 3'0" x 6'8"



3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9266 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8"



1501 Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"





KNOTTY ALDER INTERIOR DOORS

Knotty Alder interior doors are stocked 1–3/8" thick – unless otherwise noted – and in the sizes noted. Fire–rated doors are stocked 1–3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9320 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



701 Shaker Bifold 3/8" FP 2'0", 2'6", 3'0" x 6'8"



782 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9382 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



702 Shaker Bifold 3/8" FP 2'0", 2'6", 3'0" x 6'8"



730 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9330 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



703 Shaker Bifold 3/8" FP 2'0", 2'6",



760 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9360 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



700 Shaker Bifold 3/8" FP 2'0", 2'6",



755 Shaker 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



9355 Shaker 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"



705 Shaker Bifold 3/8" FP 2'0", 2'6", 3'0" x 6'8"



823/4" RP
16", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



43 Bifold 3/4" RP 2'0", 2'6", 3'0" x 6'8



82 V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



9282 V-Groove 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



43 Bifold V-Groove 3/4" RP 2'0", 2'6", 3'0" x 6'8"



465 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



9265 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



3/4" RP 2'0", 2'6", 3'0" x 6'8"



V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

Knotty Alder interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."





9265 V-Groove 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



45 Bifold V-Groove 3/4" RP 2'0", 2'6", 3'0" x 6'8"



72821-3/4"
1-7/16" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7282 1-3/4" V-Groove 1-7/16" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4', 2'6", 2'8", 3'0" x 8'0"



7465 1-3/4" 1-7/16" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



7465 1-3/4" V-Groove 1-7/16" RP 1'6", 2'0", 2'4", 2'5", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



80801 Shaker Barn Door with V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



80812 Shaker Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



80815 Shaker Barn Door w/ V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



1501 Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"





REDI-PRIME® DOORS

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker

3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89320 Shaker



8701 Shaker

Bifold 3/8" FP 2'0", 2'6", 3'0" x 6'8"



8782 Shaker

1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89382 Shaker



8702 Shaker Bifold

2'0", 2'6", 3'0" x 6'8"



8730 Shaker

1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89330 Shaker

1-3/4" Fire-Rated 3/4" FP



8703 Shaker

Bifold 3/8" FP 2'0", 2'6", 3'0" x 6'8"



8760 Shaker

3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 2'10", 3'0" x 8'0"



9360 Shaker



8700 Shaker Bifold

3/8" FP 2'0", 2'6", 3'0" x 6'8"



8755 Shaker

3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89355 Shaker

1-3/4" Fire-Rated 3/4" FP



8705 Shaker

Bifold



REDI-PRIME® DOORS (CONTINUED)


Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."





89934

Flush Grooved 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89234

1-3/4" Fire-Rated Flush Grooved 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



89935

Flush Grooved 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



89235

Flush Grooved 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"



89801 Shaker

Barn Door with V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



89812 Shaker

Barn Door with V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



89815 Shaker

Barn Door with V-Groove 3'0", 3'6" x 7'0" 3'0", 3'6" x 8'4"



8001

Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



8411

White Laminate SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0""



8733 Shaker

Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8""



8733 Shaker

White Laminate SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



8735 Shaker

Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



8735 Shaker

White Laminate SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



8010

Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



8012

Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"





REDI-SHIP® INTERIOR IN STOCK AT SIMPSON

Simpson stocks today's most popular interior (both 1-3/8" and 1-3/4") door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade Millwork representative or visit simpsondoor.com/rediship for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade Millwork, look to Redi-Ship.

DOUGLAS FIR AND WESTERN HEMLOCK

Choose from over 130 Douglas Fir or Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.













Shaker with Heavy Water





KNOTTY ALDER

Choose from over 70 Knotty Alder door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



760 (8'0")



1596



782 (8′0″)



1501 with Rain



1590 (8'0")



with Narrow Reed



1501 (8'0")



1501 with Heavy Water



HARDWOOD OPTIONS

Choose from over 50 interior hardwood panel doors available in maple, red oak and poplar. All stocked 1-3/8" and in a variety of widths and heights


















REDI-PRIME®

Choose from over 200 Redi-Prime® door designs, both 1-3/8" and 1-3/4" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



















© Rill Architects

