



Boise Cascade®
MILLWORK



© Nat Rea

NOW AVAILABLE IN THE TULSA MARKET

SIMPSON DOORS IN STOCK
at Boise Cascade **NEW FOR 2022**

Simpson®
Door Company

Boise Cascade is proud to offer Simpson pre-hung and slab exterior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Tulsa location. Additional doors — indicated with a star ✨ — are available from other Boise Cascade locations for quick delivery. Contact your BC representative for lead time. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility. Contact your BC representative today to order your dream Simpson exterior door.

TABLE OF CONTENTS



**MAHOGANY
EXTERIOR DOORS** p. 3



**WESTERN HEMLOCK
EXTERIOR DOORS** pp. 4-5



**KNOTTY ALDER
EXTERIOR DOORS** p. 6



**WOOD INTERIOR
DOORS** p. 7




**REDI-PRIME®
INTERIOR DOORS** p. 8



**HIGH PERFORMANCE
SPECIAL ORDER
EXTERIOR DOORS** p. 9



**REDI-SHIP® INTERIOR
DOOR PROGRAM (IN STOCK
AT SIMPSON)** pp. 10-11



**SPECIAL ORDER AND
CUSTOM DOORS** p. 12



MAHOGANY EXTERIOR DOORS


All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.




Boise Cascade®
MILLWORK



| | | | | | | |
|---|------------------------------|------------------------------|---|---|---|--|
| 7002 ★ | 7404 Shaker ★ | 7405 Shaker ★ | 7501 | 7801 | 7501 ★ | 7501 ★ |
| Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0" | Satin Etch IG 3'0" x 6'8" | Satin Etch IG 3'0" x 8'0" | DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0" |



| | | | | | | | |
|---|---|--|--|---|---|--|---|
| 37504 | 37802 | 37504 ★ | 37504 ★ | 37506 | 37803 ★ | 37506 ★ | 37506 ★ |
| DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0" |



| | | | | |
|---|---|---|---|--|
| 7506 ★ | 7803 ★ | 37508 ★ | 37804 ★ | 37508 ★ |
| DHRP and Low-E Bevel 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E Bevel 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0" |



| | | | | |
|---|---|---|---|--|
| 37508 ★ | 6801 | 6175 ★ | 6801 ★ | 6801 ★ |
| DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0" | DHRP and Low-E 12", 14" x 6'8" 12", 14" x 8'0" | DHRP and White Laminate IG 3'0" x 6'8" 3'0" x 8'0" | DHRP and Seedy Baroque IG 3'0" x 6'8" 3'0" x 8'0" |



★ = ADD 2 WEEKS TO IN STOCK LEAD TIME
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002 ★
Clear IG
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701 ★
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker ★
Clear IG
2'0", 2'6", 2'8",
3'0" x 6'8"



7701 Shaker ★
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



7002 ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701 ★
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"




7701 Shaker ★
Low-E
12", 14" x 6'8"
12", 14" x 8'0"




7002 ★
ADA Compliant
Low-E
3'0" x 6'8"
3'0" x 7'0"
3'0" x 8'0"




7002 ★
WaterBarrier®
with Low-E
2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"




7037 ★
Low-E
3'0" x 6'8"




37010 ★
Low-E
2'6", 2'8", 3'0"
x 6'8"
2'0" x 6'8" ★
2'0", 2'6", 2'8",
3'0" x 8'0" ★




37010 Shaker ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"




37010 ★
WaterBarrier®
with Low-E
2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37010 Shaker ★
WaterBarrier®
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37015 ★
Clear IG
2'6", 2'8",
3'0" x 6'8"




7501 ★
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




7801 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"




7501 ★
DHRP and
Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7501 ★
DHRP and
White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37598 ★
DHRP and
Low-E
3'0" x 6'8"
3'0" x 8'0"



37504 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37802 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504 ★
DHRP and
Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37504 ★
DHRP and
White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



Boise Cascade
MILLWORK

Tulsa, OK/Kansas City, MO

1-800-299-5768

tulsamillwork@bc.com | millwork.bc.com

WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.




Boise Cascade®
MILLWORK



37506
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6"★ x 8'0"



37803 ★
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37506 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"




37508 ★
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




37804 ★
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37508 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



7031
DHRP and Low-E
2'8", 3'0" x 6'8"



37435 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



37035 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



7044
DHRP and Low-E
2'8", 3'0" x 6'8"



37444 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



37944 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



6801
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6"★ x 8'0"



6175
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



6801 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175 Shaker ★
FP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



6801 ★
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker ★
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 ★
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker ★
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7132 ★
DHRP and Low-E
2'8", 3'0" x 6'8"



37134
DHRP and Low-E
2'8", 3'0" x 6'8"




7344 ★
DHRP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



7130
DHRP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



1510 ★
Clear SG,
No UltraBlock®
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1515 ★
Clear SG,
No UltraBlock®
2'6", 2'8",
3'0" x 6'8"

★ = ADD 2 WEEKS TO IN STOCK LEAD TIME
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED
FP = 3/4" FLAT PANEL

Simpson®
Door Company

KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002 ★
Clear IG
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



37010 ★
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



7501 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




7801 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"




7501 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0", 3'6" x 8'0"



7501 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0", 3'6" x 8'0"



37504 ★
DHRP and
Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




37802 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37504 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506 ★
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37803 ★
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"




37506 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"




37508 ★
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37804 ★
DHRP and
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37508 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker ★
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker ★
FP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 ★
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker ★
FP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



Boise Cascade
MILLWORK

Tulsa, OK/Kansas City, MO

1-800-299-5768

tulsamillwork@bc.com | millwork.bc.com

KNOTTY ALDER INTERIOR DOORS

Knotty Alder interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK



465

3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265

1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"




465

V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265

V-Groove 1-3/4"
Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



80801 Shaker

Barn Door with
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker

Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker

Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



1501

Clear SG
2'0", 2'6", 3'0" x 6'8"
2'0", 2'6", 3'0" x 8'0"



© Great NW Homes

PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" thick and in the sizes noted. Doors have ovolo sticking unless noted with "Shaker."



66

3/4" RP
2'0", 2'4",
2'6", 2'8",
3'0" x 6'8"



9266

1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"




782 Shaker

3/8" FP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9382 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



755 Shaker

3/8" FP
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker

1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




1501

Clear SG
2'0", 2'6",
3'0" x 6'8"



1310

Clear SG
2'0", 2'6",
3'0" x 6'8"



1315


Clear SG
2'6", 3'0" x 6'8"

★ = ADD 2 WEEKS TO IN STOCK LEAD TIME
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED
FP = 3/4" FLAT PANEL
RP = RAISED PANEL


Simpson[®]
Door Company

REDI-PRIME® DOORS

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89320 Shaker
1-3/4" Fire-Rated
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8001 Shaker
Clear SG
2'0", 2'6", 3'0" x 6'8"
2'0", 2'6", 3'0" x 8'0"




8411 Shaker
White Laminate SG
2'0", 2'6", 3'0" x 6'8"
2'0", 2'6", 3'0" x 8'0"




8733 Shaker
Clear SG
2'0", 2'6", 3'0" x 6'8"



8733 Shaker
White Laminate SG
2'0", 2'6", 3'0" x 6'8"




8735 Shaker
Clear SG
2'0", 2'6", 3'0" x 6'8"



8735 Shaker
White Laminate SG
2'0", 2'6", 3'0" x 6'8"



8010
Clear SG
2'0", 2'6", 3'0" x 6'8"



8012
Clear SG
2'0", 2'6", 3'0" x 8'0"



8015
Clear SG
2'6", 3'0" x 6'8"



8490
Pantry SG
2'0", 2'4", 2'6" x 6'8"



© Cynthia



Boise Cascade
MILLWORK

Tulsa, OK/Kansas City, MO

1-800-299-5768

tulsamillwork@bc.com | millwork.bc.com

HIGH PERFORMANCE SPECIAL ORDER DOORS – NO OVERHANG REQUIRED

There is nothing quite like the beauty of a Simpson wood door. And just because your exterior door opening may not have protection by a porch or overhang, doesn't mean you are stuck with a boring steel or fiberglass door. Both the Nantucket Collection™ of doors and WaterBarrier® technology upgrade available for any door are engineered differently, for the very toughest exposures. And both products carry an extended warranty with no overhang required. For more information, visit simpsondoor.com.



Boise Cascade®
MILLWORK

NANTUCKET COLLECTION™ – 10-YEAR WARRANTY

UNBEATABLE CONSTRUCTION

- Mortise-and-tenon joinery with face-driven pins
- Two-piece laminated stile-and-rail construction
- Can be stained or painted
- Ten year warranty, no overhang required




77130* RP
Douglas Fir




77660* FP
Sapele Mahogany



77504* FP
Western Hemlock




77105*
Nootka Cypress





WATERBARRIER® – 5-YEAR WARRANTY

AN OPTION FOR ANY DOOR


- An overlay commonly used on concrete forms and street signs
- Excellent durability and resists moisture absorption
- Choose any species to match interior architecture
- Available for virtually any Simpson door
- Exterior of door to be painted. Interior can be stained or painted.
- Five year warranty, no overhang required



49901* Sapele Mahogany with WB



37504* Cherry with WB



7002* Bamboo with WB



36802* Sapele with WB

* ALL DOORS SHOWN ON THIS PAGE ARE SPECIAL ORDER (NOT IN STOCK)

FP = 3/4" FLAT PANEL
RP = 1-7/16" DOUBLE HIP-RAISED PANEL
SG = 1/8" SINGLE GLAZED

Simpson®
Door Company

REDI-SHIP® INTERIOR IN STOCK AT SIMPSON

Simpson stocks today's most popular 1-3/8" door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade representative or visit simpsondoor.com/rediship for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade, look to Redi-Ship.

WESTERN HEMLOCK

Choose from over 20 Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



760 (8'0")



1120



1501
Shaker Quirk
with Rain



1501
Shaker Quirk
with Narrow
Reed



1501
Shaker Quirk
with Heavy
Water



1592



1592 (8'0")



1596

KNOTTY ALDER

Choose from over 60 Knotty Alder door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



43 BIFOLD




45 BIFOLD



700 BIFOLD



701 BIFOLD



702 BIFOLD



1501
with Rain



1501
with Narrow
Reed



1501
with Heavy
Water



Boise Cascade
MILLWORK

Tulsa, OK/Kansas City, MO

1-800-299-5768

tulsamillwork@bc.com | millwork.bc.com



Boise Cascade®
MILLWORK

PINE AND KNOTTY PINE


Choose from over 50 Pine and Knotty Pine door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.




1120



1120 (8'0")



1305



1592



1596

REDI-PRIME®

Choose from over 150 Redi-Prime® door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade includes the following.



8020 Ovolo



8120 Ovolo



8030 Ovolo



8055 Ovolo



8720 (7'0")



8760 (7'0")




8009 Ovolo



8282 Ovolo




8082 RP
Ovolo



80465 RP
Ovolo



8770 Louver



8784 Shaker




8762 Shaker



8499 Mirror



8182 Shaker



8734 Shaker

RP= 3/4" DOUBLEHIP-RAISED PANEL

Simpson®
Door Company

SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK



Boise Cascade®
MILLWORK

If you haven't found what you are looking for in this flyer, let your Boise Cascade representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



© Davis Photography



© Davis Photography



Tulsa, OK/Kansas City, MO
1-800-299-5768
tulsamillwork@bc.com | millwork.bc.com



Simpson®
Door Company

SIMPSONDOOR COM | 800 SIMPSON | #SIMPSONDOOR

©2022 Simpson Door Company. Printed in USA Catalog and door designs covered by copyright. All rights reserved. July 2022.