



Boise Cascade®
MILLWORK



© Beth Dana Design/Gazstone Gail Photography

© Nat Rea

SIMPSON DOORS IN STOCK

at Boise Cascade

Boise Cascade is proud to offer Simpson pre-hung and slab exterior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Atlanta location. Additional doors — indicated with a star ★ — are available from Simpson's Birmingham location for quick delivery. Contact your Boise Cascade representative for lead time. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility. Contact your Boise Cascade representative today to order your dream Simpson exterior door.

TABLE OF CONTENTS

EXTERIOR DOORS IN STOCK



MAHOGANY p. 4



WESTERN HEMLOCK p.5

INTERIOR DOORS IN STOCK



REDI-PRIME® pp. 6-7



SOUTHERN YELLOW PINE p. 8



KNOTTY PINE p. 9



KNOTTY ALDER pp. 10-11



SPECIAL ORDER AND CUSTOM p. 12





Boise Cascade®
MILLWORK



© Joshua Winn



@ bradmichaelarchitecture



© William Geddes

Simpson®
Door Company

MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with ovolo sticking – unless otherwise noted – and UltraBlock® technology and are stocked in the sizes noted.

						
7404 Shaker Satin Etch IG 3'0" x 6'8"	7405 Shaker Satin Etch IG 3'0" x 8'0"	7501 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	7801 DHRP and Low-E 12" x 6'8" 12" x 8'0"	37504 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	37802 SDL DHRP and Low-E 12" x 6'8" 12" x 8'0"	
						
37506 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	37803 SDL DHRP and Low-E 12" x 6'8" 12" x 8'0"	7506 DHRP and Low-E Bevel 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	37508 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	37804 SDL DHRP and Low-E 12" x 6'8" 12" x 8'0"	9541 Dentil Shelf for 3'0" doors	
						
6801 DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	6175 DHRP and Low-E 12" x 6'8" 12" x 8'0"	36802 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36803 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36804 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	36806 SDL DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	7002 ★ Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"
						
7403 Shaker ★ Satin Etch IG 3'0" x 6'8"	37104 SDL ★ Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	37122 SDL ★ Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	37106 SDL ★ Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	37108 SDL ★ Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	7506 Double Arch Top Unit ★ DHRP and Low-E Bevel 5'0" x 8'0" 5'4" x 8'0" 6'0" x 8'0"	



Boise Cascade
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, Georgia 30011
P: 833-375-0276 | MillworksAT@bc.com

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted. Doors have ovolo sticking unless otherwise noted.




Boise Cascade®
MILLWORK



7002
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8", 2'6",
2'8", 3'0" x 8'0"



7701
Low-E
12" x 6'8"
12" x 8'0"



37104 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'6", 2'8",
3'0" x 8'0"



37122 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'6", 2'8",
3'0" x 8'0"



37106 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'6", 2'8",
3'0" x 8'0"



37108 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'6", 2'8",
3'0" x 8'0"



37010 SDL
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'6", 2'8",
3'0" x 8'0"



7404 Shaker
Satin Etch IG
3'0" x 6'8"




7405 Shaker
Satin Etch IG
3'0" x 8'0"



7501
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'0", 2'6", 2'8",
3'0" x 8'0"



7801
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37598 SDL
DHRP and Low-E
12" x 6'8",
3'0" x 6'8",
2'0", 2'6", 2'8",
3'0" x 8'0"



37504 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'0", 2'6", 2'8",
3'0" x 8'0"




37802 SDL
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37506 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'0", 2'6", 2'8",
3'0" x 8'0"




37803 SDL
DHRP and Low-E
12" x 6'8"
12" x 8'0"



37508 SDL
DHRP and Low-E
2'0", 2'6", 2'8",
3'0" x 6'8",
2'0", 2'6", 2'8",
3'0" x 8'0"



37804 SDL
DHRP and Low-E
12" x 6'8"
12" x 8'0"



7044
DHRP and Low-E
2'8", 3'0" x 6'8"



37444 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



37944 SDL
DHRP and Low-E
2'8", 3'0" x 6'8"



6801 Shaker
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



6175 Shaker
FP and Low-E
12" x 6'8"
12" x 8'0"



**36802 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"




**36803 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



**36804 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



**36806 Shaker
SDL**
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7130
DHRP
3'0" x 6'8"



9541
Dentil Shelf for
3'0" and 3'6" doors

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SHAKER = SQUARE STICKING WITH FLAT PANEL
SDL = SIMULATED DIVIDED LITE
TDL = TRUE DIVIDED LITE

Simpson®
Door Company

REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8755 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8760 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, Georgia 30011
P: 833-375-0276 | MillworksAT@bc.com



Boise Cascade
MILLWORK

REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8490

Pantry
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8001 ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8001 Shaker ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8411 ★

White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"; 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"




8411 Shaker Quirk ★

White Laminate
2'0", 2'4", 2'6", 2'8", 3'0"
x 6'8"; 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




8490 (8'0") ★

Pantry with 3/8" FP
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"




8010 ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"




8012 ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8015 ★

Clear SG
2'4", 2'6", 2'8", 3'0"
x 6'8"



8018 ★

Clear SG
2'6", 2'8", 3'0" x 8'0"



8733 Shaker ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8733 Shaker ★

White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



8735 Shaker ★

Clear SG
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



8735 Shaker ★

White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4", 2'6", 2'8",
3'0" x 8'0"



© Cynthia Brown Studio

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION

FP = FLAT PANEL

SG = SINGLE GLAZED

SHAKER = SQUARE STICKING WITH FLAT PANEL

Simpson
Door Company

PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8". Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."




66
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




1501 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1590
Pantry
2'0", 2'4", 2'6",
3'0" x 6'8"




1305
Clear SG
1'6" x 6'8"



1310
Clear SG
2'0" x 6'8"



1312 (8'0")
Clear SG
2'0" x 8'0"



1315
Clear SG
2'6", 2'8",
3'0" x 6'8"




1318
Clear SG
2'6", 2'8",
3'0" x 8'0"



720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



782 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



44 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★ ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501
Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1590 (8'0") ★
Pantry with 3/4" RP
2'0", 2'4", 2'6", x 8'0"



1593 ★
Laundry
2'8", 3'0" x 6'8"



1593 (8'0") ★
Laundry with
3/4" RP
2'8", 3'0" x 8'0"



Boise Cascade
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, Georgia 30011
P: 833-375-0276 | MillworksAT@bc.com

KNOTTY PINE INTERIOR DOORS

Knotty Pine interior doors are stocked 1-3/8". Stock sizes are also noted. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1590 ★
Pantry
2'0", 2'4",
2'6" x 6'8"



82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




82 V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8",
3'0" x 6'8"; 1'6",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



465 V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8", 3'0"
x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



66 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



80801 Shaker
V-Groove ★
Barn Door
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker
V-Groove ★
Barn Door
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker
V-Groove ★
Barn Door
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL

Simpson[®]
Door Company

KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."




720 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9320 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



782 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"




9382 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



730 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"




9330 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



760 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9360 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



755 Shaker ★
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9355 Shaker ★
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"




82 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282 ★
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"




82 V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8", 3'0"
x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282 V-Groove ★
1-3/4" Fire-Rated
1-7/16" RP 2'8", 3'0"
x 6'8"
2'8", 3'0" x 8'0"



7282 ★
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7282 V-Groove ★
1-3/4"
1-7/16" RP 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



465 ★
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265 ★
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



465 V-Groove ★
3/4" RP 1'6", 2'0",
2'4", 2'6", 2'8",
3'0" x 6'8"; 1'6",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265 V-Groove ★
1-3/4" Fire-Rated
1-7/16" RP 2'8",
3'0" x 6'8"
2'8", 3'0" x 8'0"



7465 ★
1-3/4"
1-7/16" RP 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7465 V-Groove ★
1-3/4" 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"; 1'6", 2'0",
2'4", 2'6", 2'8", 3'0",
3'6" x 8'0"



Boise Cascade
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, Georgia 30011
P: 833-375-0276 | MillworksAT@bc.com

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



Boise Cascade[®]
MILLWORK



80801 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker
V-Groove ★
Barn Door 3'0",
3'6" x 7'0"
3'0", 3'6" x 8'4"



1501 ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker ★
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501 ★
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk ★
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



1590 ★
Pantry
2'0", 2'4",
2'6" x 6'8"



1593 ★
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



© Great NW Homes

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL
SHAKER = SQUARE STICKING WITH FLAT PANEL

Simpson[®]
Door Company

SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK

If you haven't found what you are looking for in this flyer, let your Boise Cascade representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



Boise Cascade®
MILLWORK



© Davis Photography



© Davis Photography



Boise Cascade®
MILLWORK

millwork.bc.com
8 Mount Moriah Road
Auburn, Georgia 30011
P: 833-375-0276 | MillworksAT@bc.com



Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

©2023 Simpson Door Company. Printed in USA Catalog and door designs covered by copyright. All rights reserved. May 2023.