



Boise Cascade®  
MILLWORK

**TULSA**

# MILLWORK STOCK CATALOG



TRANSCEND THE THRESHOLD® OF EXPECTATIONS

# CONTENTS

## 2 BOISE CASCADE MILLWORK

- 3 Anatomy of an Exterior Door
- 4 Door Hanging
- 5 Pre-Hung Features
- 6 Boise Cascade Millwork Capabilities

## 8 THERMA-TRU

- 8 Simulated Divided Lites (SDL)
- 9 Factory Finishing
- 15 EnLiten™ Flush-Glazed Designs
- 16 Advanta™ Lite Frame
- 17 Classic Craft®**
- 19 Premium Construction
- 21 AccuGrain® Technology
- 23 Classic Craft Doors
- 26 Decorative & Specialty Glass Designs – Classic Craft
- 27 Fiber-Classic® & Smooth-Star®**
- 29 Grain / Color / Glass Options
- 30 Door Construction
- 31 Fiber-Classic Oak Doors
- 32 Fiber-Classic Mahogany Doors
- 33 Smooth-Star Doors
- 39 Decorative & Specialty Glass Designs – Fiber-Classic & Smooth-Star
- 41 Privacy & Textured Glass
- 43 Clear Glass Options
- 44 Grilles and Internal Blinds
- 45 Therma-Tru Components**
- 45 Frames
- 46 Moulding
- 47 Sills
- 50 Door Bottoms
- 51 Astragals
- 52 Weatherstrip
- 53 Hinges
- 55 Handlesets
- 57 Hardware
- 58 Door & Lite Dividers
- 59 Accessories
- 60 Steel**

## 61 SIMPSON DOOR COMPANY

- 62 What Makes Simpson Doors Different?
- 63 Construction Methods for Tough Exterior Exposures
- 64 Anatomy of a Stile & Rail Door
- 65 Mahogany Exterior Doors
- 67 Western Hemlock Exterior Doors
- 71 Knotty Alder Exterior Doors
- 73 REDI-PRIME® Interior Doors
- 77 Knotty Alder Interior Doors
- 80 Pine Interior Doors
- 83 Rift Cut White Oak Interior Doors
- 84 Simpson Custom Pre-Hang Capabilities

## 85 STEVES & SONS MOLDED & FLUSH INTERIOR DOORS

### 87 COMPONENTS

- 87 Exterior Frames
- 88 Interior Jambs
- 89 Attic Stairs / Pocket Door Frames
- 90 Barn Door Hardware

## 91 BOISE CASCADE MILLWORK IN TULSA / RESOURCES





## BOISE CASCADE MILLWORK

### DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the Threshold® of Expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.



### ON-SITE DOOR SHOP SERVICE

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.



# ANATOMY OF AN EXTERIOR DOOR


A well-crafted door is more than an entry point. It represents precision, performance, and design at every level. Explore the key parts of a quality door and see how Boise Cascade Millwork helps you Transcend the Threshold®.




# DOOR HANDING

All units viewed from exterior of the home.


## INSWING



## OUTSWING



## FIXED



\*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

# HINGE AND BORE LOCATIONS

Hinge locations are from top of door to top of hinge. Standard heights are shown.

Standard passage bore height is 35-1/4" from top of door to center of bore. Double bore is 5.5" above to center of second bore.



BOISE CASCADE MILLWORK

BOISE CASCADE MILLWORK

# PRE-HUNG FEATURES

## STANDARD BOISE PRE-HUNG FEATURES

- 4-9/16" Primed Dura-Frame™ frame (rot-free; limited lifetime warranty) and Dura-Frame™ brickmould.
- Therma-Tru® bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
- In-swing unit with corner seal pads.
- (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft® door systems have ball-bearing radius/radius hinges).
- Compression bronze weatherstrip.
- Adjustable strike plate. Transport clip.
- Double bore for lockset and deadbolt prep with double strike prep on frame.
- Sill cover (not included on fixed doors).
- (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
- Installation instructions.
- Double doors include standard aluminum T-astagal with bronze weatherstrip and strike plates installed.
- Inactive door is not bored.
- Door with sidelites feature continuous composite adjustable sill.

## INSWING DOOR SYSTEM

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

## DOORS & SIDELITE(S) WITH CONTINUOUS SILL SYSTEM-INSWING

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

# BOISE CASCADE MILLWORK CAPABILITIES

## OUTSWING DOOR SYSTEM

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28 1/2" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32 1/2" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34 1/2" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36 1/2" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38 1/2" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40 1/2" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46 1/2" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
	4'8"	58 1/2" x 81 3/16"	59 1/4" x 81 11/16"	61 1/2" x 82 11/16"
	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"
	6'6"	80 1/2" x 81 3/16"	81 1/4" x 81 11/16"	83 1/2" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

## DOORS & SIDELITE(S) WITH CONTINUOUS SILL SYSTEM-OUTSWING

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Slab Sizes	Size	6/8	8/0
FIR AND MAHOGANY DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

### Important Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- For units with public access sills, subtract 1" for in-swing height.

**Lock Preparation:**  
 2-3/8" Backset  
 2-1/8" Face Bore  
 2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

# BOISE CASCADE MILLWORK CAPABILITIES

## MULTIPLE MULL OPTIONS

Boise Cascade Millwork has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.

### Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	



## SIZE MODIFICATIONS (cut or trim)

\*Limitations will apply to different materials

Boise Cascade Millwork can modify the size of all fiberglass doors to help meet your exact needs, without voiding the warranty from Therma-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



## SPECIALTY DOORS

### Access Doors

Boise can build smaller doors to accommodate access areas.

### Doggy Doors

Boise can cut doggy doors to meet your exact needs.

### Dutch Doors

Boise can build select fiberglass into Dutch style doors.



# SIMULATED DIVIDED LITES

For our Therma-Tru doors we stock wood grained or smooth SDL bars that are adhered to the panes of the tempered glass with unlimited designs and layouts. They can be stained or painted any color to complement the door and home. Lineal bars widths are: 1-1/8", 3-1/2", and 5-1/2". We also carry lineal 7/8" bars for wood doors in Knotty Alder, Hemlock, and Okoume (Mahogany).



### Simulated Divided Lites (SDLs):

Adhered to interior and exterior panes of tempered glass, these can be stained or painted. Choose wood-grained or smooth-textured.



### Grilles Between Glass (GBGs):

Thermally-sealed between panes of flat tempered glass for a smooth, easy-to-clean surface. Choose contour or flat shape in almond, white or bronze color.



### Fixed Grilles (FXG):

Molded as part of the glass frame on interior and exterior panes of tempered glass, these can be stained or painted.



### Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs):

The most authentic divided lite look we offer layers SDLs over flat bronze GBGs.



# FACTORY FINISHING



## FINISHED FOR LASTING BEAUTY

Today's homeowners expect perfection — PrismaGuard® offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

**10 YEAR**  
LIMITED WARRANTY

Classic Craft Finish  
Transferable

**10 YEAR**  
LIMITED WARRANTY

Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish



Professional  
Application



Durable  
Topcoat



## TESTED TO MEET TOUGH EXPECTATIONS.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌿) symbol.




Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress  
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

# FACTORY FINISHING

## PRISMAGUARD® PREMIUM STAIN

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.


THERMA-TRU

## PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

### PrismaGuard® Stain Options


Stains are shown in Classic Craft Mahogany Grain



# FACTORY FINISHING

## PRISMAGUARD® PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

THERMA-TRU

### PrismaGuard® Paint Options



= Inspired by Yellowstone National Park

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

# FACTORY FINISHING



## COMPOSE A SYMPHONY

Enhance your entrance with this exclusive palette from the Boise Cascade Millwork Symphony Collection, designed to complement warm neutral exteriors and natural elements like wood, stone, and greenery. Backed by a 10-year PrismaGuard warranty, it delivers lasting beauty, enduring quality, and peace of mind.



Classic Craft Finish  
**Transferable**



Fiber-Classic, Smooth-Star, Pulse, Steel Finish



Professional Application



Durable Topcoat



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

THERMA-TRU

# ENLITEN™ FLUSH-GLAZED DESIGNS

EnLiten™ flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%<sup>1</sup> – choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



## SEE THE DIFFERENCE.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking

Flush-Glazed Glass with Square Sticking

Lip-Lite Frame

<sup>1</sup>Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



# ADVANTA™ LITE FRAME



## A NEW FRAME OF MIND

The Advanta™ lite frame provides an innovative, plugless solution that will streamline operations and increase efficiencies in pre-finishing, assembly and inventory, reducing overall costs and time.

### Appearance Advantages

- The innovative Advanta lite frame provides a seamless look without unsightly screw plugs, enhancing the beauty of the entry.
- Available for select glass sizes in Fiber-Classic, Smooth-Star, Profiles and Traditions doors, including all decorative and privacy glass and some specialty and clear glass options.
- Scrolled and flat lite frame options are available.

### Quality Advantages

- Ability to pre-finish door and frame cover separately, and install glass after finishing to ensure the door is finished behind the lite frame should it shift over time.
- The finished frame cover can be removed and reused if the glass needs to be replaced. If a frame cover needs to be replaced, it can be done without needing to remove the glass from the door.
- Included in Therma-Tru's comprehensive lifetime limited warranty for fiberglass doors and sidelites, and 10-year limited warranty for steel doors and sidelites.

Flat



Scroll



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

## THE NEXT GENERATION OF LITE FRAMES.

Patented four-piece design includes two interchangeable frame covers and a two-piece base frame.

- A Frame Covers (Interior / Exterior):** Removable, interchangeable aesthetic frame that clips into place.
- B Base Frame:** Structural frame component that secures the frame to the glass in the door cutout.
- C Insulated Glass Unit (IG):** Available in various decorative, privacy and clear glass options.
- D Frame Clips:** Zinc-plated steel clips that secure the frame cover to the base frame.



**THERMA-TRU**  
DOORS

# CLASSIC CRAFT<sup>®</sup>

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship, and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

**LIFETIME**  
LIMITED  
**WARRANTY**  
TRANSFERABLE

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA8220; Sidelites – S8601XESL, Smooth-Star, Satin Etch Glass  
Bottom: Classic Craft American Door – CCA2400XE, Satin Etch Glass, Finish – Driftwood; Sidelites – CCA3400SL, Satin Etch Glass, Finish – Driftwood

THERMA-TRU

THERMA-TRU



**PREMIUM CONSTRUCTION, INSIDE AND OUT**

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



**ENGINEERED FOR MOISTURE PROTECTION**

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



**DESIGNED WITH AUTHENTICITY**

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider<sup>1</sup> to welcome more natural light into the home.



**TESTED TO WITHSTAND MOTHER NATURE**

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



**THERMA-TRU® DOOR FRAME**

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



**DESIGNED FOR LONG-TERM PERFORMANCE**

Features fiberglass skins that are 46% thicker<sup>1</sup> for added durability and better long-term performance.



**TRIPLE-PANE CONSTRUCTION**

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



**CRAFTED FOR A TRUE-TO-WOOD APPEARANCE**

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



**BUILT FOR STRENGTH AND SECURITY**

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.<sup>1</sup>



**CONSTRUCTED FOR ENERGY EFFICIENCY**

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.<sup>2</sup>



<sup>1</sup>Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley


Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo

# THERMA-TRU® CLASSIC CRAFT®

## TRUE-TO-WOOD ORIGINS

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with Therma-Tru's AccuGrain® technology.

AccuGrain.  
TECHNOLOGY



### FIR GRAIN


Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in the lush coastal rainforests of the Pacific Northwest.

### MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

### CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Right Page: Top: Classic Craft Fir Grain in Wildflower Honey.  
Bottom Left: Classic Craft Mahogany Grain in Driftwood.  
Bottom Right: Classic Craft Canvas Grain in Ruby Red.



**CCA2400-LE**  
Low-E Glass  
6/8: 3/0



**CCA2370**  
Low-E Glass  
6/8: 3/0



**CCA4910L-SDLF3LE**  
Low-E Glass  
6/8: 3/0



**CCA4910R-SDLF3LE**  
Low-E Glass  
6/8: 3/0



**CCA4900-SDLF3LE**  
Low-E Glass  
6/8: 3/0

**CCA82400-LE**  
Low-E Glass  
8/0: 3/0

**CCA82370**  
Low-E Glass  
8/0: 3/0

**CCA84910L-SDLF3LE**  
Low-E Glass  
8/0: 3/0

**CCA84910R-SDLF3LE**  
Low-E Glass  
8/0: 3/0

**CCA84900-SDLF3LE**  
Low-E Glass  
8/0: 3/0



**CCA4920L**  
Low-E Glass  
6/8: 3/0




**CCA4920R**  
Low-E Glass  
6/8: 3/0



**CCA4930**  
Low-E Glass  
6/8: 3/0



**CCA4940**  
Low-E Glass  
6/8: 3/0



**CCA2380**  
Low-E Glass  
6/8: 3/0

**CCA84920L**  
Low-E Glass  
8/0: 3/0

**CCA84920R**  
Low-E Glass  
8/0: 3/0

**CCA84930**  
Low-E Glass  
8/0: 3/0

**CCA84940**  
Low-E Glass  
8/0: 3/0

**CCA82380**  
Low-E Glass  
8/0: 3/0



**CCA2300**  
Low-E Glass  
6/8: 3/0



**CCA2310**  
Low-E Glass  
6/8: 3/0



**CCA2320**  
Low-E Glass  
6/8: 3/0



**CCA2330**  
Low-E Glass  
6/8: 3/0



**CCA2340**  
Low-E Glass  
6/8: 3/0

**CCA82300**  
Low-E Glass  
8/0: 3/0

**CCA82310**  
Low-E Glass  
8/0: 3/0

**CCA82320**  
Low-E Glass  
8/0: 3/0

**CCA82330**  
Low-E Glass  
8/0: 3/0

**CCA82340**  
Low-E Glass  
8/0: 3/0



**CCA2350**  
Low-E Glass  
6/8: 3/0



**CCA2360**  
Low-E Glass  
6/8: 3/0



**CCA210-LE**  
Low-E Glass  
6/8: 3/0



**CCA220-SDLLE**  
Low-E Glass  
6/8: 3/0



**CCA230-SDLLE**  
Low-E Glass  
6/8: 3/0

**CCA82350**  
Low-E Glass  
8/0: 3/0

**CCA82360**  
Low-E Glass  
8/0: 3/0

**CCA8210-LE**  
Low-E Glass  
8/0: 3/0

**CCA8220-SDLLE**  
Low-E Glass  
8/0: 3/0

**CCA8230-SDLLE**  
Low-E Glass  
8/0: 3/0



**CCA240-SDLLE**  
Low-E Glass  
6/8: 3/0



**CCA260-SDLLE**  
Low-E Glass  
6/8: 3/0



**CCA3400SL-LE**  
Low-E Glass  
6/8: 12", 14"



**CCA3450SL-SDLLE**  
Low-E Glass  
6/9: 12", 14"

**CCA8240-SDLLE**  
Low-E Glass  
8/0: 3/0

**CCA8260-SDLLE**  
Low-E Glass  
8/0: 3/0

**CCA3500SL-LE**  
Low-E Glass  
8/0: 12", 14"

**CCA3560SL-SDLLE**  
Low-E Glass  
8/0: 12", 14"



CCA1100  
6/8: 3/0  
CCA881100  
8/0: 3/0



CCA4905-DDBF3  
6/8: 3/0  
CCA84905-DDBF3  
8/0: 3/0



CCA4915L-DDBF3  
6/8: 3/0  
CCA84915L-DDBF3  
8/0: 3/0



CCR200  
6/8: 3/0



CCR205  
6/8: 3/0  
CCR8205  
8/0: 3/0




CCR3400SL-LE  
Low-E Glass  
6/8: 12", 14"  
CCR8000SL-LE  
Low-E Glass  
8/0: 12", 14"



CCV050  
6/8: 3/0



Classic Craft Mahogany Grain, Augustine Glass,  
Door - CCR20527, Finish - New Earth




Classic Craft Mahogany Grain, Borrassa Glass,  
Door - CCR822215, Sidelites - CCR8000XHSL

**AUGUSTINE®**

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.

**GLASS SHAPES**



25x51  
AGCCW2551-NC-1W

25x51 Arched  
AG2551A-1W



25x42  
AGCCW2542-NC-1W



25x42 Arched  
AG2542A-1W

**GLASS PRIVACY RATING**



Wrought Iron




Wrought Iron

**BORRASSA®**

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

**GLASS SHAPES**



25x51  
BACCW2551-KC-1W\*

25x51 Arched  
BACCW2551A-KC-1W




25x42  
BACCW2542-KC-1W




25x42 Arched  
BACCW2542A-KC-1W

**GLASS PRIVACY RATING**



Wrought Iron



Wrought Iron

THERMA-TRU®

THERMA-TRU®

**THERMA-TRU**  
DOORS

# FIBER-CLASSIC<sup>®</sup> & SMOOTH-STAR<sup>®</sup>

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance – from front entry to patio to utility doors – at an excellent value.



Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary  
Bottom: Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven

THERMA-TRU<sup>®</sup>

THERMA-TRU<sup>®</sup>



**GRAIN OPTIONS**




**FIBER-CLASSIC® MAHOGANY COLLECTION™**

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



**FIBER-CLASSIC® OAK COLLECTION™**

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



**SMOOTH-STAR®**

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

**SEE THE DIFFERENCE COLOR CAN MAKE**

Therma-Tru offers a wide variety of finish options for our doors.



**GLASS OPTIONS**

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



**DOOR CONSTRUCTION**

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



**1 WEATHER RESISTANCE**

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

**2 SECURITY**

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.<sup>1</sup> Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

**3 DURABILITY**

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

**4 R-VALUES**


Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood<sup>2</sup>, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.  
<sup>2</sup>Comparison of fiberglass to wood doors (both without glass).

THERMA-TRU® FIBER-CLASSIC® OAK COLLECTION™ – FLUSH GLAZED



**2000-LE**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**8000-LE**  
Low-E Glass  
8/0: 2/6, 2/8, 3/0


**FC1205**  
Low-E Glass  
6/8: 2/8, 3/0

**FC1206**  
Low-E Glass  
6/8: 2/8, 3/0

**FC1207**  
Low-E Glass  
6/8: 2/8, 3/0

**FC1210**  
Low-E Glass  
6/8: 2/8, 3/0

**FC1204**  
Low-E Glass  
6/8: 2/8, 3/0



**FC2050**  
Low-E Glass  
6/8: 2/8, 3/0

**8000-12**  
Low-E Glass  
3/0 x 8/0

**8000-18**  
Low-E Glass  
3/0 x 8/0

**2009-LE**  
Low-E Glass  
6/8: 2/8, 3/0


**FC5700**  
Low-E Glass  
6/8: 2/8, 3/0

**FC5710**  
Low-E Glass  
6/8: 2/8, 3/0

**8000-9**  
Low-E Glass  
8/0: 2/8, 3/0

**FC85700**  
Low-E Glass  
8/0: 2/8, 3/0

**FC85710**  
Low-E Glass  
8/0: 2/8, 3/0



**FC5720**  
Low-E Glass  
6/8: 2/8, 3/0

**FC691**  
Low-E Glass  
6/8: 2/8, 3/0

**FC685L**  
Low-E Glass  
6/8: 2/8, 3/0

**FC685R**  
Low-E Glass  
6/8: 2/8, 3/0

**FC85720**  
Low-E Glass  
8/0: 2/8, 3/0

**FC8691**  
Low-E Glass  
8/0: 2/8, 3/0

**FC8685L**  
Low-E Glass  
8/0: 2/8, 3/0

**FC8685R**  
Low-E Glass  
8/0: 2/8, 3/0

THERMA-TRU® FIBER-CLASSIC® OAK COLLECTION™



**FC31**  
6/8: 2/8, 3/0

**FC809**  
6/8: 2/8, 3/0

**FC862**  
8/0: 2/6, 2/8, 3/0

**FC755**  
6/8: 3/0

**FC60**  
6/8: 2/6, 2/8, 2/10, 3/0

**1000**  
6/8: 2/0, 2/6, 2/8, 2/10, 3/0

**FC860**  
8/0: 2/8, 3/0

**8100**  
8/0: 2/0, 2/6, 2/8, 3/0

THERMA-TRU® FIBER-CLASSIC® MAHOGANY COLLECTION™



**FCM7500**  
Low-E Glass  
6/8: 2/8, 3/0

**FCM7540**  
Low-E Glass  
6/8: 2/8, 3/0

**FCM7560**  
Low-E Glass  
6/8: 2/8, 3/0

**FCM31**  
6/8: 2/8, 3/0

**FCM220**  
6/8: 2/8, 3/0

**FCM205**  
6/8: 2/8, 3/0

**FCM8750**  
Low-E Glass  
8/0: 2/8, 3/0

**FCM87540**  
Low-E Glass  
8/0: 2/8, 3/0

**FCM87560**  
Low-E Glass  
8/0: 2/8, 3/0



**FCM755**  
6/8: 3/0

**FCM600**  
6/8: 2/8, 3/0

**FCM60**  
6/8: 2/8, 3/0

**FCM1000**  
6/8: 2/0, 2/6, 2/8, 3/0

**FCM860**  
8/0: 2/8, 3/0

**FCM81000**  
8/0: 2/6, 2/8, 3/0

THERMA-TRU® SMOOTH-STAR® – FLUSH GLAZED



**S2000**  
Clear  
6/8: 2/6, 2/8, 3/0

**S2000SL**  
Low-E Glass  
6/8: 12", 14"  
7/0: 12", 14"

**S2000-LE**  
Low-E Glass  
6/8: 2/8, 3/0

**S2000SL-LE**  
Low-E Glass  
6/8: 12", 14"

**S2000-XE**  
Satin Etch Glass  
6/8: 2/8, 3/0

**S2000SL**  
Low-E Glass  
6/8: 12", 14"

**S8000**  
Clear  
8/0: 2/8, 3/0

**S8000SL**  
Low-E Glass  
8/0: 12", 14"

**S8000-LE**  
Low-E Glass  
8/0: 2/8, 3/0

**S2000SL-LE**  
Low-E Glass  
8/0: 12", 14"

**S8000-XE**  
Low-E Glass  
8/0: 3/0

**S8000SL**  
Low-E Glass  
8/0: 12", 14"



**S2009**  
Low-E Glass  
6/8: 2/8, 3/0

**S1205**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S1205SL**  
Low-E Glass  
6/8: 12", 14"

**S1206**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S1206SL**  
Low-E Glass  
6/8: 12", 14"

**S5705**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S85705**  
Low-E Glass  
8/0: 2/8, 3/0

**S2009-9**  
Low-E Glass  
8/0: 2/8, 3/0

**S5710**  
Low-E Glass  
6/8: 2/8, 3/0

**S5710SL**  
Low-E Glass  
6/8: 12", 14"

**S5720**  
Low-E Glass  
6/8: 2/8, 3/0

**S5720SL**  
Low-E Glass  
8/0: 12", 14"

**S691**  
Low-E Glass  
6/8: 2/8, 3/0

**S685L**  
Low-E Glass  
6/8: 2/8, 3/0

**S85710**  
Low-E Glass  
8/0: 2/8, 3/0

**S85710SL**  
Low-E Glass  
8/0: 12", 14"

**S85720**  
Low-E Glass  
8/0: 2/8, 3/0

**S5720SL**  
Low-E Glass  
8/0: 12", 14"

**S8691**  
Low-E Glass  
8/0: 2/8, 3/0

**S8685L**  
Low-E Glass  
8/0: 2/8, 3/0



**S1207**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S1204**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S1204SL**  
Low-E Glass  
6/8: 12", 14"

**S5715**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S5725**  
Low-E Glass  
6/8: 2/8, 3/0

**S2010SL**  
Low-E Glass  
6/8: 12", 14"

**S2010SL**  
Low-E Glass  
6/8: 12", 14"  
7/0: 12", 14"

**S85715**  
Low-E Glass  
8/0: 2/8, 3/0

**S85725**  
Low-E Glass  
8/0: 2/8, 3/0

THERMA-TRU® SMOOTH-STAR® – FLUSH GLAZED



**S1210**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S2050**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0

**S8000-12**  
Low-E Glass  
8/0: 2/8, 3/0

**S8000-12**  
Low-E Glass  
8/0: 2/8, 3/0


**S84886SL**  
Low-E Glass  
8/0: 12", 14"

**S5700**  
Low-E Glass  
6/8: 2/8, 3/0

**S5700SL**  
Low-E Glass  
6/8: 12", 14"

**S85700**  
Low-E Glass  
8/0: 2/8, 3/0

**S85700SL**  
Low-E Glass  
8/0: 12", 14"



**S5710**  
Low-E Glass  
6/8: 2/8, 3/0

**S5710SL**  
Low-E Glass  
6/8: 12", 14"

**S5720**  
Low-E Glass  
6/8: 2/8, 3/0

**S5720SL**  
Low-E Glass  
8/0: 12", 14"

**S691**  
Low-E Glass  
6/8: 2/8, 3/0

**S685L**  
Low-E Glass  
6/8: 2/8, 3/0

**S85710**  
Low-E Glass  
8/0: 2/8, 3/0

**S85710SL**  
Low-E Glass  
8/0: 12", 14"

**S85720**  
Low-E Glass  
8/0: 2/8, 3/0

**S5720SL**  
Low-E Glass  
8/0: 12", 14"

**S8691**  
Low-E Glass  
8/0: 2/8, 3/0

**S8685L**  
Low-E Glass  
8/0: 2/8, 3/0

Smooth-Star Collection Door – S5720XE; Low-E Glass; Sidelites – S5720XE; Low-E Glass, Finish – Obsidian



THERMA-TRU® SMOOTH-STAR® – FLUSH GLAZED



Smooth-Star – S82103, Clear Glass, Finish – Onyx

THERMA-TRU® SMOOTH-STAR® – FLUSH GLAZED



- S1401**  
Low-E Glass  
6/8: 2/8, 3/0
- S81401**  
Low-E Glass  
8/0: 2/8, 3/0
- S2200-LE**  
Low-E Glass  
6/8: 2/6, 2/8, 3/0
- S82200-LE**  
Low-E Glass  
8/0: 2/8, 3/0
- S3200**  
Low-E Glass  
6/8: 3/0
- S83200-XR**  
Rainglass  
8/0: 3/0
- S4810-LE**  
Low-E Glass Shaker  
6/8: 2/8, 3/0
- S84810-LE**  
Low-E Glass  
8/0: 2/8, 3/0

THERMA-TRU®

THERMA-TRU®



- S685R**  
Low-E Glass  
6/8: 2/8, 3/0
- S8685R**  
Low-E Glass  
8/0: 2/8, 3/0
- S7500**  
Low-E Glass  
6/8: 2/8, 3/0
- S87500**  
Low-E Glass  
8/0: 2/8, 3/0
- S7540**  
Low-E Glass  
6/8: 2/8, 3/0
- S87540**  
Low-E Glass  
8/0: 2/8, 3/0
- S7560**  
Low-E Glass  
6/8: 2/8, 3/0
- S87560**  
Low-E Glass  
8/0: 2/8, 3/0
- S2103**  
Low-E Glass  
6/8: 2/8, 3/0
- S82103**  
Low-E Glass  
8/0: 2/8, 3/0




- S4810**  
Low-E Glass  
6/8: 2/8, 3/0
- S84810**  
Low-E Glass  
8/0: 2/8, 3/0
- S4812**  
Low-E Glass  
6/8: 2/8, 3/0
- S84812**  
Low-E Glass  
8/0: 2/8, 3/0
- S4813**  
Low-E Glass  
6/8: 2/8, 3/0
- S84813**  
Low-E Glass  
8/0: 2/8, 3/0
- S4814**  
Low-E Glass  
6/8: 2/8, 3/0
- S84814**  
Low-E Glass  
8/0: 2/8, 3/0
- S4816**  
Low-E Glass  
6/8: 2/8, 3/0
- S84816**  
Low-E Glass  
8/0: 2/8, 3/0



- S2104**  
Low-E Glass  
6/8: 2/8, 3/0
- S82104**  
Low-E Glass  
8/0: 2/8, 3/0
- S2105**  
Low-E Glass  
6/8: 2/8, 3/0
- S82105**  
Low-E Glass  
8/0: 2/8, 3/0
- S2250**  
Low-E Glass  
6/8: 2/8, 3/0
- S82250**  
Low-E Glass  
8/0: 2/8, 3/0
- S82250**  
Low-E Glass  
8/0: 2/8, 3/0
- S82250**  
Low-E Glass  
8/0: 2/8, 3/0
- S82250**  
Low-E Glass  
8/0: 2/8, 3/0
- S82250**  
Low-E Glass  
8/0: 2/8, 3/0




- S2000SL -2C**  
Low-E Glass  
6/8: 12", 14"
- S2000SL -4C**  
Low-E Glass  
6/8: 12", 14"
- S4810SL**  
Low-E Glass  
6/8: 12", 14"
- S84810SL**  
Low-E Glass  
8/0: 12", 14"
- S4812SL**  
Low-E Glass  
6/8: 12", 14"  
7/0: 12", 14"
- S84812SL**  
Low-E Glass  
8/0: 12", 14"



Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S4812SL, Finish – Estuary

THERMA-TRU® SMOOTH-STAR®



**S2600-LE**  
Internal Blinds  
6/8: 2/8, 3/0

**S82600-LE**  
Internal Blinds  
8/0: 2/8, 3/0




**S3300**  
Low-E Glass  
6/8: 3/0

**S83300**  
Low-E Glass  
8/0: 3/0



**S3400**  
Low-E Glass  
6/8: 3/0

**S83400**  
Low-E Glass  
8/0: 3/0



**S3500**  
Low-E Glass  
6/8: 3/0

**S83500**  
Low-E Glass  
8/0: 3/0



**S3600**  
Low-E Glass  
6/8: 3/0

**S83600**  
Low-E Glass  
8/0: 3/0



**S4800**  
Shaker  
6/8: 2/8, 3/0

**S84800**  
Shaker  
6/8: 2/8, 3/0



**S600**  
6/8: 3/0

**S8600**  
8/0: 3/0



**S210**  
6/8: 3/0

**S810**  
8/0: 3/0



**S3301**  
Low-E Glass  
6/8: 3/0

**S83301**  
Low-E Glass  
8/0: 3/0



**S3401**  
6/8: 3/0

**S83401**  
8/0: 3/0



**S1100**  
Shaker  
6/8: 2/8, 3/0

**S81100**  
Shaker  
8/0: 2/8, 3/0



**S220**  
Shaker  
6/8: 2/8, 3/0

**S8200**  
Shaker  
8/0: 2/8, 3/0



**S120**  
Shaker  
6/8: 2/8, 3/0

**S8120**  
Shaker  
8/0: 2/8, 3/0



**S5701**  
6/8: 3/0

**S85701**  
8/0: 3/0



**S5721**  
6/8: 3/0

**S85721**  
8/0: 3/0



**S3501**  
6/8: 3/0

**S83501**  
8/0: 3/0



**S33601**  
6/8: 3/0

**S83601**  
8/0: 3/0




**S93**  
Shaker  
6/8: 2/8, 3/0



**S200**  
6/8: 3/0



**S205**  
6/8: 2/8, 3/0



**S31**  
6/8: 2/8, 3/0


**S831**  
8/0: 2/8, 3/0



**S7555**  
6/8: 3/0



**S11**  
6/8: 3/0



**S100**  
6/8: 2/0, 2/4, 2/6, 2/8, 3/0

**S8100**  
8/0: 2/8, 3/0

THERMA-TRU® SMOOTH-STAR®



Smooth-Star Door – S3501R; Clear Glass, Sidelite – S2000SL, Finish – Peregrine

# DECORATIVE & SPECIALTY GLASS DESIGNS

## AXIS

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass levels completes this linear design, ideal for Modern home styles.

### GLASS SHAPES



21x15  
AXMBK2115-1D

### GLASS PRIVACY RATING



Black Nickel (1D)

## CALIX

Calix includes an on-trend "x" design and a delicate diamond pattern with clear glass, providing fine-lined geometric appeal.

### GLASS SHAPES



22x64  
CXMBK2264-1D

22x47  
CXMBK2247-1D

21x15  
CXMBK2115-1D

### GLASS PRIVACY RATING




Black Nickel (1D)

# DECORATIVE & SPECIALTY GLASS DESIGNS

## LATITUDE

Bending tradition. Latitude showcases seedy glass and simple curved details in a half-moon geometric design.


### GLASS SHAPES



22x64  
LTMBK2264-1D

22x47  
LTMBK2247-1D

### GLASS PRIVACY RATING



Black Nickel (1D)

## ECHELON

Echelon provides clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

### GLASS SHAPES



22x64  
ECMBK2264-1D


21x15  
ECMBK2115-1D

### GLASS PRIVACY RATING



Black Nickel (1D)


# PRIVACY & TEXTURED GLASS



## CHORD

This vertical pattern is reminiscent of waves on water.

### GLASS SHAPES



22x64  
XCMBK2264


22x47  
XCMBK2247

21x15  
XCMBK2115-A

## RAINGLASS

This elegantly-fashioned glass gives the appearance of ripples of cascading rainwater.

### GLASS SHAPES



22x64  
XRMBK2264

22x47  
XRMBK2247

21x15  
XRMBK2115-A

### GLASS PRIVACY RATING




### GLASS PRIVACY RATING



Classic Craft Canvas Collection Door – CCV05020XR, Rainglass; Sidelites – CCV100XRSL, Rainglass




# PRIVACY & TEXTURED GLASS



## GRANITE

A coarse-grained arrangement with surface detail over the entirety of the glass.

### GLASS SHAPES



22x64  
XNMBK2264

22x47  
XNMBK2247  
ADVANTA XRMBK2247

21x15  
XNMBK2115-A


### GLASS PRIVACY RATING



## SATIN ETCH

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

### GLASS SHAPES



22x64  
XEMBK2264

22x47  
XEMBK2247

21x15  
XEMBK2115-A

### GLASS PRIVACY RATING




Smooth-Star Door – S2000XE, Satin Etch Glass, Flush-Glazed; Transom 19220T, Clear Glass



# CLEAR GLASS OPTIONS

## CLEAR



### GLASS SHAPES



**22x80**  
DL818  
DL818E  
DLFC-2280-CE




**20x80**  
DL8084N  
DL818EN  
DL818N  
DLFC-2080-CE



**22x64**  
DLFC-2264  
DLFC-2264-CE  
DLSS-2264  
DLSS-2264-CE  
ADVANTA DLMBK-2264  
ADVANTA DLMBK-2264-CE




**20x64**  
DLFC-2064-CE  
DLSS-2064  
DLSS-2064-CE



**16x64**  
DLSS-1664-E




**07x64**  
DLFC-0764  
DLFC-0764-CE  
DLFC-0764-E  
DLSS-0764  
DLSS-0764-CE




**22x47**  
DL2247  
DLFC2247  
DLFC-2247-CE  
DLSS-2247-CE  
ADVANTA DLMBK-2247  
ADVANTA DLMBK-2247-CE




**08x47**  
DLFC-0847-CE  
DLFC0847  
DLSS-0847-CE



**22x36**  
DLFC-2236  
DLFC-2236-CE  
DLSS-2236  
DLSS-2236-CE  
ADVANTA  
DLMBK-2236  
ADVANTA  
DLMBK-2236-CE



**20x36**  
DLFC-2036  
DLFC-2036-CE  
DLSS-2036  
DLSS-2036-CE




**08x36**  
DLSS-0836  
DLSS-0836-CE



**22x10**  
DLSS-2210R



**21x15**  
DLFC-2115-CE  
DLFCZ-2115-ACE  
DLSS-2115-CE  
DLSSZ-2115-ACE  
ADVANTA DLMBK-2115-CE



**08x06**  
DLSS-DLFC-0806  
DLFC-0806-CE  
DLSS-0806  
DLSS-0806-CE


# GRILLES & INTERNAL BLINDS

## GRILLES

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.




### GLASS SHAPES



**22x64**  
DLSSG-2264-CE-3W5H  
DWSS-2264-3W5HFIW  
DWSS-2264-CE-3W5HFIW



**07x64**  
DWSS-0764-CE-1W5H



**08x36**  
DLSSG-0836-1W3H



**22x36**  
DLSSG-2236-3W3H  
DLSSG-2236-CE-3W3H  
DWSS-2236-3W3HFIW  
DWSS-2236-CE-3W3HFIW




**22x10**  
DLSSG-2210R-4R



**22x06**  
DLSSG-2206-4W1H

## INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



### GLASS SHAPES



**22x80**  
VBRFC-2280  
VBRFC-2280-CE  
VBRSS-2280  
VBRSS-2280-CE



**20x80**  
VBRFC-2080  
VBRFC-2080-CE  
VBRSS-2080  
VBRSS-2080-CE



**22x64**  
VBRFC-2264  
VBRFC-2264-CE  
VBRSS-2264  
VBRSS-2264-CE  
ADVANTA VBRMBK-2264  
ADVANTA VBRMBK-2264-CE




**20x64**  
VBRFC-2064  
VBRFC-2064-CE  
VBRSS-2064  
VBRSS-2064-CE




**16x64**  
VBRSS-1664  
VBRSS-1664-CE




**07x64**  
VBRSS-0764  
VBRSS-0764-CE



**22x47**  
VBRFC-2247  
VBRFC-2247-CE  
VBRSS-2247  
VBRSS-2247-CE  
ADVANTA VBRMBK-2247  
ADVANTA VBRMBK-2247-CE



**22x36**  
VBRFC-2236  
VBRFC-2236-CE  
VBRSS-2236  
ADVANTA VBRMBK-2236  
ADVANTA VBRMBK-2236-CE



**20x36**  
VBRFC-2036  
VBRFC-2036-CE  
VBRSS-2036

# THERMA-TRU® COMPONENTS

## FRAMES



### COMPOSITE FRAMES

Description	Material	Part #	Size
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

### OTHER FRAMES

Description	Material	Part #	Size
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

### FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Material	Part #
JAMB PLUG COMPOSITE SMOOTH RAW	Jamb	JPCSN
JAMB PLUG INSTALLATION SCREWS	Jamb	JPSCREW
JAMB PLUG INSTALLATION TOOL	Jamb	JPTOOL



Stock status is subject to availability.

Contact your Boise Cascade Millwork Representative with any questions.

# THERMA-TRU® COMPONENTS

## MOULDING

### COMPOSITE ENTRY MULLION

2" Entry Narrow 2-1/2" Entry Wide

Description	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	MCGNENIB80HHSG*	8/0 X 2 1/2"



### COMPOSITE PATIO MULLION

2" Patio Narrow

Description	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	MCGNPBIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	MCGNPBIB80HHSG*	8/0 X 2 1/2"



### COVE MOULD

7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0



### BRICKMOULD

2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS SKID	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSN168H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSN168H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSN180WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSN180H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSN180H	8/0



### ADDITIONAL BRICKMOULD

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH301A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH361A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1

= Pre-inserted weatherstrip option available for select white smooth jambs and mullions pre-machined for hinges and locks.

\*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

# THERMA-TRU® COMPONENTS

## SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

### Sill Finishes



Mill



Bronze

### Cap Colors



Darkwood



Lightwood

### INSWING COMPOSITE ADJUSTABLE SILL ❖

#### Composite Adjustable Sill (Premium) ❖

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.



Continuous length with spread mullion capability to fill 49"-75" rough openings.\*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNML	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF607UNML	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 2 1/4" SIDELITES MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EL30UD14NML	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNML*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNML*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES36UNML	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50ULNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50URNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54ULNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54URNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58ULNML	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58URNML	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60ULNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60URNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO LINEAL MILL FINISH LIGHT WOOD CAP W/ SCREEN RAIL	Inswing	ISL3AS5PN90UNML	9/0 5-3/4 U1

# THERMA-TRU® COMPONENTS

## INSWING BASIC COMPOSITE ADJUSTABLE SILL (ECONOMY)

### Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.




Description	Application	Part #	Size
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE BRONZE DARK WOOD CAP	Inswing	ISL3BP5ES28UDB*	2/8 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH DARK WOOD CAP	Inswing	ISL3BP5ES28UMD*	2/8 5-3/4 U1
IS SILL ECON-STANDARD NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH LIGHT WOOD CAP	Inswing	ISL3BP5ES28UML*	2/8 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE BRONZE DARK WOOD CAP	Inswing	ISL3BP5ES30UDB*	3/0 5-3/4 U1
IS SILL ECON NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH DARK WOOD CAP	Inswing	ISL3BP5ES30UMD*	3/0 5-3/4 U1
IS SILL ECON-STANDARD NO SCREEN INJECTION MOLDED COMPOSITE ADJUSTABLE MILL FINISH LIGHT WOOD CAP	Inswing	ISL3BP5ES30UML*	3/0 5-3/4 U1

### OUTSWING COMPOSITE OUTSWING SILL ❖

#### Basic Composite Adjustable Sill (Economy)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip



Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINUOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1



### VALUE COMPOSITE ADJUSTABLE SILL ❖

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1

# THERMA-TRU® COMPONENTS

## SILLS

### PUBLIC ACCESS SILL WITH OR WITHOUT THERMAL BREAK

(For ADA Applications\*\*)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1



### SILL PAN

(Recommended) ✦

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16




### SILL COVERS

(Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4



### SILL EXTENDERS

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1



# THERMA-TRU® COMPONENTS

## DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

### DUAL BULB KERF-APPLIED DOOR BOTTOM FOR COMPOSITE ADJUSTABLE, BASIC COMPOSITE ADJUSTABLE, HARDWOOD ADJUSTABLE SILLS ✦

**Sills:** Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable

**Color:** Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1



### DUAL BULB KERF-APPLIED DOOR BOTTOM FOR COMPOSITE ADJUSTABLE, BASIC COMPOSITE ADJUSTABLE, HARDWOOD ADJUSTABLE SILLS

Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBBU300B	3/0 U1



### SINGLE BULB KERF-APPLIED DOOR BOTTOM FOR BASIC FIXED, MODERATE CLIMATE SILLS

**Sills:** Basic Fixed

**Color:** Bronze

Description	Part #	Size
DOOR BOTTOM KERF	DB30316	35.81"




### INACTIVE DOOR BOTTOMS FOR COMPOSITE INSWING SILLS ✦

**Sills:** Composite Adjustable  
Hardwood Adjustable

**Color:** Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0



### ADDITIONAL DOOR BOTTOMS AVAILABLE

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBB360B	3/6

✦ = Tru-Defense Eligible

\*\*door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

**ASTRAGALS**

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

**ALUMINUM ASTRAGAL** ✦

**Heights:**  
6'6"  
6'8"  
7'0"  
8'0"

**Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

**Grain Options:**  
Bronze  
White

**Weatherstrip:**  
Bronze  
Coastal option also available.

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0



**WEATHERSTRIP**

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

**MEDIUM-REACH WEATHERSTRIP** ✦

**Colors:**  
Bronze  
White



**LONG-REACH WEATHERSTRIP** ✦

**Colors:**  
Bronze  
White



Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze

Classic Craft Canvas Door – CCV050, Finish – Dark Maple (Brushed), 360 Rotations



**END RAIL**

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF END RAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSFCER30C	3/0

**HINGES**

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

**CLASSIC CRAFT BALL-BEARING STAGGERED HOLE PATTERN HINGE** ✦



Black Nickel    Brushed Nickel    Oil Rubbed Bronze    Yellow Zinc

Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8
CC NRP HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCSR5NRP-1H	5/8
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8


**SELF-ALIGNING BALL-BEARING HINGE** ✦



Black Nickel    Brushed Nickel    Oil Rubbed Bronze    Yellow Zinc

Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"


**SELF-ALIGNING HINGE** ✦



Black Nickel    Brushed Nickel    Oil Rubbed Bronze    Yellow Zinc

Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

**SPRING-LOADED HINGE** ✦



Black Nickel    Brushed Nickel    Oil Rubbed Bronze    Yellow Zinc

Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"

# THERMA-TRU® COMPONENTS

## HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

### FINISHES



Black Nickel      Brushed Nickel      Oil Rubbed Bronze

### GRIP STYLE HANDLESETS

#### Forte



Interior

#### Prospect



Interior

#### FORTE

Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil Rubbed Bronze	MPGSGTHS2016-1H	Active

#### PROSPECT

Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

# THERMA-TRU® COMPONENTS

## LEVER STYLE HANDLESETS

### Heirloom



Wide

Narrow

### Millennium



Wide

Narrow

Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

### Venture



Wide

Narrow

#### HEIRLOOM

Description	Finish	Part #	Locking
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active

#### MILLENNIAL

Description	Finish	Part #	Locking
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive

#### VENTURE

Description	Finish	Part #	Locking
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active

**HARDWARE**

**SECURITY STRIKE PLATE**

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MS00SSPTD-YZ
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil-Rubbed Bronze	MPMSBASIS3-1H
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil-Rubbed Bronze	MPMSBOSIS-1H
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSP-1D
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSP-1H
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Black Nickel	MPGSGTCS-1D
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Brushed Nickel	MPGSGTCS-1C
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Oil-Rubbed Bronze	MPGSGTCS-1H
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil-Rubbed Bronze	MPMARTS-1H

**STORM DOOR ADAPTER**

Description	Part #	Size
LONG STORM DOOR ADAPTER	BACSN680L	8/0 6-9/16

6-9/16" Base Adapter



**RAIN DEFLECTOR**

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Description	Part #	Size	Color
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White



**DOOR & LITE DIVIDER BARS**

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.

Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK <i>Contains 2 vertical and 4 horizontal pieces (1 door).</i>	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK <i>Contains 2 vertical and 6 horizontal pieces (1 door).</i>	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK <i>Contains 20 long horizontal pieces.</i>	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDLH-20	1.6"

**SDL BAR OPTIONS**

**Grained**



1.125"



1.125"




3.5" & 5.5"

**Smooth**



1.125"



1.125"



3.5" & 5.5"

THERMA-TRU®

THERMA-TRU®

## ACCESSORIES

### SPEAKEASY


Description	Part #
8-3/4" x 10-3/4" SPEAKEASY GRILLE WITH GLASS	809027819



### CLAVOS & STRAP HINGES

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos as well as strap hinges.

Description	Part #	Size
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"
STRAP HINGE BLACK	STRPHSD183	18"



### DENTIL SHELVES

Complete the look with a dentil shelf for true craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



## STEEL

Versatile, affordable options

Coupling distinctive styling with affordability, Therma-Tru® steel doors offer versatile front entry and house-to-garage options.

### PROFILES



### TRADITIONS



978HD 6/8: 2/8, 3/0  
205HD 6/8: 2/8, 3/0  
210HD 6/8: 3/0  
TS210 6/8: 2/8, 3/0



810 8/0: 2/6, 2/8, 3/0  
100 6/8: 3/6  
TS100 6/8: 2/0, 2/4, 2/6, 2/8, 2/10, 3/10  
800 8/0: 2/0, 2/6, 2/8, 3/0

Profiles Collection Door – 205HD, Fire-Rated



Right Page: Top: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Clear Glass with Grille Sticks, Transom – 19200T, Finish – Acorn; Dentil Shelf. Bottom Left: Classic-Craft Rustic Collection, Solid, Clavos & Straps. Bottom Right: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA230, 16-block Dentil Shelf. DoorAngle\_CCA\_Clear\_SDL-4



# STILE & RAIL EXTERIOR DOORS

Not all wood doors are created equally.

When selecting a wood door for your project, select Simpson, the industry's leading wood door manufacturer.



## SIMPSON® EXTERIOR DOORS

### WHAT MAKES SIMPSON DOORS DIFFERENT?

Simpson exterior doors can be made in any design, size or shape and with any glass or wood type. With so many options, it can be tough to find the right product for your projects. Below is a guide to help with the selection process.

Product Type	Available in Any Design	Available in Any Type of Wood	Can Be Stained	Can be Painted	Can Be Painted a Dark Color	Warrantied with No Overhang Protection	Warranty Period
<b>Door with UltraBlock® Technology</b>	✓	✓	✓	✓			5 Years
<b>Door with WaterBarrier® Technology</b>	✓	✓	Can be stained inside only. Outside must be painted.	✓		✓	5 Years
<b>Door with Nantucket Collection™ Construction</b>	✓	Available in Douglas Fir, Western Hemlock, Sapele Mahogany, Nootka Cypress & Factory-Primed Accoya	✓	✓	Must use the Factory-Primed Accoya	✓	10 Years
<b>SelectGuard™ Flat Panel</b> <i>(can be used with any door type)</i>	✓	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(with no split guarantee)</i>
<b>SelectGuard™ Scoop Single Hip-Raised Panel</b> <i>(can be used with any door type)</i>	For square or rectangle shaped panels only	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(with no split guarantee)</i>
<b>Innerbond® Double Hip-Raised Panel</b> <i>(can be used with any door type)</i>	✓	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(against splitting all the way through)</i>

### ULTRABLOCK® TECHNOLOGY:

#### PROVEN PROTECTION FOR YOUR DOOR

- Composite block material finger-jointed into the bottom of the stiles eliminates water infiltration
- Minimizes the possibility of stile and rail separation
- Eliminates bottom rail and lower stile decay
- Reduces buckling and swelling of bottom rail and lower stile components
- Improves warp resistance
- 5-year warranty
- Standard on most Simpson entry doors

#### FLEXIBLE DESIGN OPTIONS

- UltraBlock can be used in any door 1-3/4" and 2-1/4" thick
- Protect all of your exterior doors including entry, side and patio
- Can be used in combination with any type of wood




# CONSTRUCTION METHODS FOR TOUGH EXTERIOR EXPOSURES

No wood door manufacturer engineers their doors to withstand tough exposures like Simpson. And no one backs their exterior wood door like Simpson, with extended warranties—and warranties that apply even with no building overhang. See warranties. If your door will be exposed to the elements, consider the following construction types when selecting your Simpson door.

## NANTUCKET COLLECTION™

- 10-year warranty - no overhang required
- Superior performing wood species - choose from Western Hemlock, Douglas Fir, Sapele Mahogany, Nootka Cypress and Accoya (Primed-Can Be Painted Any Color)
- Two-piece laminated construction for all stiles and rails
- Mortise-and-tenon joinery with face-driven pins to eliminate stile and rail separation
- No-face pin option with grip tenon
- Face-driven pins create a dramatic design aesthetic
- Two thicknesses available - 1¾" and 2¼"
- Two panel options - 17/16" Innerbond® double hip-raised or ¾" solid flat
- Two sticking profile options - Shaker or Ovolo
- All divided lite doors constructed with Simulated Divided Lite (SDL) construction
- Design pressure ratings of DP50 (additional hardware may be required in some applications)



## PERFORMANCE SERIES® UPGRADES

Performance Series is a selection of heavy-duty door components that deliver maximum protection for your finely crafted Simpson door. We currently offer two Performance Series options, UltraBlock® and WaterBarrier® technologies. The combination of these two technologies creates a door suited for the toughest exposures. And this protection is delivered without sacrificing the charm and craftsmanship you've come to expect from a Simpson door. After all, a beautiful door is only worth having if you can protect it.

## WARRANTY

### NO OVERHANG? NO PROBLEM.

Speak with your Boise Cascade Millwork sales representative about selecting the Simpson WaterBarrier® technology (5-year warranty) or the Nantucket® Collection (10-year warranty) and have an extended warranty for any tough application.

# ANATOMY OF A STILE & RAIL DOOR

For contractors and builders, knowing the full breakdown of exterior door components is essential. The entry door isn't just an aesthetic feature—it's a system of integrated door parts designed for security, durability, energy efficiency, and curb appeal. Too often, homeowners assume "a door is just a door," but every piece of the door anatomy plays a role in long-term performance.

Below is a simple illustration of the anatomy of a stile & rail door. This graphic will aid in familiarizing oneself with some of the typical components that come together to form a durable and beautiful entryway.



MAHOGANY EXTERIOR DOORS



37504, Mahogany

MAHOGANY EXTERIOR DOORS



**7504** ☺  
DHRP  
Low-E Bevel Glass  
6/8: 2/6, 2/8, 3/  
8/0: 2/6, 2/8, 3/0

**7802** ☺  
DHRP  
Low-E Bevel Glass  
6/8: 12", 14"  
8/0: 12", 14"

**37506**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0

**37506** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0

**37506** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0

**37803**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"

SIMPSON EXTERIORS



**7002** ☺  
Low-E Glass  
6/8: 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0

**7403 Shaker** ☺  
Satin Etch IG  
6/8: 3/0

**7404 Shaker** ☺  
Satin Etch IG  
6/8: 2/8, 3/0

**7501**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0

**7501** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0

**7801**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"

SIMPSON EXTERIORS



**7506** ☺  
DHRP  
Low-E Bevel Glass  
6/8: 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0

**7803** ☺  
DHRP  
Low-E Bevel Glass  
6/8: 12", 14"  
8/0: 12", 14"

**37508**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0

**37508** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0

**37508** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0

**37804**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**7501** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0

**37504** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0

**37504** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0

**37504**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0

**37802**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**7506 Double Arch Top Unit** ☺  
DHRP  
Low-E Bevel Glass  
8/0: 5/0, 5/4, 6/0

**6801** ☺  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0

**6801** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0

**6801** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0

**6175** ☺  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"

**9541** ☺  
Dentil Shelf for 3/0 doors

DHRP = 1-7/16" Double Hip-Raised Panel


FP = 3/4" Flat Panel

☺ = Two week lead time (in stock in Dallas)

IG = 3/4" Insulated Glazing

SG = 1/8" Single Glazed


WESTERN HEMLOCK EXTERIOR DOORS



**7002** ☺  
Clear IG  
6/8: 2/0, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/6,  
2/8, 3/0




**7701** ☺  
Clear IG  
6/8: 12", 14"  
8/0: 12", 14"



**7002** ☺  
Low-E Glass  
6/8: 2/0, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/6,  
2/8, 3/0



**7701** ☺  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"




**7002 Shaker**  
Clear IG  
6/8: 2/0, 2/6,  
2/8, 3/0  
8/0: 3/0



**7701 Shaker** ☺  
Clear IG  
6/8: 12", 14"  
8/0: 12", 14"

WESTERN HEMLOCK EXTERIOR DOORS



**37010 Shaker** ☺  
Low-E Glass  
6/8: 2/0, 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



**7037** ☺  
Low-E Glass  
6/8: 3/0




**7501** ☺  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0, 3/6



**7501** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**7501** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**7002 Shaker** ☺  
Low-E Glass  
6/8: 2/0, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/6,  
2/8, 3/0



**7002** ☺  
ADA Compliant  
Low-E Glass  
6/8: 3/0  
7/0: 3/0  
8/0: 3/0



**7002** ☺  
WaterBarrier  
Low-E Glass  
6/8: 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



**7701 Shaker** ☺  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**37010** ☺  
Low-E Glass  
6/8: 2/0, 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



37506, Hemlock




**37598** ☺  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0



**7801** ☺  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"




**37504** ☺  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0, 3/6



**37010** ☺  
WaterBarrier  
Low-E Glass  
6/8: 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



**1510** ☺  
Clear SG  
No UltraBlock  
6/8: 2/0, 2/4, 2/6  
2/8, 3/0



**1515** ☺  
Clear SG  
No UltraBlock  
6/8: 2/6, 2/8, 3/0



**37015** ☺  
Clear IG  
6/8: 2/6, 2/8, 3/0



**37010 Shaker** ☺  
WaterBarrier  
Low-E Glass  
6/8: 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



**37504** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**37504** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**37802** ☺  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"

DHRP = 1-7/16" Double Hip-Raised Panel

FP = 3/4" Flat Panel

☺ = Two week lead time (in stock in Dallas)


IG = 3/4" Insulated Glazing

SG = 1/8" Single Glazed

SIMPSON EXTERIORS

SIMPSON EXTERIORS


WESTERN HEMLOCK EXTERIOR DOORS



**37506** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**37508** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**37508** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0




**7044**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0




**7031**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0



**37134**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0



**7130** ☺  
DHRP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**37444**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0




**37435**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0



**37944**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0



**37035**  
DHRP  
Low-E Glass  
6/8: 2/8, 3/0



**6801**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0  
☺ 8/0: 3/0




**6801** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**7344** ☺  
DHRP  
Clear IG  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0




**9541** ☺  
Dentil Shelf for 3/0 and 3/6 doors



**6801** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**6175** ☺  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**6801 Shaker** ☺  
FP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0



**6801 Shaker** ☺  
FP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**6801 Shaker** ☺  
FP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**6175 Shaker** ☺  
FP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"

WESTERN HEMLOCK EXTERIOR DOORS




37598, Hemlock


DHRP = 1-7/16" Double Hip-Raised Panel  
FP = 3/4" Flat Panel  
☺ = Two week lead time (in stock in Dallas)

IG = 3/4" Insulated Glazing  
SG = 1/8" Single Glazed


KNOTTY ALDER EXTERIOR DOORS



**7002** ☺  
DHRP  
Low-E Glass  
6/8: 2/0, 2/6, 2/8, 3/0  
8/0: 2/0, 2/6, 2/8, 3/0




**37010** ☺  
DHRP  
Low-E Glass  
6/8: 2/0, 2/6, 2/8, 3/0  
8/0: 2/6, 2/8, 3/0



**7501**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0  
☺ 8/0: 3/6



**7501** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0




**7501** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0




**7801**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"


KNOTTY ALDER EXTERIOR DOORS



**7508**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0  
☺ 8/0: 3/6



**37508** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0




**37508** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0




**37804**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**9541** ☺  
Dentil Shelf for 3/0 and  
3/6 doors



**35704**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0  
☺ 8/0: 3/6




**37504** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0




**37504** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**37802**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



**7506**  
DHRP  
Low-E Glass  
6/8: 3/0  
8/0: 3/0  
☺ 8/0: 3/6



**37506** ☺  
DHRP  
White Laminate IG  
6/8: 3/0  
8/0: 3/0



**37506** ☺  
DHRP  
Seedy Baroque IG  
6/8: 3/0  
8/0: 3/0



**37803**  
DHRP  
Low-E Glass  
6/8: 12", 14"  
8/0: 12", 14"



7508, Knotty Alder

SIMPSON EXTERIORS

SIMPSON EXTERIORS

# REDI-PRIME® INTERIOR DOORS

## ABOUT SIMPSON REDI-PRIME®

Simpson Redi-Prime® is one of today's most recognized brands for primed interior doors. The method of construction and internal components are the same as Simpson wood doors. And when combined with MDF veneers on stile and rail surfaces, solid MDF panels and an impeccable priming process, the result is an architecturally-beautiful, long-lasting interior primed door. Choose from a variety of panel and French designs, all available either in local inventory or through Simpson's Redi-Ship® Program.

- Proven value compared to other primed interior doors
- Engineered stiles and rails with 1/8" thick MDF veneer over finger-jointed wood core
- Solid MDF panels
- Factory double-primed and sanded
- Available in all widths to meet your interior door needs
- Choose from 6'8", 7'0" and 8'0" heights
- Special sizes, designs and shapes can be manufactured to complete your house pack
- Flat Panel Doors – 3/8" thick flat panel with either shaker or ovolo sticking profile, and matching 20-minute fire-rated doors available
- Premium Flush Doors – 1/4" thick veneer over stave wood core with 9/16" wide x 1/16" deep square grooves, and matching 20-minute fire-rated doors available
- Barn Doors - select from one-panel, Z-layout and K-layout options
- Raised Panel Doors - 3/4" thick double hip-raised panel with ovolo sticking, all with v-groove options
- French doors – dozens of glass types available with either ovolo or shaker quirk sticking
- All designs available 1-3/8" thick with a growing inventory of 1-3/4" thick doors
- 10-year warranty



## REDI-SHIP PROGRAM:

### OUR WAREHOUSE IS YOUR WAREHOUSE

Simpson Redi-Ship takes the most popular interior door designs and makes them available in an expedited lead time. If your customer needs doors quickly and your Simpson supplier is not stocking what you need, look to the Redi-Ship program.

- Amazing Service: Quick lead time for the most popular door designs.
- Superior Quality: 10-year warranty on all Simpson interior doors.
- Unsurpassed Marketing: Backed by the most complete marketing program in the industry.
- Broadest Product Selection: Over 600 designs available in a variety of widths. 10 wood types offered plus both 1-3/8" and 1-3/4" thicknesses. Use the filters below to find a match for your project.

## WARRANTY

### 10 YEAR LIMITED WARRANTY

For doors used in an interior application (defined as being exposed to controlled interior climactic conditions on both sides of the door), this warranty shall survive for ten years after the date of shipment from Simpson. Speak with your Boise Cascade Millwork sales representative for more information.

REDI-PRIME® INTERIOR DOORS



**8001 Shaker** ☺  
Clear SG  
6/8: 2/0, 2/6, 3/0  
8/0: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8  
☺ 8/0: 2/4, 2/8

**8411 Shaker Quirk**  
White Laminate  
6/8: 2/0, 2/6, 3/0  
8/0: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8  
☺ 8/0: 2/4, 2/8

**8010**  
Clear SG  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8

**8012**  
Clear SG  
8/0: 2/0, 2/6, 3/0  
☺ 8/0: 2/4, 2/8

**8015**  
Clear SG  
6/8: 2/6, 3/0  
☺ 6/8: 2/4, 2/8

**8018** ☺  
Clear SG  
8/0: 2/6, 2/8, 3/0

REDI-PRIME® INTERIOR DOORS



**8490**  
Pantry  
6/8: 2/0, 2/4, 2/6  
☺ 6/8: 2/8, 3/0

**8490 (8/0)** ☺  
Pantry  
3/8" FP  
8/0: 2/0, 2/4, 2/6, 2/8, 3/0

**8720**  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 6/8: 1/3, 1/4  
☺ 8/0: 1/4

**89320**  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

**8782 Shaker**  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 8/0: 1/4



8001, Redi-Prime



**8475** ☺  
V-Groove  
6/8 10-Lite: 2/0  
6/8 15-Lite: 2/4, 2/6, 2/8, 3/0

**8733 Shaker**  
Clear SG  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8

**8933 Shaker**  
White Laminate  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8



**8735 Shaker**  
Clear SG  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8  
☺ 8/0: 2/0, 2/4, 2/6, 2/8, 3/0

**8782 Shaker**  
White Laminate  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8  
☺ 8/0: 2/0, 2/4, 2/6, 2/8, 3/0



**89382**  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

**8730 Shaker**  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 8/0: 1/4

**89330**  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

**8755 Shaker**  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 6/8: 1/4  
☺ 8/0: 1/4

**89355**  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**8760 Shaker** ☺  
3/8" FP  
6/8: 1/3, 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

**89320** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

**8780 Shaker** ☺  
Plantation Louver  
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

**89801 Shaker** ☺  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6

DHRP = 1-7/16" Double Hip-Raised Panel  
FP = 3/4" Flat Panel  
☺ = Two week lead time (in stock in Dallas)

IG = 3/4" Insulated Glazing  
SG = 1/8" Single Glazed  
🔥 = 20 Minute Fire-Rated

Stock status is subject to availability.  
Contact your Boise Cascade Millwork Representative with any questions.

SIMPSON INTERIORS

SIMPSON INTERIORS

# STILE & RAIL INTERIOR DOORS



80801 Barn Doors, Knotty Alder

## KNOTTY ALDER INTERIOR DOORS



**720 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9320** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0



**782 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9382 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**82** ☺  
3/4" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9282** ☺  
1-3/4" Fire-Rated  
1-7/16" RP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**82** ☺  
V-Groove  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0




**9282** ☺  
1-3/4" Fire-Rated  
V-Groove 1-7/16" RP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**7282** ☺  
1-3/4"  
1-7/16" RP  
6/8: 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8,  
3/0, 3/6




**7282** ☺  
1-3/4"  
V-Groove 1-7/16" RP  
6/8: 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6, 2/8,  
3/0, 3/6



**1501**  
Clear SG  
6/8: 2/0, 2/6, 2/8, 3/0  
8/0: 2/0, 2/6, 3/0  
☺ 6/8: 2/4  
☺ 8/0: 2/4, 2/8



**1501 Shaker** ☺  
Clear SG  
6/8: 2/0, 2/4, 2/6, 3/0



**1501** ☺  
White Laminate  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 2/8, 3/0



**1501 Shaker  
Quirk** ☺  
White Laminate  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0



**1590** ☺  
Pantry  
6/8: 2/0, 2/4, 2/6



**1593** ☺  
Laundry  
3/4" RP  
6/8: 2/8, 3/0



**465**  
34" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9265**  
1-3/4" Fire-Rated  
1-7/16" RP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**465**  
V-Groove  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9265**  
1-3/4" Fire-Rated  
V-Groove 1-7/16" RP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0



**7465** ☺  
1-3/4"  
1-7/16" RP  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0, 3/6

RP = Raised Panel  
FP = 3/4" Flat Panel


☺ = Two week lead time (in stock in Dallas)

IG = 3/4" Insulated Glazing

SG = 1/8" Single Glazed

🔥 = 20 Minute Fire-Rated

**KNOTTY ALDER INTERIOR DOORS**




**7465** ☺  
1-3/4"  
V-Groove 1-7/16" RP  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0, 3/6




**730 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0




**9330 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0




**760 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9360 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0




**755 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**9355 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0



**80801**  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6



**80812**  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6



**80815 Shaker**  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6

**PINE INTERIOR DOORS**



**1501**  
3/4" RP  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8  
☺ 8/0: 2/0, 2/4, 2/8, 3/0



**1501** ☺  
Clear SG  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0



**1501** ☺  
White Laminate  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/4, 2/6,  
2/8, 3/0




**1501 Shaker Quirk** ☺  
White Laminate  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0



**1310**  
Clear SG  
6/8: 2/0, 2/6, 3/0  
☺ 6/8: 2/4, 2/8



**1315**  
Clear SG  
6/8: 2/6, 3/0  
☺ 6/8: 2/8



**1318** ☺  
Clear SG  
8/0: 2/6, 2/8, 3/0



**1590** ☺  
Pantry  
6/8: 2/0, 2/4, 2/6



**1590 (8/0)** ☺  
Pantry  
3/4" RP  
8/0: 2/0, 2/4, 2/6



**1593** ☺  
Laundry  
6/8: 2/8, 3/0



**1593 (8/0)** ☺  
Laundry  
3/4" RP  
8/0: 2/8, 3/0



**1312 (8/0)** ☺  
Clear SG  
8/0: 2/0, 2/4, 2/6,  
2/8, 3/0



760, Knotty Alder



**720 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**82** ☺  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**82** ☺  
V-Groove 3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**782 Shaker**  
3/8" FP  
6/8: 2/0, 2/4, 2/6, 2/8,  
3/0  
☺ 6/8: 1/6



**465** ☺  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0

RP = Raised Panel  
FP = 3/4" Flat Panel


☺ = Two week lead time (in stock in Dallas)

IG = 3/4" Insulated Glazing

SG = 1/8" Single Glazed

🔥 = 20 Minute Fire-Rated


PINE INTERIOR DOORS



**465** ☺  
V-Groove 3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**760 Shaker** ☺  
3/8" FP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**44** ☺  
3/4" RP  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0



**755 Shaker**  
3/8" FP  
6/8: 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 6/8: 1/6



**66**  
3/4" RP  
6/8: 2/0, 2/4, 2/6, 2/8, 3/0  
☺ 8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0

KNOTTY PINE INTERIOR DOORS



**1501** ☺  
Clear SG  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/4, 2/6,  
2/8, 3/0



**1501** ☺  
White Laminate  
6/8: 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 2/0, 2/4, 2/6,  
2/8, 3/0



**1590** ☺  
Pantry  
6/8: 2/0, 2/4, 2/6



**82** ☺  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**82** ☺  
V-Groove  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



465, Pine



**465** ☺  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**465** ☺  
V-Groove  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**66** ☺  
3/4" RP  
6/8: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0  
8/0: 1/6, 2/0, 2/4, 2/6,  
2/8, 3/0



**80801** ☺  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6



**80812** ☺  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6



**80815** ☺  
Barn Door  
V-Groove  
7/0: 3/0, 3/6  
8/4: 3/0, 3/6



82, Knotty Pine



782, Rift Cut White Oak

NEW





**720 Shaker** ☺  
3/8" FP  
6/8: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

**720 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

**782 Shaker** ☺  
3/8" FP  
6/8: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0  
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

**782 Shaker** ☺  
1-3/4" Fire-Rated  
3/4" FP  
6/8: 2/8, 3/0  
8/0: 2/8, 3/0

DIFFERENT CUTS YIELD DIFFERENT FIGURES



SIMPSON CUSTOM PRE-HANG CAPABILITIES AND COMPONENTS

Simpson's new Custom Pre-hang Facility is now open and ready to help you with pre-hang projects that you do not want to run through your own production facility. This capability is being offered only to current Simpson distributor pre-hang partners. It is a service that can be used as needed.

While Simpson will quote any pre-hang project, here are some product categories that may be of interest to you:

Technical Projects:


- Fire-rated doors
- Impact-rated doors
- Doors with multi-point locks
- Other unique machining requirements

Unique Design Requirements:

- Pivot door systems
- Arch tops and shared arches across multiple components
- Dutch doors
- Hidden hinges
- Operable sidelites/transoms

Beyond Your Capabilities:

- Monster door sizes (slabs up to 10' tall and 5' wide, units much larger)
- Expensive door slabs you don't want to risk a mistake with.



SIMPSON INTERIORS

SIMPSON



# MOLDED & FLUSH INTERIOR DOORS

Legacy in all doors we create.

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.




3 Panel Shaker

## MOLDED & FLUSH INTERIOR DOORS

<b>2 Panel Squaretop</b> Hollow Core Solid Core 6/8 & 8/0	<b>2 Panel Roundtop</b> Hollow Core 6/8 & 8/0	<b>5 Panel</b> Hollow Core Solid Core 6/8 & 8/0	<b>6 Panel</b> Textured Hollow Core 6/8	<b>2 Panel Archtop</b> Textured Hollow Core 6/8	<b>2 Panel Roundtop Plank</b> Hollow Core Solid Core 6/8 & 8/0
SMOOTH BEAD & COVE	SMOOTH BEAD & COVE	SMOOTH BEAD & COVE	TEXTURED BEAD & COVE	TEXTURED BEAD & COVE	SMOOTH ROUND

<b>1 Panel Shaker</b> Hollow Core Solid Core 6/8 & 8/0	<b>2 Panel Shaker</b> Hollow Core Solid Core 6/8 & 8/0	<b>3 Panel Equal Shaker</b> Hollow Core Solid Core 6/8 & 8/0	<b>3 Panel Shaker</b> Hollow Core Solid Core 6/8	<b>5 Panel Shaker</b> Hollow Core Solid Core 6/8	<b>Hardboard</b> Hollow Core Solid Core 6/8 HC: 2/0, 2/4, 2/6, 2/8, 3/0 8/0 SC: 2/0, 2/4, 2/6, 2/8, 3/0
SMOOTH SQUARE	SMOOTH SQUARE	SMOOTH SQUARE	SMOOTH SQUARE	DOUBLE SMOOTH STEP	

### STICKING PROFILES



### SIZES

Available Door Options	Sizes
STANDARD DOORS	1/6, 2/0, 2/4, 2/6, 2/8, 3/0
- Bead & Cove, Ovolo	1/8 x 6/8
BI-FOLD DOORS 6 Panel, 2 Panel Squaretop, 5 Panel, 2 Panel Roundtop Plank, 1 Panel Shaker, 2 Panel Shaker	4/0, 5/0, 6/0
4-9/16"-6'0"	4-9/16"-8'0"
Shaker 1-3/4" x 6/8, 8/0	4-9/16"-8'0"
20 MINUTE FIRE-RATED, 1-3/4"	4-9/16"-8'0"

STEVES & SONS

STEVES & SONS



# COMPONENTS

## EXTERIOR FRAMES

Description	Primed	Dura-Frame™	Hemlock	Okoume	Knotty Alder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'8"	•	•	•	•	N/S
6-9/16"-8'0"	•	•	•	•	N/S
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Hinge RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	•	N/S
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S

# COMPONENTS

## INTERIOR JAMBS

Description	Fingerjoint	Primed	Solid	Veneer	Knotty Alder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-3'0"	•	N/S	•	N/S	•
4-9/16"-6'0"	•	N/S	•	N/S	N/S
6-9/16"-6'8"	•	•	•	N/S	N/S
6-9/16"-8'0"	•	•	•	N/S	N/S
6-9/16"-3'0"	•	•	•	N/S	N/S
6-9/16"-6'0"	•	•	•	N/S	N/S



Standard Flat Jamb with Applied Stop



Rabbet Jamb



Flat Jamb



# COMPONENTS

## ATTIC STAIRS

Description	Size	Item
ATLAS ATTIC STAIR 350# RATING	22-1/2" x 54"	0804438
ATLAS ATTIC STAIR FIRE TRTD 350# RATING	22-1/2" x 54"	0804439
ATLAS ATTIC STAIR 350# RATING	25-1/2" x 54"	0804446
ATLAS ATTIC STAIR FIRE TREATED 350# RATING	25-1/2" x 54"	0804447
ATLAS ATTIC STAIR R3 350# RATING ☉	25-1/2" x 54"	0804450
SUPERIOR PLUS ATTIC STAIR 375# RATING	30" x 54"	0804867
SUPERIOR PLUS STAIR FIRE TREATED 375# RATING	30" x 54"	0804868
SUPERIOR PLUS ATTIC STAIR 375# RATING	30" x 60"	0804326
TITAN ALUM 375# FIRE TREATED ☉	25-1/2" x 54" x 10'4"	0804212
TITAN ALUM ATTIC STAIR FIRE TREATED DR	25-1/2" x 63" x 12'	0804220
ATTIC PULL DOWN ROD W/EYE HOOK ☉	36"	0804300
ATTIC STAIR PULL STRINGS ☉		0804542



## POCKET DOOR FRAMES

Description	Size	Item
<b>Accessories</b>		
200LB BB 3 WHEEL POCKET DOOR HDW BAG		7712085
POCKET DOOR CONVERGING KIT 15555PPK3		7712090
POCKET DOOR SOFT CLOSE PDF HARDWARE	200#	7712120
<b>Trimmable Pocket Doors</b>		
POCKET DOOR FRAME COMPACT	3068	7712175
POCKET DOOR FRAME COMPACT	3080	7712176
<b>Combinable Frame &amp; Headers</b> Requires two part purchase		
POCKET DOOR HEADER ONLY	2/0	7712168
POCKET DOOR HEADER ONLY	2/4	7712169
POCKET DOOR HEADER ONLY	2/6	7712170
POCKET DOOR HEADER ONLY	2/8	7712171
POCKET DOOR FRAME / NEED HEADER ADDED	6/8	7712173
POCKET DOOR FRAME / NEED HEADER ADDED	8/0	7712174



# COMPONENTS

## PENROD BARN DOOR HARDWARE

Description	Length	Item #
BARN DOOR BENT STRAP SET FLAT BLACK	6'	769059001
BARN DOOR BENT STRAP SET FLAT BLACK	8'	769059003
BARN DOOR CON PLATE FLAT BLACK		769059060
BARN DOOR SOFT CLOSE KIT FLAT BLACK		769059084



# BOISE CASCADE MILLWORK IN TULSA

## TRANSCEND THE THRESHOLD OF QUALITY

Customize projects with choices in decorative glass, PrismaGuard finishes, handing, hinge locations, and mull options.

Transcend your expectations of quality with the best in millwork at the Tulsa area's finest door shop, offering the full line of Therma-Tru Doors, Steves & Sons Doors, and the Simpson Door Company.

### Therma-Tru® Doors

- Classic Craft®
- Fiber-Classic®
- Smooth-Star®
- Pulse®
- Profiles™
- Veris™
- Boise Cascade Makeover Door Unit by Therma-Tru®
- Decorative Glass
- Transoms
- 10", 12", 14" Sidelites
- Direct Set Sidelite Options
- Flush-Glazed Glass
- Transoms
- Simulated Divided Lites (SDL) Bars
- PrismaGuard® Prefinish
- Symphony Collection® by Boise Cascade
- Composite Door Frames & Sills
- Advanta™
- Pet Door Cut Outs
- Multi-Point Locking Systems
- Multiple Mull Options & Size Modifications

### Simpson Door Company®

- Wood Exterior Doors
- Wood Interior Doors
- Redi-Prime® Interior Doors
- UltraBlock®
- Barn Doors
- Custom Doors

### Steves & Sons

- Flush and Molded Interior Doors
- Bifold Doors


### More Than Doors

- Penrod Barn Door Hardware
- Marwin Pocket Door Frames and Attic Stairs



# BOISE CASCADE MILLWORK IN TULSA

## SERVICE AREA



## MILLWORK RESOURCES

Find stock books, warranty information, promotion information, and more by visiting [Millwork.BC.com](http://Millwork.BC.com).



## MORE THAN MILLWORK:

SEE WHAT ELSE BOISE CASCADE CAN DO FOR YOU.

We bring people, products, and services together to build strong homes, businesses, and communities that stand the test of time.

LET'S BUILD GREAT THINGS TOGETHER.





**Boise Cascade**<sup>®</sup>  
MILLWORK

BOISE CASCADE MILLWORK, TULSA  
9999 East 58th Street  
Tulsa, OK 74146

1-800-299-5768

MILLWORK.BC.COM



**BOISE CASCADE**

©2026 Boise Cascade Millwork. Edition 26.0