



Boise Cascade®  
MILLWORK



Boise Cascade®  
MILLWORK

# ATLANTA MILLWORK



[millwork.bc.com](http://millwork.bc.com)

8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

## FEATURED PRODUCTS



**Boise Cascade**<sup>®</sup>  
MILLWORK

# WHY **BOISE CASCADE** **MILLWORK?**

Boise Cascade<sup>®</sup> Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



**Boise Cascade**<sup>®</sup>  
MILLWORK



## TABLE OF CONTENTS

PrismaGuard <sup>®</sup> Prefinish	1
PrismaGuard <sup>®</sup> Premium Paint	2
Decorative Glass	3-6
Therma-Tru <sup>®</sup> Doors	
Classic Craft <sup>®</sup>	7-18
Decorative Glass	19-22
Therma-Tru <sup>®</sup> Doors	
Fiber-Classic <sup>®</sup> Mahogany/Oak	23-26
Smooth-Star <sup>®</sup>	27-32
Steel-Profiles <sup>™</sup> /Traditions	33-34
Decorative Glass Transoms	35
Same-Day <sup>®</sup> Stain	36
10" Sidelites	37
Enliten <sup>™</sup> Flush-Glazed Internal Blinds	38
Patio Doors	39
Composite Door Frame	40
Frames & Sills	41
Capabilities	42
Boise Makeover Door Unit from Therma-Tru <sup>®</sup>	43
SDL Bars	44
Dentil Shelves	45
Multi-Point Locking Systems	46
Handing	47
Pre-Hung Features	48-49
Hinge Locations	50
Simpson Doors	
Mahogany Exterior Doors	51-52
Western Hemlock Exterior Doors	53-54
Redi-Prime <sup>®</sup> Interior Doors	55-56
Pine Interior Doors	57
Knotty Alder Interior Doors	58-59
Knotty Pine Interior Doors	60
Steves	
Molded and Flush Interior Doors	61-62
Marwin Attic Stairs	63
Casings	64
Penrod Barn Door Hardware	64




Boise Cascade®  
MILLWORK

## PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

### PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



### PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



**10 YEAR**  
LIMITED  
WARRANTY  
TRANSFERABLE  
Classic Craft

**10 YEAR**  
LIMITED  
WARRANTY



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Boise Cascade®  
MILLWORK

millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

## PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

### PrismaGuard® Paint Options



**SYMPHONY**  
COLLECTION™

## Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

**THERMA-TRU**  
DOORS



Boise Cascade®  
MILLWORK

# DECORATIVE GLASS

Villager™



Black Nickel



Brushed Nickel

Privacy Rating 1 (5) 10



Homeward™



Black Nickel



Brushed Nickel

Privacy Rating 1 (4) 10



Arcadia™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 (5) 10



Augustine®




Wrought Iron

Privacy Rating 1 (10) 10



Longford™



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



Zaha®



Black Nickel



Brushed Nickel

Privacy Rating 1 (3) 10



Lucerna®



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



Bella™



Black Nickel

Privacy Rating 1 (6) 10



Arborwatch®



Black Nickel

Privacy Rating 1 (6) 10



Borrassa®



Wrought Iron

Privacy Rating 1 (10) 10



Provincial™



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

**THERMA-TRU**  
DOORS



Boise Cascade®  
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276



Boise Cascade<sup>®</sup>  
MILLWORK

## DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10)



Chord (XC)



Privacy Rating 1 (10)



Chinchilla (XJ)



Privacy Rating 1 (10)



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)




Privacy Rating 1 (10)



### Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

### Simulated Divided Lites (SDL)



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

THERMA TRU<sup>®</sup>  
DOORS

thermatru.com | 1-800-THERMA-TRU | 6



## CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



**CCA2350**  
Low-E Glass  
3'0" x 6'8"



**CCA82350**  
Low-E Glass  
3'0" x 8'0"



**CCA2360**  
Low-E Glass  
3'0" x 6'8"



**CCA82360**  
Low-E Glass  
3'0" x 8'0"



**CCA2370**  
Low-E Glass  
3'0" x 6'8"



**CCA82370**  
Low-E Glass  
3'0" x 8'0"



**CCA4920L**  
Low-E Glass  
3'0" x 6'8"



**CCA84920L**  
Low-E Glass  
3'0" x 8'0"



**CCA4920R**  
Low-E Glass  
3'0" x 6'8"



**CCA84920R**  
Low-E Glass  
3'0" x 8'0"



**CCA4930**  
Low-E Glass  
3'0" x 6'8"



**CCA84930**  
Low-E Glass  
3'0" x 8'0"



**CCA4940**  
Low-E Glass  
3'0" x 6'8"



**CCA84940**  
Low-E Glass  
3'0" x 8'0"



**CCA4900-SDLF3LE**  
Low-E Glass  
3'0" x 6'8"



**CCA84900-SDLF3LE**  
Low-E Glass  
3'0" x 8'0"



**CCA4910L-SDLF3LE**  
Low-E Glass  
3'0" x 6'8"



**CCA84910L-SDLF3LE**  
Low-E Glass  
3'0" x 8'0"



**CCA4910R-SDLF3LE**  
Low-E Glass  
3'0" x 6'8"



**CCA84910R-SDLF3LE**  
Low-E Glass  
3'0" x 8'0"



**CCA2300**  
Low-E Glass  
3'0" x 6'8"



**CCA2300XESL-SDLF4**  
12", 14" x 6'8"



**CCA82300**  
Low-E Glass  
3'0" x 8'0"



**CCA82300XESL-SDLF4**  
**CCA82300SL-SDLF4LE**  
Low-E Glass  
12", 14" x 8'0"



**CCA2310**  
Low-E Glass  
3'0" x 6'8"



**CCA2310XESL-SDLF4**  
12", 14" x 6'8"





Boise Cascade®  
MILLWORK

# CLASSIC CRAFT®



**CCA82310XESL-SDLF4**  
**CCA82310SL-SDLF4LE**  
Low-E Glass  
12", 14" x 8'0"



**CCA82310**  
Low-E Glass  
3'0" x 8'0"



**CCA2320**  
Low-E Glass  
3'0" x 6'8"



**CCA2320XESL-SDLF3**  
**CCA2320SL-SDLF3LE**  
Low-E Glass  
12", 14" x 6'8"



**CCA82320**  
Low-E Glass  
3'0" x 8'0"



**CCA2330**  
Low-E Glass  
3'0" x 6'8"



**CC90-LE**  
Low-E Glass  
3'0" x 6'8"



**CCM891-2W2H**  
Low-E Glass  
3'0" x 8'0"



**CCM891-2W3H**  
Low-E Glass  
3'0" x 8'0"



**CCM891-2W4H**  
Low-E Glass  
3'0" x 8'0"



**CCM891-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM209**  
3'0" x 6'8"



**CC922**  
3'0" x 6'8"



**CCA2330XESL-SDLF3**  
**CCA2330SL-SDLF3LE**  
Low-E Glass  
12", 14" x 6'8"



**CCA82320XESL-SDLF3**  
**CCA82320SL-SDLF3LE**  
Low-E Glass  
12", 14" x 8'0"



**CCA2380**  
Low-E Glass  
3'0" x 6'8"



**CCA82380**  
Low-E Glass  
3'0" x 8'0"



**CCA2400-LE**  
Low-E Glass  
3'0" x 6'8"



**CCA2400XESL**  
12", 14" x 6'8"



**CCA3400SL-LE**  
Low-E Glass  
12" x 6'8"



**CCM3302SL**  
10", 12" x 6'8"



**CCM3300SL-LE**  
Low-E Glass  
10", 12" x 6'8"



**CCM3300SL-1W2H**  
Low-E Glass  
10", 12" x 6'8"



**CCM3300SL-1W3H**  
Low-E Glass  
10", 12" x 6'8"



**CCM3300SL-1W4H**  
Low-E Glass  
10", 12" x 6'8"



**CCM200-2W3H-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA82400-LE**  
Low-E Glass  
3'0" x 8'0"



**CCA82400XESL**  
**CCA82400SL-LE**  
Privacy Glass  
12", 14" x 8'0"



**CCA3500SL-LE**  
Low-E Glass  
12" x 8'0"



**CC100-LE**  
Low-E Glass  
3'0" x 6'8"



**DRS2131SL-LE**  
Low-E Glass  
12", 14" x 6'8"



**DRS82131SL-LE**  
Low-E Glass  
12", 14" x 8'0"



**CCM203-1D**  
3'0" x 6'8"



**CCR3407SL**  
12" x 6'8"



Boise Cascade®  
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276

**THERMA TRU**  
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU | 10



Boise Cascade®  
MILLWORK

# CLASSIC CRAFT®



**CCV822020-2W2H**  
3'0" x 8'0"



**CCV822020-2W3H**  
3'0" x 8'0"



**CCR20527**  
3'0" x 6'8"



**CCR20537**  
3'0" x 6'8"



**CCR20027**  
3'0" x 6'8"



**CCR20037**  
3'0" x 6'8"



**CCR820537**  
3'6" x 8'0"



**CCR81512**  
3'6" x 8'0"



**CCR1516**  
3'0" x 6'8"



**CCR81516**  
3'0" x 8'0"



**CCR1515**  
3'0" x 6'8"



**CCR81515**  
3'0" x 8'0"



**CCR82215**  
3'0" x 8'0"



**CCM200-2W2H-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CC90-2W3H-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CC90-2W2H-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCR1415**  
3'0" x 6'8"



**CCR1414**  
3'0" x 6'8"



**CCR20520XN**  
Low-E Glass  
3'0" x 6'8"



**CCR20520-LE**  
3'0" x 6'8"



**CCR820520XC**  
Low-E Glass  
3'0", 3'6" x 8'0"



**CCR820520-LE**  
3'0" x 8'0"



**CCR820520-2W2H**  
3'0" x 8'0"



**CCR820520-LE**  
3'0" x 8'0"



**CCR804020-2W2H**  
3'0" x 8'0"



**CCR804020-2W3H**  
3'0" x 8'0"



Boise Cascade®  
MILLWORK

millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

THERMA TRU®  
DOORS





Boise Cascade®  
MILLWORK

# CLASSIC CRAFT®



**CCM600XE**  
3'0" x 6'8"



**CCR20020-LE**  
Low-E Glass  
3'0" x 6'8"



**CCR822220-LE**  
Low-E Glass  
3'0", 3'6" x 8'0"



**CCR822220-2W2H**  
Low-E Glass  
3'0", x 8'0"



**CCR822220-2W3H**  
Low-E Glass  
3'0" x 8'0"




**CCM302L-LE**  
Low-E Glass  
3'0" x 6'8"




**CCM302R-LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8305CAR-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM306CAL-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM306CAR-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8306CAL-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8306CAR-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8302L-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8302R-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM304L-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM304R-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8304L-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8304R-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM303L-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM303R-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8303L-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8303R-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM301CAL-LE**  
Low-E Glass  
3'0" x 6'8"



**CCM301CAR-LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8301CAL-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM8301CAR-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



**CCM305CAL-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM305CAR-SDLF6LE**  
Low-E Glass  
3'0" x 6'8"



**CCM8305CAL-SDLF6-LE**  
Low-E Glass  
3'0" x 8'0"



Boise Cascade®  
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276

**THERMA TRU®**  
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

thermatru.com | 1-800-THERMA-TRU | 14



# CLASSIC CRAFT®



**CCA210-LE**  
Low-E Glass  
3'0" x 6'8"



**CCA210SL-LE**  
Low-E Glass  
12" x 6'8"



**CCA8210XR  
CCA8210-LE**  
Low-E Glass  
3'0" x 8'0"



**CCA220-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8220XR-SDL  
CCA8220-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA230-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8230XR-SDL  
CCA8230-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA1125-DDBF5**  
3'0" x 6'8"



**CCA81125-DDBF5**  
3'0" x 8'0"



**CCA1149-DDBF5**  
3'0" x 6'8"



**CCA81149-DDBF5**  
3'0" x 8'0"



**CCA1147-DDBF5**  
3'0" x 6'8"



**CCA1127-DDBF4**  
3'0" x 6'8"



**CCA81127-DDBF4**  
3'0" x 8'0"



**CCA240-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA220SL-SDLLE**  
Low-E Glass  
12" x 6'8"



**CCA260-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCA8260XR-SDL  
CCA8260-SDLLE**  
Low-E Glass  
3'0" x 8'0"



**CCA87300-SDLLE**  
Low-E Glass  
3'6" x 8'0"



**CCA87100-LE**  
Low-E Glass  
3'6" x 8'0"



**CCA4905-DDBF3**  
3'0" x 6'8"



**CCA84905-DDBF3**  
3'0" x 8'0"



**CCA4915L-DDBF3**  
3'0" x 6'8"



**CCA84915L-DDBF3**  
3'0" x 8'0"



**CCA4915R-DDBF3**  
3'0" x 6'8"



**CCA84915R-DDBF3**  
3'0" x 8'0"



**CCA4925L-DDBF5**  
3'0" x 6'8"



**CCV920-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCV930-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCV940-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCV960-SDLLE**  
Low-E Glass  
3'0" x 6'8"



**CCV910-LE**  
Low-E Glass  
3'0" x 6'8"



**CCA84925L-DDBF5**  
3'0" x 8'0"



**CCA4925R-DDBF5**  
3'0" x 6'8"



**CCA84925R-DDBF5**  
3'0" x 8'0"



**CCA4935-DDBF5**  
3'0" x 6'8"



**CCA84935-DDBF5**  
3'0" x 8'0"



**CCA4945-DDBF5**  
3'0" x 6'8"



**CCA84945-DDBF5**  
3'0" x 8'0"



**CCA1166-DDBF5**  
3'0" x 6'8"



**CCA81166-DDBF5**  
3'0" x 8'0"



**CCA81147-DDBF5**  
3'0" x 8'0"



**CC91**  
3'0" x 6'8"



**CCR8222**  
3'0", 3'6" x 8'0"



**CCM890**  
3'0", 3'6" x 8'0"



**CCR100**  
3'0" x 6'8"




**CCR8100**  
3'0", 3'6" x 8'0"





Boise Cascade®  
MILLWORK

# CLASSIC CRAFT®



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®  
MILLWORK

# DECORATIVE GLASS

Fiber-Classic®, Smooth-Star®, Pulse® & Steel Glass

**Blackstone®**



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



**Crystalline™**



Brushed Nickel



Privacy Rating 1 (7) 10



**Sedona**



Black Nickel



Privacy Rating 1 (7) 10



**Salinas®**



Wrought Iron



Privacy Rating 1 (10) 10



**Concorde™**



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



**Kensington™**



Black Nickel



Brushed Nickel

Privacy Rating 1 (8) 10



**Axis®**



Black Nickel



Privacy Rating 1 (7) 10



**Maple Park®**



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



**Saratoga™**



Black Nickel



Brushed Nickel

Privacy Rating 1 (7) 10



**Wellesley™**



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



**Riserva®**



Wrought Iron



Privacy Rating 1 (10) 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

**THERMA TRU**  
DOORS



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276



## DECORATIVE GLASS

Reeded (XK)



Privacy Rating 1 (7) 10



Geometric (XG)



Privacy Rating 1 (7) 10



Satin Etch (XE)



Privacy Rating 1 (10)



Chord (XC)



Privacy Rating 1 (10)



Rainglass (XR)



Privacy Rating 1 (8) 10



Granite (XN)



Privacy Rating 1 (10)



Low-E Internal Blinds




Screen Vented



## Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.



## DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)



Fixed Grilles (FXG)






Boise Cascade®  
MILLWORK

## FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



Boise Cascade®  
MILLWORK

millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

THERMA TRU®  
DOORS



# FIBER-CLASSIC® MAHOGANY / OAK



**FCM62-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM6041-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM8322-LE**  
Low-E Glass  
3'0" x 8'0"



**2100-LE**  
Low-E Glass  
2'6", 2'8", 3'0" x 6'8"



**FC1350-SDLLE**  
Low-E Glass  
2'6", 2'8", 3'0" x 6'8"



**FC2100-3W3H**  
Low-E Glass  
2'8", 3'0" x 6'8"



**81933P**  
2'8", 3'0" x 8'0"



**FCM601-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM605-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM606-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM608-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM607-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM4812-SDLF1E**  
Low-E Glass  
3'0" x 6'8"



**FCM4813-SDLF1E**  
Low-E Glass  
3'0" x 6'8"



**FCM4814-SDLF1E**  
Low-E Glass  
3'0" x 6'8"



**FCM4816-SDLF1E**  
Low-E Glass  
3'0" x 6'8"



**FCM4810-LE**  
Low-E Glass  
3'0" x 6'8"



**FCM164**  
3'0" x 6'8"



**FC794**  
3'0" x 6'8"



**FCM31**  
3'0" x 6'8"



**FC809**  
3'0" x 6'8"



**FCM220**  
3'0" x 6'8"



**FCM600**  
2'8", 3'0" x 6'8"



**FCM60**  
3'0" x 6'8"



**FCM860**  
3'0" x 8'0"



**FCM205**  
3'0" x 6'8"





















































**FCM1000**  
3'0" x 6'8"





# SMOOTH-STAR<sup>®</sup>

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

													
<b>S140-LE</b> <b>S140</b> Low-E Glass 2'8", 3'0" x 6'8", 7'0"	<b>S2000SL-LE</b> <b>S2000SL</b> Low-E Glass 10", 12", 14" x 6'8"	<b>S8140-LE</b> <b>S8140</b> Low-E Glass 3'0" x 8'0"	<b>S8601SL-LE</b> <b>S8601SL</b> Low-E Glass 12", 14" x 8'0"	<b>S6061-RTLE</b> <b>S6061-RT</b> Internal Blinds 2'8", 3'0" x 6'8", 7'0"	<b>S130SL-RTLE</b> <b>S130SL-RTLE</b> Low-E Glass 10", 12", 14" x 6'8"	<b>S82600-LE</b> <b>S82600</b> Internal Blinds 2'6", 2'8", 2'10", 3'0" x 8'0"	<b>S82-GBGFALE</b> <b>S82-GBGFA</b> Low-E Glass 3'0" x 6'8"	<b>S2200-LE</b> <b>S2200</b> Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S90SL-LE</b> Low-E Glass 12", 14" x 6'8"	<b>S82200-LE</b> <b>S82200</b> Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	<b>S2200LE-2W2H</b> <b>S2200-2W2H</b> Low-E Glass 2'6", 2'8", 3'0" x 6'8"	<b>S90SL-1W2H</b> Low-E Glass 12", 14" x 6'8"	
													
<b>S1209-GBGFWLE</b> 2'8", 3'0" x 6'8"	<b>S8000-2W3H</b> 3'0" x 8'0"	<b>S1212-GBGFWLE</b> 2'8", 3'0" x 6'8"	<b>S128-GBGFWLE</b> 2'6", 2'8", 3'0" x 6'8"	<b>S2010SL-SDL</b> 10", 12", 14" x 6'8"	<b>S8000-2W5H</b> 3'0" x 8'0"	<b>S8000-2W6H</b> 3'0" x 8'0"	<b>S82200-2W2H-LE</b> Low-E Glass 3'0" x 8'0"	<b>S2104-SDLLE</b> <b>S2104-SDL</b> Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S90SL-1W3H</b> 12", 14" x 6'8"	<b>S82200-2W3H-LE</b> <b>S82200-2W3H</b> Low-E Glass 3'0" x 8'0"	<b>S2200LE-3W4H</b> <b>S2200-3W4H</b> Low-E Glass 2'6", 2'8", 3'0" x 6'8"	<b>S90SL-1W4H</b> 12", 14" x 6'8"	<b>S82200-3W4H-LE</b> <b>S82200-3W4H-LE</b> Low-E Glass 3'0" x 8'0"
													
<b>S2010SL-SDL</b> 12", 14" x 8'0"	<b>S108-GBGFWLE</b> <b>S108-GBGFW</b> 2'6", 2'8", 3'0" x 6'8"	<b>S8000-3W6H</b> 3'0" x 8'0"	<b>S198-GBGFWLE</b> 2'6", 2'8", 3'0" x 6'8"	<b>S5705-SDLF1LE</b> <b>S5705-SDLF1</b> 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S85705-SDLF1LE</b> <b>S85705-SDLF1</b> 2'6", 2'8", 2'10", 3'0" x 8'0"	<b>S5715-SDLF1LE</b> <b>S5715-SDLF1</b> 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S5730-SDLF2LE</b> <b>S5730-SDLF2</b> Low-E Glass 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S85730-SDLF2LE</b> <b>S85730-SDLF2</b> Low-E Glass 2'6", 2'8", 2'10", 3'0" x 8'0"	<b>S2200LE-PR</b> <b>S2200-PR</b> Low-E Glass 2'6", 2'8", 3'0" x 6'8"	<b>S82200-Prairie-LE</b> <b>S82200-Prairie</b> Low-E Glass 3'0" x 8'0"	<b>S82200-2W4H-LE</b> <b>S82200-2W4H</b> Low-E Glass 3'0" x 8'0"	<b>S881-GBGFALE</b> Low-E Glass 2'8", 3'0" x 8'0"	<b>S881SL-GBGFALE</b> <b>S881SL-GBGFA</b> Low-E Glass 12", 14" x 8'0"
													
<b>S5725-SDLF1LE</b> <b>S5725-SDLF1</b> 2'6", 2'8", 2'10", 3'0" x 6'8"	<b>S85725-SDLF1LE</b> <b>S85725-SDLF1</b> 2'6", 2'8", 2'10", 3'0" x 8'0"	<b>S2000-5130G-LE</b> <b>S2000-5130G</b> 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	<b>S2000-5082G-LE</b> <b>S2000-5082G</b> 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	<b>S2000-5030GCM-LE</b> <b>S2000-5030GCM</b> 2'0", 2'6", 2'8", 2'10", 3'0" x 6'6", 6'8"	<b>S6092</b> 3'0" x 6'8"	<b>S2107-GBGFA</b> 3'0" x 6'8"	<b>S882-FXGLE</b> <b>S882-FXG</b> 2'8", 3'0" x 8'0"	<b>S8682SL-RTLE</b> 12", 14" x 8'0"					





# SMOOTH-STAR®



**S161**  
2'8", 3'0" x 6'8"



**S81929P-LE**  
**S81929P**  
Low-E Glass  
2'8", 3'0" x 8'0"



**S6056**  
3'0" x 6'8"



**S6021-LE**  
Low-E Glass  
3'0" x 6'8"



**S210SL-LE**  
Low-E Glass  
12", 14" x 6'8"



**S86021-LE**  
**S86021**  
Low-E Glass  
3'0" x 8'0"



**S104-LE**  
Low-E Glass  
2'8", 3'0" x 6'8", 7'0"



**S1650**  
3'0" x 6'8"




**S4812SL-1W2H**  
Low-E Glass  
12", 14" x 6'8"



**S4810SL-LE**  
Low-E Glass  
12", 14" x 6'8"



**S8601-LE**  
Low-E Glass  
3'0" x 8'0"



**S84810SL**  
12", 14" x 8'0"



**S84812-SDLF1E**  
Low-E Glass  
3'0" x 8'0"



**S243**  
Screen Vented  
3'0" x 6'8"



**S132-RTLE**  
**S132-RT**  
Internal Blinds  
2'8", 3'0" x 6'8"



**S6035-RTLE**  
**S6035-RT**  
Internal Blinds  
2'8", 3'0" x 6'8"



**S6055-RTLE**  
**S6055-RT**  
Internal Blinds  
3'0" x 6'8"



**S131-RTLE**  
**S131-RT**  
Internal Blinds  
2'8", 3'0" x 6'8", 7'0"



**S1350-SDLF1E**  
**S1350-SDLF1**  
Low-E Glass  
2'8", 3'0" x 6'8"



**S8322-GBGFWLE**  
2'8", 3'0" x 8'0"



**S84813-SDLF1E**  
Low-E Glass  
3'0" x 8'0"



**S84814-SDLF1E**  
Low-E Glass  
3'0" x 8'0"



**S84812SL-SDLF1**  
12", 14" x 8'0"



**S84816-SDLF1E**  
Low-E Glass  
3'0" x 8'0"



**S84810-LE**  
Low-E Glass  
3'0" x 8'0"



**S6082**  
3'0" x 6'8"



**S999**  
3'0" x 6'8"



**S262-GBGFWLE**  
**S262-GBGFW**  
2'8", 3'0" x 6'8"



**S8321-GBGFWLE**  
**S8321-GBGFW**  
2'8", 3'0" x 8'0"



**S6042-GBGFWLE**  
**S6042-GBGFW**  
3'0" x 6'8"



**S6022-GBGFWLE**  
**S6022-GBGFW**  
2'8", 3'0" x 6'8"



**S8325-GBGFWLE**  
**S8325-GBGFW**  
3'0" x 8'0"



**S289-LE**  
Low-E Glass  
3'0" x 6'8"



**S807-GBGFW**  
3'0" x 6'8"



**S2100-PR**  
2'8", 3'0" x 6'8"



**S1411-GBGFA**  
3'0" x 6'8"



**S1405SL-GBGFA**  
12", 14" x 6'8"



**S8326-SDLLE**  
**S8326-SDL**  
Low-E Glass  
3'0" x 8'0"



**S8321-GBGFALE**  
**S8321-GBGFA**  
2'8", 3'0" x 8'0"




**S8325-GBGFALE**  
**S8325-GBGFA**  
3'0" x 8'0"



SMOOTH-STAR®



Boise Cascade®  
MILLWORK



\* Select sizes available with elevated 10" bottom rail.



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276





## STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



**118-LE**  
**118**  
Low-E Glass  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**130-RTLE**  
**130-RT**  
Internal Blinds  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**829-RTLE**  
**829-RT**  
Internal Blinds  
2'8", 3'0" x 8'0"




**1201-GBGFWLE**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**1203-GBGFWLE**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**128-GBGFWLE**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**108-GBGFWLE**  
**108-GBGFW**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**8321-GBGFWLE**  
2'8" x 8'0"



**8321-GBGFALE**  
**8321-GBGFA**  
2'8" x 8'0"



**982HD-GBGFWLE**  
**982HD-GBGFW**  
2'8", 3'0" x 6'8", 8'0"




**TS263-GBGFW**  
2'8", 3'0" x 6'8", 8'0"




**TS1411-GBGFFA**  
2'8", 3'0" x 6'8", 8'0"




**TS206-LE**  
2'8", 3'0" x 6'8", 8'0"



**828-GBGFWLE**  
2'8", 3'0" x 8'0"



**808-GBGFWLE**  
2'8", 3'0" x 8'0"



**818-LE**  
**818**  
Low-E Glass  
2'6", 2'8", 3'0" x 8'0"



**198-GBGFWLE**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**959HD-LE**  
**959HD**  
Low-E Glass  
3'0" x 6'8", 8'0"



**959SLHD-LE**  
12" x 6'8", 8'0"



**TS627**  
2'8", 3'0" x 6'8", 8'0"



**8206-LE**  
**8206**  
2'8" x 8'0"



**980HD-LE**  
2'8", 3'0" x 6'8", 8'0"



**TS104-LE**  
2'8", 3'0" x 6'8", 8'0"



**TS289-LE**  
2'8", 3'0" x 6'8", 8'0"



**601HD-LE**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**TS255-GBGFW**  
3'0" x 6'8", 8'0"



**TS255-FXG**  
3'0" x 6'8", 8'0"



**631HD**  
2'8", 3'0" x 6'8", 8'0"



**TS132-RTLE**  
**TS132-RT**  
Internal Blinds  
2'8", 3'0" x 6'8", 8'0"



**984HD-RTLE**  
**984HD-RT**  
Internal Blinds  
2'8", 3'0" x 6'8", 8'0"



**TS131-RTLE**  
**TS131-RT**  
Internal Blinds  
2'8", 3'0" x 6'8", 8'0"



**TS262-GBGFWLE**  
**TS262-GBGFW**  
2'8", 3'0" x 6'8", 8'0"



**8323-GBGFFA**  
2'8" x 8'0"



**8322-GBGFWLE**  
2'8" x 8'0"



**TS236-FXG**  
2'8", 3'0" x 6'8", 8'0"



**8317-FXG**  
2'8" x 8'0"



**TS296XG**  
2'8", 3'0" x 6'8", 8'0"



**896XG**  
2'8" x 8'0"



**969HD**  
2'8", 3'0" x 6'8", 8'0"



**978HD**  
2'8", 3'0" x 6'8", 8'0"



**1005HD**  
3'0" x 6'8", 8'0"



**205HD**  
3'0" x 6'8", 8'0"



**203HD**  
2'8", 2'10",  
3'0" x 6'8", 8'0"



**210HD**  
3'0" x 6'8", 8'0"



**810**  
2'8" x 8'0"



**TS100**  
3'0" x 6'8", 8'0"



**800**  
2'8", 3'0" x 8'0"






Boise Cascade®  
MILLWORK

## DECORATIVE GLASS

Fiber-Classic®, Smooth-Star® & Steel Transoms  
(Fits over 10" - 3/0 - 10" width opening.) Note: Transoms will require extended leadtime. All are sash set transoms.



Concorde CNRT-1D (Black Nickel Glass)



Wellesley 19730T-1D (Black Nickel Glass)



Concorde CNRT-1C (Brushed Nickel Glass)



Wellesley 19730T-1C (Brushed Nickel Glass)

Description	Size	Actual Unit Size	Rough Opening
Door w/(2) Sidelites	10" 3/0 10"	59 5/8" x 82"	60 1/2" x 82 1/2"
with 10" Transom	10" 3/0 10"	59 5/8" x 93 1/2"	60 1/2" x 94"
with 12" Transom	10" 3/0 10"	59 5/8" x 95 1/2"	60 1/2" x 96"

Note: Based on Standard Mull Configuration




## SAME-DAY® STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

Shown on Classic Craft® Fir Grain



Unfinished rose color  
Classic Craft mahogany skin



Unfinished tan colored  
Classic Craft and  
Fiber-Classic skin



**5 YEAR**  
LIMITED  
WARRANTY

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to [www.samedaystain.com](http://www.samedaystain.com) or ask your seller for more details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the limited warranty and exclusions.



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

\*Available in Special Quote Program.  
Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller for a complete list of privacy and textured glass options available for each door style.

**THERMA-TRU**  
DOORS



Boise Cascade  
MILLWORK

## 10" SIDELITES

10" x 6'8" EnLiten™ Flush-Glazed Sidelites – Classic Craft® Mahogany Grain & Smooth-Star®



Arcadia  
CCM3309SL ▲  
(1D, 1C, 1A)



Bella  
CCM3310BSL ▲  
(1D)



Longford  
CCM3303SL  
▲(1D)



Longford  
CCM3303SL  
▲(1C)



Lucerna  
CCM3302SL  
▲(1D, 1C)



Zaha  
CCM1843SL  
▲(1D, 1C)



Low-E  
CCM3300SL-4LT-SDL ▲  
(LE, SDL)  
(Any SDL pattern available)



Low-E  
CCM3300SL ▲  
(LE)



Privacy /  
Low-E /  
Clear  
S2000SL ▲  
(XC, XN, LE, CL)

10" x 6'8" Fiber-Classic®, Smooth-Star® & Steel Sidelites – Insert Glass



Blackstone  
FCM808SL  
FC108SL  
(1D, 1C)



Maple Park  
FCM812SL  
FC900SL  
(1D, 1C)



Saratoga  
FCM815SL  
FC905SL  
(1D, 1C)



Wellesley  
FCM818SL  
FC104SL  
(1D, 1C)



Wellesley  
S5870SL  
TS620SL  
(1D, 1C)



Concorde  
S4070SL  
TS416SL  
(1D)



Kensington  
S6132SL  
TS626SL  
(1D)



Axis  
S1651SL  
TS1651SL  
(1D)



Privacy /  
Low-E /  
Clear  
S601SL  
TS100SL  
(XG, XE, XR,  
XN, LE, CL)

Note: Items denoted in RED add one week to existing lead time if not in stock.

### Features / Options Key

- ▲ Flush-Glazed Glass
- 1D Black Nickel Caming
- 1C Brushed Nickel Caming
- 1A Brass Caming
- XG Geometric Glass
- XE Etched Glass
- XC Chord Glass
- XR Rainglass
- XN Granite Glass
- LE Low-E
- CL Clear Glass
- SDL Simulated Divided Lites


## ENLITEN™ FLUSH-GLAZED INTERNAL BLINDS

Smooth-Star® doors with internal blinds featuring EnLiten™ flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

Flush-glazed internal blinds are available in Smooth-Star full size width 3/0, 2/8, 2/6, 6/0, 5/4, 5/0 x 6/8, 6/6, and 8/0 in clear IG.

Opening	Description	Retro Inswing Patio Actual Size*
4/8 x 6/6	Patio Door Unit (with mull)	58 13/16" x 79 1/2"
5/8 x 6/6	Patio Door Unit (with mull)	70 13/16" x 79 1/2"
4/8 x 6/6	Double Door Unit (with astragal)	58 9/16" x 79 1/2"
5/8 x 6/6	Double Door Unit (with astragal)	70 9/16" x 79 1/2"

Retro size screens available.



\*Outswing units are 78-5/8" in height.  
Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

THERMA TRU  
DOORS

thermatru.com | 1-800-THERMA-TRU | f t @



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276



Boise Cascade®  
MILLWORK

## PATIO DOORS

### Smooth-Star®

Retro Size & Full Size

Any of the 5/4 or larger width doors are also capable of using decorative glass.



Insert Type Glass Doors  
Low-E

S108 (LE, SDL, GBGFW, FXG)  
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors  
Low-E

S128 (LE, SDL, GBGF / GBGC)  
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6", 6'8"



Insert Type Glass Doors  
Low-E

S118 (LE)  
4'0", 4'8", 5'0", 5'4", 5'8",  
6'0" x 6'6", 6'8"



Insert Type Glass Doors  
Internal Blinds

S130 (LE)  
4'8", 5'0", 5'4", 5'8", 6'0" x 6'6",  
6'8"

S2600 Flush-Glazed Internal  
Blind Option

### Smooth-Star®

EnLiten™ Flush-Glazed Designs

Retro Size & Full Size

Any of the 5/4 or larger width doors are also capable of using decorative glass.



Flush-Glazed  
Low-E

S2000 ▲ (LE, SDL)  
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6",  
6'8", 8'0"



Flush-Glazed  
Low-E

S2000-2W2H ▲ (LE, SDL)  
4'0", 5'0", 5'4", 5'8", 6'0" x 6'6",  
6'8", 8'0"



Flush-Glazed  
Low-E

S2000-2W3H ▲ (LE, SDL)



Flush-Glazed  
Low-E

S2200-2W2H ▲ (LE, SDL)  
Available 5'0", 5'4", 6'0" or 5'0"  
makeover size outside of frame  
60 1/2" x 82". Height can be cut  
down further. Makeover size  
replaces a 60 1/2" width or larger  
10"-3/0-10" sidelite unit. Please  
specify outside jamb width.

#### Features / Options Key

▲ Flush-Glazed Glass    SDL Simulated Divided Lites  
LE Low-E    GBGFW Flat White Grilles Between Glass Only  
FXG Fixed Grilles

GBGF / GBGC Flat or Contoured White or Color Grilles Between Glass  
FXG Fixed Grilles

Note: Product images show exterior side of door.

## COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology



1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

TRU GUARD™  
COMPOSITE TECHNOLOGY



### Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded A LVL core to provide additional structural support and stability and feature a B composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

### Available Textures

#### Buff Grained



Ready to finish.

Features a universal wood grain to complement a wide range of grain species.

Stain or paint to complement the entry – no sanding or priming required.

#### White Smooth



Ready to install.  
Ready to finish.

Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.

Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

### Therma-Tru Products & Applications

Composite Door Frame  
+ Classic Craft® Door  
+ Components

Composite Door Frame  
+ Fiber-Classic®, Smooth-Star®,  
Pulse® Fiberglass Door + Components

### Warranty For First Homeowner



Frame + Door + Components

### Warranty Riders Transferable 1x to Second Homeowner

Lifetime 1x Transferable  
Full-System Rider

Frame + Door + Components



Frame + Door + Components

10-Year Transferable  
Full-System Rider

Frame + Door + Components

\*See your Therma-Tru seller for details on product availability.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.



Boise Cascade®  
MILLWORK

millwork.bc.com

8 Mount Moriah Road

Auburn, GA 30011

833-375-0276



## FRAMES & SILLS

### Frames

Boise offers a wide variety of frames to choose from:



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame. (Limited lifetime warranty)



### Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Featuring a variety of materials and options to meet the needs of different climates and exposures.

### Inswing Options



**Value Composite Adjustable Sill**  
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.



**Composite Adjustable Sill**  
Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to maintain a tight seal.



**Composite Adjustable Sill**  
Wood-grained composite cap and nosing resist rot, dual-durometer weather seal adds protection, and zinc dichromate screws with removable screw caps adjust to maintain a tight seal.




**Public Access Sill (Mill, No Thermal Break)**




**Public Access Sill (Bronze, No Thermal Break)**

### Outswing Options



**Composite Outswing Sill (Bronze, Dark Wood Cap)**

### Outswing Sill Extender




2" Finishes: Darkwood (Premium)

Boise will typically build on a continuous sill, but boxed units are available upon request. Continuous sills are limited to 12 foot.

## CAPABILITIES

### Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



**FRONT:**  
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard 5. Spread



**BACK:**  
5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

### Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*

\*max 3" spread

### Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru<sup>®</sup>. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



### Access Doors

Boise can build smaller doors to accommodate access areas.



### Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



### Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





Boise Cascade®  
MILLWORK

## BOISE CASCADE MILLWORK MAKEOVER DOOR UNIT FROM THERMA-TRU®.



Create a grand entrance by updating your home with Therma-Tru® double doors featuring EnLiten™ flush-glazed designs.


- Available for outside jamb units measuring 60-½" x 82" or larger or for units with a 10" transom, 60-½" x 93-½" or larger.
- Transform a single door and sidelites (10" + 36" + 10") to a double door entry (30" + 30"). Available in standard height or with a 10" transom.
- Features EnLiten flush-glazed designs with glass built directly into the door for a seamless look.

### Available Now: Brushed Finish

Boise Cascade Atlanta now offers a unique wood-grained look that is smooth to the touch. PrismaGuard® premium brushed finish uses a hand-applied technique to create the appearance of a straight, fine-grained wood on select Smooth-Star® doors.




Dark Maple (Brushed)



Shale (Brushed)

## SDL BARS

Each bar is coped and mitred for a precision fit...with numerous patterns available to select from. Boise stocks 7/8" Colonial (stainable & paintable), 1-1/4" Colonial (stainable & paintable), 7/8" Putty (paintable) and Therma-Tru® CCA & CCV 1-5/8" SDL bars available on CCA and CCV Craftsman doors and sidelites only.



1-1/4" Colonial Paintable    7/8" Colonial Paintable    1-1/4" or 7/8" Putty Glazed (Historical) Paintable    1-1/4" Colonial Stainable    7/8" Colonial Stainable    1-5/8" CCA Stainable    1-5/8" CCV Paintable

### SDL Bar Options - High Heat Composite

#### Classic Craft




(40.64 mm / 1-3/5 in.) Look for the (SDL) designation.    (107.95 mm / 4-1/4 in.) Look for the (SDLF3) designation.    (139.70 mm / 5-1/2 in.) Look for the (SDLF4) designation.    (40.64 mm / 1-3/5 in.) Look for the (SDLF6) designation.    (40.64 mm / 1-3/5 in.) Look for the (SDL) designation.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (SDLF5) designation.



(31.75 mm / 1-1/4 in.) (22.225 mm / 7/8 in.) Look for the (SDL) designation. HHC SDL will come in black and can be painted.    (1-1/8 in.) (31.75 mm / 1-1/4 in.) (22.225 mm / 7/8 in.) Look for the (SDLF1) designation. HHC SDL will come in black and can be painted.    **NEW** Grained (88.9 mm / 3-1/2 in.) Look for the (SDLF2) designation.

### GBG Bar Option



(20 mm / 7/8 in.)


### GBG Color Options



Black GBGs now available in select grid patterns.

### Frame Options

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame    Scrolled Profile Lite Frame



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276






## DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

### Classic Craft



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf\*  
\*Pairs with 3'6" wide doors.



Classic Craft<sup>®</sup> Canvas 4-Block Dentil Shelf

### Fiber-Classic & Smooth-Star



Fiber-Classic<sup>®</sup> 4-Block Dentil Shelf\*



Smooth-Star<sup>®</sup> 4-Block Dentil Shelf\*

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



## MULTI-POINT LOCKING SYSTEMS (MPLS)

### Lever-Style MPLS

#### Exterior Handlesets



Heirloom    Venture    Millennium

Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

#### Standard Door Options



Tongue (For single door systems.)  
Shootbolt (For double door systems.)



Engages at three critical points.

Exterior view of door with lever-style MPLS.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.


#### Finish Options



Bright Brass    Brushed Nickel    Black Nickel    Polished Chrome    Oil-Rubbed Bronze

### Grip-Style MPLS

#### Handlesets




Forte    Prospect

#### Standard Door Options



Tongue (For single door systems.)  
Heights: 6'8"    Configurations: Inswing  
7'0"    Outswing  
8'0"



- 1
- 2
- 3

Interior view of door.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

#### Finish Options



Brushed Nickel    Black Nickel    Oil-Rubbed Bronze


Grip Style MPLS is NOT available for double french doors.




## HANDING

All units viewed from exterior of the home.


### Inswing



### Outswing



### Fixed



\*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

## Standard Boise Pre-hung Features:

- 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
- Therma-Tru<sup>®</sup> bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
- In-swing unit with corner seal pads.
- (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft<sup>®</sup> door systems have ball-bearing radius/radius hinges).
- Compression bronze weatherstrip.
- Adjustable strike plate. Transport clip.
- Double bore for lockset and deadbolt prep with double strike prep on frame.
- Sill cover (not included on fixed doors).
- (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
- Installation instructions.
- Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
- Inactive door is not bored.
- Door with sidelites feature continuous composite adjustable sill.

## PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and PVC brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

### Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

### Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

F = Fixed Panel    L = Left Hand  
A = Astragal        R = Right Hand



## PRE-HUNG FEATURES

### Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

### Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

### Important Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- For units with public access sills, subtract 1" for in-swing height.


Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

#### Lock Preparation:

- 2-3/8" Backset
- 2-18" Face Bore
- 2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

## HINGE LOCATIONS





Boise Cascade®  
MILLWORK

## MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7404 Shaker**  
Satin Etch IG  
3'0" x 6'8"



**7405 Shaker**  
Satin Etch IG  
3'0" x 8'0"



**7501**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**7801**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**37504**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37802**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**7002**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7506 Double Arch Top Unit**  
DHRP and Low-E Bevel  
5'0" x 8'0"  
5'4" x 8'0"  
6'0" x 8'0"



**7403 Shaker** ★  
Satin Etch IG  
3'0" x 6'8"



**37104** ★  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37122** ★  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37106** ★  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37108** ★  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37506 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37803**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**7506**  
DHRP and Low-E Bevel  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37508 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37804**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**9541**  
Dentil Shelf  
for 3'0" doors



**6801**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**6175**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**36802 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806 SDL**  
DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SHAKER = SQUARE STICKING WITH FLAT PANEL  
SDL = SIMULATED DIVIDED LITE  
TDL = TRUE DIVIDED LITE

**Simpson®**  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade<sup>®</sup>  
MILLWORK

## WESTERN HEMLOCK EXTERIOR DOORS


All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock<sup>®</sup> technology and are stocked in the sizes noted.



**7002**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"; 2'6",  
2'8", 3'0" x 8'0"



**7701**  
Low-E  
12" x 6'8"  
12" x 8'0"



**37104 SDL**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37122 SDL**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37106 SDL**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37108 SDL**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**37010 SDL**  
Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'6", 2'8",  
3'0" x 8'0"



**7404 Shaker**  
TDL  
Satin Etch IG  
3'0" x 6'8"



**7405 Shaker**  
TDL  
Satin Etch IG  
3'0" x 8'0"



**7501**  
DHRP and Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7801**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**37598 SDL**  
DHRP and Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37504 SDL**  
DHRP and Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37802**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**37506 SDL**  
DHRP and Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37803 SDL**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**37508 SDL**  
DHRP and Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37804**  
DHRP and Low-E  
12" x 6'8"  
12" x 8'0"



**7044**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37444 SDL**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**37944 SDL**  
DHRP and Low-E  
2'8", 3'0" x 6'8"



**6801 Shaker**  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**6175 Shaker**  
FP and Low-E  
12" x 6'8"  
12" x 8'0"



**36802 Shaker**  
SDL  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker**  
SDL  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker**  
SDL  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker**  
SDL  
FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**7130**  
DHRP  
3'0" x 6'8"



**9541**  
Dentil Shelf for  
3'0" and 3'6" doors



Boise Cascade<sup>®</sup>  
MILLWORK

millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION  
DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
FP = 3/4" FLAT PANEL  
IG = 3/4" INSULATED GLAZING  
SHAKER = SQUARE STICKING WITH FLAT PANEL  
SDL = SIMULATED DIVIDED LITE  
TDL = TRUE DIVIDED LITE

Simpson<sup>®</sup>  
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



**Boise Cascade**  
MILLWORK

## REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



**8720 Shaker**  
3/8" FP  
16", 20", 24", 26",  
28", 30" x 6'8"  
16", 20", 24", 26",  
28", 30" x 8'0"



**89320 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
28", 30" x 6'8"  
28", 30" x 8'0"



**8782 Shaker**  
3/8" FP  
16", 20", 24", 26",  
28", 30" x 6'8"  
16", 20", 24", 26",  
28", 30" x 8'0"



**89382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
28", 30" x 6'8"  
28", 30" x 8'0"



**8730 Shaker**  
3/8" FP  
16", 20", 24", 26",  
28", 30" x 6'8"  
16", 20", 24", 26",  
28", 30" x 8'0"



**89330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
28", 30" x 6'8"  
28", 30" x 8'0"



**8755 Shaker**  
3/8" FP  
16", 20", 24", 26",  
28", 30" x 6'8"  
16", 20", 24", 26",  
28", 30" x 8'0"



**8760 Shaker**  
3/8" FP  
16", 20", 24", 26",  
28", 30" x 6'8"  
16", 20", 24", 26",  
28", 30" x 8'0"



**89360 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
28", 30" x 6'8"  
28", 30" x 8'0"



**89355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
28", 30" x 6'8"  
28", 30" x 8'0"



## REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



**8490**  
Pantry  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8001** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8001 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8411** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"; 2'0", 2'4",  
2'6", 2'8", 3'0" x 8'0"



**8411 Shaker Quirk** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8", 3'0"  
x 6'8"; 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**8490 (8'0")** ★  
Pantry with 3/8" FP  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8010** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8012** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8015** ★  
Clear SG  
2'4", 2'6", 2'8", 3'0"  
x 6'8"



**8018** ★  
Clear SG  
2'6", 2'8", 3'0" x 8'0"



**8733 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8733 Shaker** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8735 Shaker** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8735 Shaker** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL  
SHAKER = SQUARE STICKING WITH FLAT PANEL



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

**Simpson**  
Door Company






















SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade<sup>®</sup>  
MILLWORK

## PINE INTERIOR DOORS























Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.

					
<b>1590</b> Pantry 2'0", 2'4", 2'6", 3'0" x 6'8"	<b>1305</b> Clear SG 1'6" x 6'8"	<b>1310</b> Clear SG 2'0" x 6'8"	<b>1312 (8'0")</b> Clear SG 2'0" x 8'0"	<b>1315</b> Clear SG 2'6", 2'8", 3'0" x 6'8"	<b>1318</b> Clear SG 2'6", 2'8", 3'0" x 8'0"
					
<b>720 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>782 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>760 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>755 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>82</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>465</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"
					
<b>44</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>66</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501</b> ★ Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501 Shaker</b> ★ Clear SG 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>1501</b> ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>1501 Shaker Quirk</b> ★ White Laminate 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"
					
<b>1590 (8'0")</b> ★ Pantry with 3/4" RP 2'0", 2'4", 2'6", x 8'0"	<b>1593</b> ★ Laundry 2'8", 3'0" x 6'8"	<b>1593 (8'0")</b> ★ Laundry with 3/4" RP 2'8", 3'0" x 8'0"			

## KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



							
<b>720 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9320 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	<b>782 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"					
							
<b>9382 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>730 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9330 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"					
							
<b>760 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9360 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>755 Shaker</b> ★ 3/8" FP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"	<b>9355 Shaker</b> ★ 1-3/4" Fire-Rated 3/4" FP 2'8", 3'0" x 6'8"	<b>82</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>9282</b> ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>82V V-Groove</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>9282V</b> ★ V-Groove 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"
							
<b>7282</b> ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	<b>7282V</b> ★ V-Groove 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	<b>465</b> ★ 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8" 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>9265</b> ★ 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8" 2'8", 3'0" x 8'0"	<b>465V</b> ★ V-Groove 3/4" RP 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"; 1'6", 2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"	<b>9265V</b> ★ V-Groove 1-3/4" Fire-Rated 1-7/16" RP 2'8", 3'0" x 6'8", 2'8", 3'0" x 8'0"	<b>7465</b> ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8", 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"	<b>7465V V-Groove</b> ★ 1-3/4" 1-7/16" RP 2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"; 1'6", 2'0", 2'4", 2'6", 2'8", 3'0", 3'6" x 8'0"

★ = AVAILABLE FROM SIMPSON'S BIRMINGHAM LOCATION  
SG = SINGLE GLAZED  
FP = FLAT PANEL  
RP = RAISED PANEL  
SHAKER = SQUARE STICKING WITH FLAT PANEL



millwork.bc.com  
8 Mount Moriah Road  
Auburn, GA 30011  
833-375-0276



SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



## KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.  
Fire-rated doors are stocked 1-3/4" thick.



**80801** Shaker V-Groove ★  
Barn Door 3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80812** Shaker V-Groove ★  
Barn Door 3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**80815** Shaker V-Groove ★  
Barn Door 3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**1501** ★  
Clear SG  
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



**1501** Shaker ★  
Clear SG  
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



**1501** ★  
White Laminate  
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8", 3'0" x 8'0"



**1501** Shaker Quirk ★  
White Laminate  
2'0", 2'4", 2'6", 2'8", 3'0" x 6'8"



**1590** ★  
Pantry  
2'0", 2'4", 2'6" x 6'8"



**1593** ★  
Laundry with 3/4" RP  
2'8", 3'0" x 6'8"



## KNOTTY PINE INTERIOR DOORS

We offer the rustic look of Knotty Pine, the traditional look of Clear Pine and the more contemporary look of the Primed flat panel shakers. Primed doors can be painted to match any color scheme. Barn Doors are available in a number of patterns.

U-Groove Available in 3/0 x 8/0.



Z-Brace



X-Brace



Half Z-Brace



Half X-Brace



Double Z-Brace



Mid-Bar



British Brace

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.







## MOLDED AND FLUSH INTERIOR DOORS

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



**Carrara**

HC & SC 6/8 & 8/0



**Caiman**

HC & SC 6/8 & 8/0



**Rockport**

HC & SC 6/8 & 8/0



**Colonist**

Textured HC & SC 6/8



**Santa Fe**

HC & SC 6/8 & 8/0

### BEAD & COVE



**Madison**

HC & SC 6/8 & 8/0



**Monroe**

HC & SC 6/8 & 8/0



**Birkdale**


HC & SC 6/8 & 8/0



**Craftsman**

HC & SC 6/8

### SHAKER SQUARE



**Conmore**

HC & SC 6/8 & 8/0

### DOUBLE SMOOTH STEP

## MOLDED AND FLUSH INTERIOR DOORS (CONTINUED)



**Birch**

HC & SC 6/8



**Lauan**

HC & SC 6/8 & 8/0


Birch

Lauan


## STICKING PROFILES




**Bead & Cove**




**Shaker**



**Ovolo**



**Double Smooth Step**



† - Two week lead time. In stock in Dallas.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





## MARWIN ATTIC STAIRS

Item	Size	Description
0804100	22-1/2X54X8-9	A80 ATLAS STAIR 250 LB. DUTY RATING
0804105	22-1/2X54X10	A81 ATLAS STAIR 250 LB. DUTY RATING
0804110	25-1/2X54X8-9	A100 ATLAS STAIR 250 LB. DUTY RATING
0804115	25-1/2X54X10	A101 ATLAS STAIR 250 LB. DUTY RATING
0804165	22-1/2X54X10	A81FT ATLAS STAIR FIRETREATED
0804170	25-1/2X54X8-9	A100FT ATLAS STAIR FIRETREATED
0804175	25-1/2X54X10	A101FT ATLAS STAIR FIRETREATED
0804190	25-1/2X54X8-9	S100 SUPERIOR STAIR 300 LB.DUTY RATING
0804195	25-1/2X54X10	S101 SUPERIOR STAIR 300 LB.DUTY RATING
0804197	25-1/2X54X8'9"	SUPERIOR ATTIC STAIR 300 LB RATED
0804198	25-1/2X54X10'	SUPERIOR ATTIC STAIR 300 LB RATED
0804212	25-1/2X54X10'4"	TITAN ALUM 375 DUTY FIRE TREATED
0804214	22-1/2"X54"X10'	TITAN ALUM ATTIC STAIR FIRETREATED
0804217	25-1/2"X54"X8-9"	TITAN ATTIC STAIR ALUM FIRETREATED 350LB
0804220	25-1/2X63X12	T2512FT TITAN ALUM STAIR FIRETREATED DR
0804235	25-1/2X54X8-9	S100FT SUPERIOR STAIR 300LB FIRE RATED
0804245	25-1/2X60X10'-9"	SUPERIOR PLUS STAIR 350LB FIRE RATED
0804246	25-1/2X54X8-9	SUPERIOR PLUS STAIR 350 LB FIRE RATED
0804247	25-1/2X54X10	SUPERIOR PLUS STAIR 350 LB FIRE RATED
0804248	25-1/2X54X8-9	SUP PLUS 350 LB STAIR ENERGY SVR R10
0804249	25-1/2X54X10	SUP PLUS 350 LB STAIR ENERGY SVR R10
0804257	25-1/2X54X8'9"	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804258	30X54X8'9"	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804259	30X54X10'	SUPERIOR ATTICSTAIR 300LB ENERGY SAVER
0804400	30"X54"X10'	s201FT MARWIN ATTIC STAIR WOOD 300#
0804454	25-1/2X54X10'	S-101ESR10 SUPERIOR STAIR 300 LB RATED
0804455	25-1/2X54X10'	SUPERIOR ENERGY SAVER R-10 FIRE TREATED
0804667	25-1/2X54X10	A101ESFT ATLAS STAIR W/ENERGY FIRETREAD
0804677	30X63X12	TITAN ALUM ES ATTIC STAIR FIRETREATED
0804693	25-1/2X54X10'	SUPERIOR ATTIC STAIR 300LB ENRGY RTD
0804703	30X54X10'	SUPERIOR PLUS ENERGY SAVER FIRE TRTD
0804975	25-1/2"X45"	TELESCOPIC ATTIC STAIR 8'-10' ADJ R10&FT

## CASINGS



1x4 (11/16"x3-1/2")  
with Backband - Primed Only



445 Casing (21/32"x37/32")  
FJ & Primed



366 Casing (11/16"x2-1/4")  
Primed Only



RB3 Casing (11/16"x3-1/2")  
FJ & Primed



444 Casing (11/16"x3-1/4")  
FJ & Primed



356 Casing (21/32"x2-1/4")  
FJ & Primed



399 Casing (9/32"x37/32")  
Primed Only



1x4 Casing (21/32"x3-1/2")  
Primed Only



1x6 Casing (21/32"x5-1/2")  
Primed Only

## PENROD BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK

