



Boise Cascade®
MILLWORK



Boise Cascade®
MILLWORK

KANSAS CITY MILLWORK



millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

STOCK CATALOG



WHY BOISE CASCADE MILLWORK?

Boise Cascade® Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



TABLE OF CONTENTS

PAGE

PrismaGuard	1
PREFINISH	1
PAINT	2
Therma-Tru	
Classic Craft®	3-5
Fiber-Classic® Oak	6
Fiber-Classic® Mahogany/Oak	7
Smooth Star®	8-13
Steel-Profiles™/Traditions	14
Advanta Lite Frame	15
Calix	15
Echelon	16
Latitude	16
Augustine®	17
Borrassa®	18
Axis®	19
Internal Blinds	20
Reeded	21
Satin Etch	22
Chord	23
Granite	24
Clear Glass	25
Grilles	26
Jambs	27
Fasteners Setting Tool & Screw Plug Covers	27
Composite Entry Mullion	28
Composite Patio Mullion	28
Cove Mould	28
Brickmould	28
Sills	29-31
Door Bottoms	32
Astragals	33
End Rail	33
Weatherstrip	34
Hinges	35-36
Handlesets	37-38
Hardware	39-40
Door & Lite Divider Bars	40
Dentil Shelves	41
Handing	42
Pre-Hung Features	43-44
Interior Door Prep	45
Stock Door Specs	45
Simpson	
Mahogany Exterior Doors	46
Western Hemlock Exterior Doors	47-48
Knotty Alder Exterior Doors	49
Redi-Prime® Interior Doors	50-51
Knotty Alder Interior Doors	52-53
Pine Interior Doors	54
Knotty Pine Interior Doors	54
Steves	
Molded and Flush Interior Doors	55-56
GM Wood Products	
Jambs	57-58
Casings	58
Penrod Barn Door Hardware	59
Marwin	
Stairs	59
Pocket Door Frames	59




Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Durable Topcoat



Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Boise Cascade®
MILLWORK

millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade®
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.


THERMA-TRU®
DOORS



Boise Cascade
MILLWORK

CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CLASSIC CRAFT®



1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

THERMA TRU
DOORS



Boise Cascade
MILLWORK

CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS





Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

THERMA TRU®
DOORS



Boise Cascade
MILLWORK

SMOOTH-STAR®



SMOOTH-STAR®



Boise Cascade
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

THERMA TRU
DOORS



Boise Cascade
MILLWORK

SMOOTH-STAR®



S82104 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S2105 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S82105 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S2250 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S82250 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S82106 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S82107 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S2200 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S8220 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"
--	---	--	---	--	--	--	---	---



SMOOTH-STAR®



S4812 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S84812 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S4813 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S84813 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S4814 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S4814 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S4816 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S84816 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S2010_SL Low-E Glass 12" x 6'8" (7'0") 14" x 6'8" (7'0")
S4812_SL Low-E Glass 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84812_SL Low-E Glass 12" x 8'0" 14" x 8'0"	S4810 Low-E Glass 2'8" x 6'8" 3'0" x 6'8"	S84810 Low-E Glass 2'8" x 8'0" 3'0" x 8'0"	S2000_SL Low-E Glass 12" x 6'8" 14" x 6'8"	S8000_SL Low-E Glass 12" x 8'0" 14" x 8'0"	S4810_SL Low-E Glass 12" x 6'8" 14" x 6'8"	S84810_SL Low-E Glass 12" x 8'0" 14" x 8'0"	S8000XE Satin Etch Glass 3'0" x 8'0"
S2000-LE Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S2000SL-LE Low-E Glass 12", 14" x 6'8"	S8000-LE Low-E Glass 2'8", 3'0" x 8'0"	S8000SL-LE Low-E Glass 12", 14" x 8'0"	S2000XE Satin Etch Glass 2'8", 3'0" x 6'8"	S2200-LE Low-E Glass 2'6", 2'8", 3'0" x 6'8"	S82200-LE Low-E Glass 2'8", 3'0" x 8'0"	S4810-LE Low-E Glass Shaker 2'8", 3'0" x 6'8"	S84810-LE Low-E Glass Shaker 2'8", 3'0" x 8'0"



Boise Cascade
MILLWORK


millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

THERMA TRU
DOORS



Boise Cascade
MILLWORK

SMOOTH-STAR®



STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



HD = HIGH DEFINITION
TS = TRADITIONS STEEL

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com


THERMA-TRU
DOORS

thermatru.com | 1-800-THERMA-TRU | 14



ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



CALIX

Glass Privacy Rating 1 10


Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



ECHELON

Glass Privacy Rating 1 10


Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.



LATITUDE

Glass Privacy Rating 1 10

Bending tradition. Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.






Boise Cascade
MILLWORK

AUGUSTINE®

Glass Privacy Rating 1 10


Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.



BORRASSA®

Glass Privacy Rating 1 10

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.



Boise Cascade
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com

THERMA TRU
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.




Boise Cascade®
MILLWORK

AXIS®

Glass Privacy Rating 1 **7** 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

Caming Options




Black Nickel
(ID)

22 x 64




AXFC2264-1D



22 x 47




AXFC2247-1D



INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.


22 x 80



VBRFC-2280
VBRFC-2280-CE
VBRSS-2280
VBRSS-2280-CE



20 x 80



VBRFC-2080
VBRFC-2080-CE
VBRSS-2080
VBRSS-2080-CE




22 x 64



VBRFC-2264
VBRFC-2264-CE
VBRSS-2264
VBRSS-2264-CE



20 x 64



VBRFC-2064
VBRFC-2064-CE
VBRSS-2064
VBRSS-2064-CE



16 x 64



VBRSS-1664
VBRSS-1664-CE




07 x 64




VBRSS-0764
VBRSS-0764-CE



22 x 47




VBRFC-2247
VBRFC-2247-CE
VBRSS-2247
VBRSS-2247-CE



22 x 36




VBRFC-2236
VBRFC-2236-CE
VBRSS-2236



20 x 36



VBRFC-2036
VBRFC-2036-CE
VBRSS-2036



CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com







REEDED

Glass Privacy Rating 1 **7** 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.



SATIN ETCH



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.







CHORD

Glass Privacy Rating 1 10


A vertical flowing pattern reminiscent of waves on the water.



GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



CLEAR GLASS /LOW-E

22 x 80
DL818
DL818E
DLFC-2280-CE

20 x 80
DL8084N
DL818EN
DL818N
DLFC-2080-CE

22 x 64
DLFC-2264
DLFC-2264-CE
DLSS-2264
DLSS-2264-CE

20 x 64
DLFC-2064-CE
DLSS-2064

16 x 64
DLSS-1664-E

07 x 64
DLFC-0764
DLFC-0764-CE
DLFC-0764-E
DLSS-0764
DLSS-0764-CE

22 x 47
DL2247
DLFC2247
DLFC-2247-CE
DLSS-2247-CE

08 x 47
DLFC-0847-CE
DLFC0847
DLSS-0847-CE

22 x 36
DLFC-2236
DLFC-2236-CE
DLSS-2236
DLSS-2236-CE

20 x 36
DLFC-2036
DLFC-2036-CE
DLSS-2036
DLSS-2036-CE

08 x 36
DLSS-0836
DLSS-0836-CE

21 x 15
DLFC-2115-CE
DLFCZ-2115-ACE
DLSS-2115-CE
DLSSZ-2115-ACE

22 x 10
DLSS-2210R

08 x 06
DLFC-0806
DLFC-0806-CE
DLSS-0806
DLSS-0806-CE



GRILLES

22 x 64
DLSSG-2264-CE-3W5H
DWSS-2264-3W5HF1W
DWSS-2264-CE-3W5HF1W

07 x 64
DWSS-0764-CE-1W5H

22 x 36
DLSSG-2236-3W3H
DLSSG-2236-CE-3W3H
DWSS-2236-3W3HF1W
DWSS-2236-CE-3W3HF1W

08 x 36
DLSSG-0836-1W3H

22 x 10
DLSSG-2210R-4R

22 x 06
DLSSG-2206-4W1H



CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





Boise Cascade
MILLWORK

JAMBS

Composite Jambs



Description	Material	Part #	Size
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
JAMB COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
JAMB COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
JAMB COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
JAMB COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

Other Jambs


Description	Material	Part #	Size
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



COMPOSITE ENTRY MULLION



2" Entry Narrow
 2-1/2" Entry Wide

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2 1/2"

COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2 1/2"

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS SKID	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0

Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.



millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com





SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood



Lightwood

Inswing Composite Adjustable Sill




Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNML	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EF607UNML	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 2 1/4" SIDELITES MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5EL30UD14NML	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNML*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNML*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE MILL FINISH LIGHT WOOD CAP NO SCREEN	Inswing	ISL3AS5ES36UNML	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50ULNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD50URNML	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54ULNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD54URNML	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58ULNML	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD58URNML	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60ULNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH MILL FINISH LIGHT WOOD CAP	Inswing	ISL3AS5PD60URNML	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO LINEAL MILL FINISH LIGHT WOOD CAP W/ SCREEN RAIL	Inswing	ISL3AS5PN90UNML	9/0 5-3/4 U1

Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINUOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1

Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1



* TRU-DEFENSE ELIGIBLE

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





Boise Cascade®
MILLWORK

Public Access Sill With or Without Thermal Break (For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


Sill Pan (Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16

Sill Covers (Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

Sill Extenders



Finishes:
Darkwood (Premium)

Sizes:
3/4"
2"

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1


Single Bulb Kerf-Applied Door Bottom for Basic Fixed, Moderate Climate Sills



Sills:
Basic Fixed
Color:
Bronze

Description	Part #	Size
DOOR BOTTOM KERF	DB30316	35.81"

Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

THERMA TRU®
DOORS



Boise Cascade®
MILLWORK

millwork.bc.com
7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448
bdksmillworkinsidesales@bc.com



ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Aluminum Astragal ✦

Coastal option also available.



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Bronze
White
Weatherstrip:
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0

END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSF30C	3/0

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip ✦



Colors:
Bronze
White

Long-Reach Weatherstrip ✦



Colors:
Bronze
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze





HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft
Ball-Bearing Staggered
Hole Pattern Hinge




Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8"
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8"
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8"
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8"
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8"

Self-Aligning
Ball-Bearing Hinge




Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

Self-Aligning
Hinge



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

Spring-Loaded
Hinge



Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"





HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available Handleset Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide

Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide






HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MS00SSPTD-YZ
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil-Rubbed Bronze	MPMSBASIS3-1H
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil-Rubbed Bronze	MPMSBOSIS-1H
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSP-1D
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSP-1H
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Black Nickel	MPGSGTCS-1D
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Brushed Nickel	MPGSGTCS-1C
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Oil-Rubbed Bronze	MPGSGTCS-1H
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil-Rubbed Bronze	MPMARTS-1H

Storm Door Adaptor


6-9/16" Base Adaptor



Description	Part #	Size
LONG STORM DOOR ADAPTOR	BACSN680L	8/0 6-9/16

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS W1 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS W1 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVDSLH-20	1.6"





DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf
(Pairs with 3/8" wide doors.)



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*


Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"




HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Recommended Specs For Best Results and Warranty.

1. Therma-Tru® Tru-Guard™ full composite frame and brickmould with hidden fastener system with lifetime warranty
2. Therma-Tru® Bronze door sweep and Tru-Defense® adjustable sill with stainless steel adjustment screws
3. Therma-Tru® 7-shape corner seal pads (inswing systems only)
4. 4x4 Ball-bearing hinges
5. Adjustable security strike plate on each bore
6. Sill cover to protect still finish during construction
7. Sill pan under sill to protect from water intrusion

*Other variables may apply that adds or reduces this list, depending on customer specifications

✦ TRU-DEFENSE ELIGIBLE
* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.

F = Fixed Panel
A = Astragal
L = Left Hand
R = Right Hand



PRE-HUNG FEATURES

Standard Boise Cascade Pre-hung features include:

Inswing, Fiberglass Slab, Double Bore, 4-9/16" Primed Duraframe Frame and Brickmould (Rot-Free; limited lifetime warranty), 4x4 Brushed Nickel Ball Bearing Radius/Square Hinges, Composite Cap Adjustable Mill Sill, Compression Bronze Weatherstrip, Bronze Sweep, Transport Clip, Longer Installation screws to go into stud, Corner Seal Pads, installation instructions.

Inswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 5/8"	26 1/4" x 82"	28" x 82 7/8"
	2'4"	29 1/2" x 81 5/8"	30 1/4" x 82"	32" x 82 7/8"
	2'6"	31 1/2" x 81 5/8"	32 1/4" x 82"	34" x 82 7/8"
	2'8"	33 1/2" x 81 5/8"	34 1/4" x 82"	36" x 82 7/8"
	2'10"	35 1/2" x 81 5/8"	36 1/4" x 82"	38" x 82 7/8"
	3'0"	37 1/2" x 81 5/8"	38 1/4" x 82"	40" x 82 7/8"
	3'6"	43 1/2" x 81 5/8"	44 1/4" x 82"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 81 5/8"	51 1/4" x 82"	53" x 82 7/8"
	4'8"	58 1/2" x 81 5/8"	59 1/4" x 82"	61" x 82 7/8"
	5'0"	62 1/2" x 81 5/8"	63 1/4" x 82"	65" x 82 7/8"
	5'4"	66 1/2" x 81 5/8"	67 1/4" x 82"	69" x 82 7/8"
	5'8"	70 1/2" x 81 5/8"	71 1/4" x 82"	73" x 82 7/8"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 5/8"	63 1/4" x 82"	65" x 82 7/8"
	5'4"	66 1/2" x 81 5/8"	67 1/4" x 82"	69" x 82 7/8"
	5'8"	70 1/2" x 81 5/8"	71 1/4" x 82"	73" x 82 7/8"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" SIDELITE	3'0"	48 1/2" x 81 5/8"	49 1/4" x 82"	51" x 82 7/8"
W/(1) 12" SIDELITE	3'0"	50 1/2" x 81 5/8"	51 1/4" x 82"	53" x 82 7/8"
W/(1) 14" SIDELITE	3'0"	52 1/2" x 81 5/8"	53 1/4" x 82"	55" x 82 7/8"
W/(2) 10" SIDELITE	3'0"	59 1/2" x 81 5/8"	60 1/4" x 82"	62" x 82 7/8"
W/(2) 12" SIDELITE	3'0"	63 1/2" x 81 5/8"	64 1/4" x 82"	66" x 82 7/8"
W/(2) 14" SIDELITE	3'0"	67 1/2" x 81 5/8"	68 1/4" x 82"	70" x 82 7/8"

Lock Preparation:

2-3/8" Backset, 2-1/8" face bore, 2-1/4" edge prep. Standard passage bore is 44" from top of the door to center of the bore for 6'8" doors and 60" from top of the door to center of bore for 8' doors. Dead Bolt spacing is 5-1/2" center to center.

Outswing Door Systems

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 80 15/16"	26 1/4" x 81 7/16"	28 1/2" x 82 7/16"
	2'4"	29 1/2" x 80 15/16"	30 1/4" x 81 7/16"	32 1/2" x 82 7/16"
	2'6"	31 1/2" x 80 15/16"	32 1/4" x 81 7/16"	34 1/2" x 82 7/16"
	2'8"	33 1/2" x 80 15/16"	34 1/4" x 81 7/16"	36 1/2" x 82 7/16"
	2'10"	35 1/2" x 80 15/16"	36 1/4" x 81 7/16"	38 1/2" x 82 7/16"
	3'0"	37 1/2" x 80 15/16"	38 1/4" x 81 7/16"	40 1/2" x 82 7/16"
	3'6"	43 1/2" x 80 15/16"	44 1/4" x 81 7/16"	46 1/2" x 82 7/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 80 15/16"	51 1/4" x 81 7/16"	53 1/2" x 82 7/16"
	4'8"	58 1/2" x 80 15/16"	59 1/4" x 81 7/16"	61 1/2" x 82 7/16"
	5'0"	62 1/2" x 80 15/16"	63 1/4" x 81 7/16"	65 1/2" x 82 7/16"
	5'4"	66 1/2" x 80 15/16"	67 1/4" x 81 7/16"	69 1/2" x 82 7/16"
	5'8"	70 1/2" x 80 15/16"	71 1/4" x 81 7/16"	73 1/2" x 82 7/16"
	6'0"	74 1/2" x 80 15/16"	75 1/4" x 81 7/16"	77 1/2" x 82 7/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 80 15/16"	63 1/4" x 81 7/16"	65 1/2" x 82 7/16"
	5'4"	66 1/2" x 80 15/16"	67 1/4" x 81 7/16"	69 1/2" x 82 7/16"
	5'8"	70 1/2" x 80 15/16"	71 1/4" x 81 7/16"	73 1/2" x 82 7/16"
	6'0"	74 1/2" x 80 15/16"	75 1/4" x 81 7/16"	77 1/2" x 82 7/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/(1) 10" SIDELITE	3'0"	48 1/2" x 80 15/16"	49 1/4" x 81 7/16"	51 1/2" x 82 7/16"
W/(1) 12" SIDELITE	3'0"	50 1/2" x 80 15/16"	51 1/4" x 81 7/16"	53 1/2" x 82 7/16"
W/(1) 14" SIDELITE	3'0"	52 1/2" x 80 15/16"	53 1/4" x 81 7/16"	55 1/2" x 82 7/16"
W/(2) 10" SIDELITE	3'0"	59 1/2" x 80 15/16"	60 1/4" x 81 7/16"	62 1/2" x 82 7/16"
W/(2) 12" SIDELITE	3'0"	63 1/2" x 80 15/16"	64 1/4" x 81 7/16"	66 1/2" x 82 7/16"
W/(2) 14" SIDELITE	3'0"	67 1/2" x 80 15/16"	68 1/4" x 81 7/16"	70 1/2" x 82 7/16"

Slab Sizes

Description	Size	Actual Size
FIBER-CLASSIC, SMOOTH-STAR AND STEEL	2'0"	23 13/16"
	2'4"	27 13/16"
	2'6"	29 13/16"
	2'8"	31 13/16"
	2'10"	33 13/16"
	3'0"	35 13/16"
CLASSIC-CRAFT	3'0"	35 3/4"

Standard Hinge Prep

Door Slab	1st Hinge	2nd Hinge	3rd Hinge	4th Hinge
6/8	8 1/4"	38"	67 3/4"	N/A
8/0	8 1/4"	33 1/4"	58 3/4"	83 3/4"

Important Additional Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- Half round transoms are half the size of the actual unit width, add accordingly.
- For units with public access sills, subtract 13/16" from inswing height.






Boise Cascade
MILLWORK

INTERIOR DOOR PREP

Hinge: Top of door to top of hinge



Slab Dementions

Height	Width
79 1/2" Steve's Molded	Full Width
80" Simpson	Full Width

House to Garage Slabs (20min) will be U4 Exterior Spec Steve's & Simpson

Height	Width
79 1/4"	-3/16" from full width

Dead Bolt: 38-1/2" Top Door to Center Bore
Handle Set: 44" Top Door to Center Bore
Standard 2 3/8" backset

Slab Dementions

Height	Width
95-1/2" Steve's Molded	Full Width
96" Simpson	Full Width

House to Garage Slabs (20min) will be U4 Exterior Spec Steve's & Simpson

Height	Width
95 1/4"	-3/16" from full width

Dead Bolt: 54-1/2" Top Door to Center Bore
Handle Set: 60" Top Door to Center Bore
Standard 2 3/8" backset

STOCK DOOR SPECS

Steve's Doors

Hollow Core	Stiles	Rails	Width	Height	Bevel/Sides	Lock Blocks
Molded 1-3/8"	Fiber (FW)	Fiber (FW)	-3/16"	Full	BBS	2 LB
Hardboard 1-3/8"	Fiber (FW)	Fiber (FW)	-3/16"	Full	BBS	2 LB
Hardboard 1-3/4"	Fiber (FW)	Fiber (FW)	-3/16"	Full	BBS	2 LB

Solid Core	Stiles	Rails	Width	Height	Bevel/Sides	Lock Blocks	Fire Rated
Molded 1-3/8"	FJ	FJ	- 3/16"	Full	BBS	SC	
Molded 1-3/4"	FJ	FJ	- 3/16"	- 1"	SQ	SC	20 Min
Hardboard 1-3/8"	FJ	FJ	- 3/16"	Full	BIS	SC	

Simpson Doors

	Stiles	Rails	Width	Height
Interior	Wood	Wood	Full	Full
Exterior	Wood	Wood	Full	Full

MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

7501
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

7801
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

37504
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

37802
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

37506
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

37803
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

37508
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

37804
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

6801
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"

6175†
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

7501†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"

7501†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"

37504†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"

7002†
Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"

7403 Shaker†
Satin Etch IG
3'0" x 6'8"

7404 Shaker
Satin Etch IG
3'0" x 6'8"

7405 Shaker
Satin Etch IG
3'0" x 8'0"

37504†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"

37506†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"

7504†
DHRP and Low-E Bevel
3'0" x 6'8"
3'0" x 8'0"

7802†
DHRP and Low-E Bevel
12", 14" x 6'8"
12", 14" x 8'0"

7506†
DHRP and Low-E Bevel
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"

7803†
DHRP and Low-E Bevel
12", 14" x 6'8"
12", 14" x 8'0"

9541†
Dentil Shelf for 3'0" doors

37506†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"

37508†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"

7506 Double Arch Top Unit†
DHRP and Low-E Bevel
5'0" x 8'0"
5'4" x 8'0"
6'0" x 8'0"

37508†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"

6801†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"

6801†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED

† - Two week lead time. In stock in Dallas.



Boise Cascade
MILLWORK

millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

Simpson
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade[®]
MILLWORK

WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7031
DHRP and Low-E
2'8", 3'0" x 6'8"



37435
DHRP and Low-E
2'8", 3'0" x 6'8"



37035
DHRP and Low-E
2'8", 3'0" x 6'8"



7044
DHRP and Low-E
2'8", 3'0" x 6'8"



37444
DHRP and Low-E
2'8", 3'0" x 6'8"



37944
DHRP and Low-E
2'8", 3'0" x 6'8"



6801
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"




6175
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37802
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37804
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37803
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7501
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



7801
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"

WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002 Shaker†
Clear IG
2'0", 2'6", 2'8",
3'0" x 6'8"



7701 Shaker†
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



7002 Shaker†
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701 Shaker†
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002†
ADA Compliant
Low-E
3'0" x 6'8"
3'0" x 7'0"
3'0" x 8'0"



7037†
Low-E
3'0" x 6'8"



37010 Shaker†
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37010†
WaterBarrier[®]
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37010 Shaker†
WaterBarrier[®]
with Low-E
2'6", 2'8", 3'0" x 6'8"
2'6", 2'8", 3'0" x 8'0"



37015†
Clear IG
2'6", 2'8",
3'0" x 6'8"



7501†
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7501†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37504†
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7002
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701
Low-E
12", 14" x 6'8"
12", 14" x 8'0"



7002
WaterBarrier[®]
with Low-E
2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



37504†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506†
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37506†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37508†
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37508†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker†
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"




6175 Shaker†
FP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37010
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'6", 2'8",
3'0" x 8'0"



7002†
Clear IG
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7701†
Clear IG
12", 14" x 6'8"
12", 14" x 8'0"



6801†
DHRP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker†
FP and White
Laminate IG
3'0" x 6'8"
3'0" x 8'0"



6801†
DHRP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



6801 Shaker†
FP and Seedy
Baroque IG
3'0" x 6'8"
3'0" x 8'0"



7132†
DHRP and Low-E
2'8", 3'0" x 6'8"



9541†
Dentil Shelf
for 3'0" and 3'6" doors



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

† - Two week lead time. In stock in Dallas.



Boise Cascade[®]
MILLWORK

millwork.bc.com

7600 Gardner Avenue

Kansas City, MO 64120

816-347-7448

bdksmillworkinsidesales@bc.com

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade[®]
MILLWORK

KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



© Great NW Homes



7501
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



7801
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37504
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37802
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37506
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37803
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



37508
DHRP and Low-E
3'0" x 6'8"
3'0", 3'6" x 8'0"



37804
DHRP and Low-E
12", 14" x 6'8"
12", 14" x 8'0"



36806
DHRP and Low-E
3'0" x 6'8"
3'0" x 8'0"



7501†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



7002†
Low-E
2'0", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'6", 2'8",
3'0" x 8'0"



7501†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37504†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37504†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37506†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37506†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



37508†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



37508†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker†
FP and Low-E
3'0" x 6'8"
3'0" x 8'0"



36806†
DHRP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker†
FP and Seedy Baroque IG
3'0" x 6'8"
3'0" x 8'0"



36806†
DHRP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



36806 Shaker†
FP and White Laminate IG
3'0" x 6'8"
3'0" x 8'0"



9541†
Dentil Shelf
for 3'0" and 3'6" doors

REDI-PRIME[®] INTERIOR DOORS

All Redi-Prime[®] interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8720 Shaker
3/8" FP
1'3", 1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8782 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8730 Shaker
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8755 Shaker
3/8" FP
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8001 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8411 Shaker Quirk
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
2'0", 2'4",
2'6", 2'8", 3'0" x 8'0"



8010
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8780 Shaker†
Plantation Louver
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8781 Shaker†
Plantation Louver
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8760 Shaker†
3/8" FP
1'3", 1'4", 1'6", 2'0", 2'4",
2'6", 2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



89360 Shaker†
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



8001†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8411†
White Laminate
2'0", 2'4", 2'6", 2'8", 3'0"
x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



Boise Cascade[®]
MILLWORK

millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED

† - Two week lead time. In stock in Dallas.

Simpson[®]
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade
MILLWORK

REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



© Cynthia Brown Studio



8012
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8015
Clear SG
2'4", 2'6", 2'8",
3'0" x 6'8"



8733 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8733 Shaker
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



8735 Shaker
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



8735 Shaker
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
2'0", 2'4", 2'6",
2'8", 3'0" x
8'0"



8018†
Clear SG
2'6", 2'8",
3'0" x 8'0"

KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



465
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9265
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



1501
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



782 Shaker†
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9382 Shaker†
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



730 Shaker†
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



9330 Shaker†
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8"



760 Shaker†
3/8" FP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9360 Shaker†
1-3/4" Fire-Rated
3/4" FP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



82†
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



9282†
1-3/4" Fire-Rated
1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



9282†
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
2'8", 3'0" x 6'8",
2'8", 3'0" x 8'0"



7282†
1-3/4" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7282†
1-3/4" V-Groove 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8",
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"

SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

† - Two week lead time. In stock in Dallas.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade
MILLWORK

millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

Simpson
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



Boise Cascade
MILLWORK

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



7465†
1-3/4"
1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



7465†
1-3/4"
V-Groove 1-7/16" RP
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0", 3'6" x 8'0"



1501 Shaker†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501†
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk†
White Laminate
2'0", 2'4", 2'6", 2'8",
3'0" x 6'8"



1590†
Pantry
2'0", 2'4", 2'6"
x 6'8"



1593†
Laundry with
3/4" RP
2'8", 3'0" x 6'8"



PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



66
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"†



1501
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"†



1310
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1315
Clear SG
2'6", 2'8",
3'0" x 6'8"



465†
V-Groove 3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7465†
1-3/4" House-to-
-Garage, V-Groove
1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



44†
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



7130†
1-3/4" House-to-
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



1501 Shaker†
Clear SG
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"



1501†
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



1501 Shaker Quirk†
White Laminate
2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"

KNOTTY PINE INTERIOR DOORS†

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



66†
3/4" RP
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 6'8"
1'6", 2'0", 2'4", 2'6",
2'8", 3'0" x 8'0"



7130†
1-3/4" House-to-
-Garage 1-7/16" RP
2'8", 3'0" x 6'8"
2'8", 3'0" x 8'0"



80801 Shaker†
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80812 Shaker†
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"



80815 Shaker†
Barn Door w/
V-Groove
3'0", 3'6" x 7'0"
3'0", 3'6" x 8'4"

SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

† - Two week lead time. In stock in Dallas.



Boise Cascade
MILLWORK

millwork.bc.com

7600 Gardner Avenue
Kansas City, MO 64120
816-347-7448

bdksmillworkinsidesales@bc.com

Simpson
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR



MOLDED AND FLUSH INTERIOR DOORS

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



Carrara

HC & SC 6/8 & 8/0



Caiman

HC 6/8 & 8/0



Rockport

HC & SC 6/8 & 8/0



Colonist

Textured HC 6/8



Santa Fe

HC & SC 6/8 & 8/0

BEAD & COVE

OVOLO



Madison

HC & SC 6/8 & 8/0



Monroe

HC & SC 6/8 & 8/0




Birkdale

HC & SC 6/8 & 8/0



Craftsman

HC & SC 6/8



Conmore

HC & SC 6/8



Hardboard

1-3/8" HC-Primed
2/0, 2/4, 2/6, 2/8, 3/0
1-3/4" SC-Primed
2/0, 2/4, 2/6, 2/8, 3/0

SHAKER SQUARE

DOUBLE SMOOTH STEP


MOLDED AND FLUSH INTERIOR DOORS (CONTINUED)

Available Door Options	Sizes Available
STANDARD DOORS	1/6, 2/0, 2/4, 2/6, 2/8 & 3/0
BI-FOLD DOORS – 6-Panel, Carrara, Rockport, Santa Fe, Madison, Monroe	4/0, 5/0, 6/0
Shaker: 1-3/4" thick, 6/8 & 8/0	2/0, 2/4, 2/6
20-MINUTE FIRE DOORS, 1-3/4" Thick	2/8 & 3/0


STICKING PROFILES




Bead & Cove




Ovolo



Shaker



Double Smooth Step





JAMBS

Non-Stock - N/S

In Stock - •

Exterior Jambs

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'8"	•	•	•	•	N/S
6-9/16"-8'0"	•	•	•	•	N/S
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Hinge RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	•	N/S
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17"	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S



Interior Jambs

Description	Fingerjoint	Primed	Solid	Veneer	Knotty Alder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-3'0"	•	N/S	•	N/S	•
4-9/16"-6'0"	•	N/S	•	N/S	N/S
6-9/16"-6'8"	•	•	•	N/S	N/S
6-9/16"-8'0"	•	•	•	N/S	N/S
6-9/16"-3'0"	•	•	•	N/S	N/S
6-9/16"-6'0"	•	•	•	N/S	N/S



Standard Flat Jamb with Applied Stop




Rabbit Jamb




Flat Jamb

CASINGS



356
5/8" x 2 1/4" x 14'
PFJ RFJ PIN



473
17/32" x 2 1/4" x 16'
RFJ



444
11/16" x 3 1/4" x 16'
PFJ RFJ



447
11/16" x 3 1/4" x 16'
PFJ RFJ PIN



433
11/16" x 3 1/4" x 16'
RFJ



421
11/16" x 3 1/4" x 16'
RFJ





PENROD BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK



POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712085		200LB BB 3 WHEEL POCKET DOOR HDW BAG	PDJ200BB
7712090		POCKET DOOR CONVERGING KIT 15555PPK3	PDFCKITJ
7712525	2068	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 6/8 BUILT UP PDF 4-5/8"
7712526	2468	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 6/8 BUILT UP PDF 4-5/8"
7712527	2668	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 6/8 BUILT UP PDF 4-5/8"
7712528	2868	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 6/8 BUILT UP PDF 4-5/8"
7712529	3068	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 6/8 BUILT UP PDF 4-5/8"
7712530	2080	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 8/0 BUILT UP PDF 4-5/8"
7712531	2480	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 8/0 BUILT UP PDF 4-5/8"
7712532	2680	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 8/0 BUILT UP PDF 4-5/8"
7712533	2880	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 8/0 BUILT UP PDF 4-5/8"
7712534	3080	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 8/0 BUILT UP PDF 4-5/8"

