



**TRANSCEND THE
THRESHOLD OF
EXPECTATIONS**



**BOISE CASCADE MILLWORK
DENVER**

11011 E 104TH AVENUE, SUITE 1000
COMMERCE CITY, CO 80640
1-720-653-3333

millwork.bc.com

Edition 3

DENVER STOCK CATALOG

ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it.. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

Our Custom Service Offerings:

- Lock Prep
- Cutouts
- SDLs
- Card Reader Prep
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,

DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the threshold of expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.




TABLE OF CONTENTS


PAGE #

Handing	2
Pre-Hung Features	3-4
Hinge Location	5
Capabilities	6
PrismaGuard® Prefinish	7
PrismaGuard® Premium Paint	8
Therma-Tru Doors	
Classic Craft Mahogany Common Arch	9
Classic Craft®	10-13
Fiber-Classic® Oak	14
Fiber-Classic® Mahogany/Oak	15
Smooth-Star®	16-19
Steel-Profiles™/Traditions	20
EnLiten™ Flush Glazed Designs	21
Advanta Lite Frame	22-23
Glass	
Calix	24
Echelon	24
Kensington	25
Wellesley	26
Latitude	27
Homeward™	28
Texas Star	29
Augustine®	30
Borrassa®	31
Lucerna®	31
Saratoga™	32
Riserva®	33
Pembridge™	33
Axis®	34
Internal Blinds	35
Reeded	36
Satin Etch	37
Chord	38
Chinchilla	39
Rainglass	40
Granite	41
Divided Lites	42
Clear Glass	43
Grilles	44
Frames	45
Fasteners Setting Tool & Screw Plug Covers	45
Composite Entry Mullion	46
Composite Patio Mullion	46
Cove Mould	46
Brickmould	46
Sills	47-49
Door Bottoms	50
Astragals	51
Endrail	51
Weatherstrip	52
Exterior Hinges	53-54
Interior Hinges	55-56
Handlesets	57-58
Hardware	59
Door & Lite Divider Bars	59
Dentil Shelves	60
Simpson Doors	
Douglas Fir Exterior	61
Knotty Alder Exterior	62
Redi-Prime® Interior	63
Douglas Fir Interior	64
Knotty Alder Interior	65-66
Pine Interior	67
Knotty Pine Interior	68
Steve's	
Molded and Flush Interior Doors	69-72
Exterior Frames & Jambs	73-74
Mouldings	75
Bard Door Hardware	75
Kwikset	76
DURA-TECH™	77-78
Eclipse Pocket Door Frames	79


HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.



F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand

PRE-HUNG FEATURES

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.

2. Therma-Tru[®] bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.

3. In-swing unit with corner seal pads.

4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft[®] door systems have ball-bearing radius/radius hinges).

5. Compression bronze weatherstrip.

6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.

8. Sill cover (not included on fixed doors).

9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.

10. Installation instructions.

11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.

12. Inactive door is not bored.

13. Door with sidelites feature continuous composite adjustable sill.

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Lock Preparation:

2-3/8" Backset


2-18" Face Bore

2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.




HINGE LOCATIONS



CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard 5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim) *Limitations will apply to different materials

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Thermo-Tru[®]. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.





CLASSIC CRAFT MAHOGANY COMMON ARCH††



CCM301CAL
CCM301CAR
Clear Glass
3/0 x 6/8



CCM8301CAL
CCM8301CAR
Clear Glass
3/0 x 8/0



CCM305CAL-SDLF6
CCM305CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8305CAL-SDLF6
CCM8305CAR-SDLF6
Clear Glass
3/0 x 8/0



CCM306CAL-SDLF6
CCM306CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8306CAL-SDLF6
CCM8306CAR-SDLF6
Clear Glass
3/0 x 8/0



†† = QUICK SHIP
SDLF6 = SIMULATED DIVIDED LITES

CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CCA2400-LE
CCA82400-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0




CCA4900-SDLF3LE
CCA84900-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910L-SDLF3LE
CCA84910L-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910R-SDLF3LE
CCA84910R-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA3400SL-LE
CCA3500SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCA3450SL-SDLLE
CCA3560SL-SDLLE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES



CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



CCA211-1D††
CCA8211-1D††

Homeward Glass
3/0 x 6/8
3/0 x 8/0



CCA210-LE
CCA8210-LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA220-SDLLE
CCA8220-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA230-SDLLE
CCA8230-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA240-SDLLE
CCA8240-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA260-SDLLE
CCA8260-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA87100-LE

Low-E Glass
3/6 x 8/0



CCA87200-SDLLE

Low-E Glass
3/6 x 8/0



CCA87300-SDLLE

Low-E Glass
3/6 x 8/0



CCA87400-SDLLE

Low-E Glass
3/6 x 8/0



CCA87600-SDLLE

Low-E Glass
3/6 x 8/0

Other Available Glass Options:

Granite



Chinchilla



Rainglass



Chord



Available in Full Light:

Low-E



Satin Etch



CCA1100
CCA81100

3/0 x 6/8
3/0 x 8/0



CCA4905-DDBF3
CCA84905-DDBF3

3/0 x 6/8
3/0 x 8/0



CCA4915L-DDBF3
CCA84915L-DDBF3

3/0 x 6/8
3/0 x 8/0



CCA4915R-DDBF3
CCA84915R-DDBF3

3/0 x 6/8
3/0 x 8/0



†† = QUICK SHIP



CLASSIC CRAFT® (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



CCM60††
3/0 x 6/8



CCM890††
3/0 x 8/0



CCR205
CCR8205
3/0 x 6/8
3/0, 3/6†† x 8/0



CCR8225††
3/0, 3/6 x 8/0



CCR3400SL-LE
CCR8000SL-LE††
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCR8005††
3/0 x 8/0



CCR040††
CCR8040††
3/0 x 6/8
3/0, 3/6 x 8/0



CCR8222
3/0, 3/6 x 8/0



CCR200
CCR8200††
3/0 x 6/8
3/0 x 8/0



CCR100††
CCR8100††
3/0, 3/6 x 6/8
3/0, 3/6 x 8/0



CCV205††
3/0 x 6/8



CCV220††
3/0 x 6/8



CCV050††
3/0 x 6/8



FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



2000-LE†
8000-LE†
Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



2000XE†
8000XE†
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



† = TWO WEEK LEAD
†† = QUICK SHIP



FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



FCM4810-LE
Low-E Glass
3/0 x 6/8



FCM4812-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4813-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4814-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4816-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM31
2/8, 3/0 x 6/8



FCM220
2/8, 3/0 x 6/8



FCM205
2/8, 3/0 x 6/8



FCM600
2/8, 3/0 x 6/8



FCM60
FCM860†
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



FCM1000
FCM81000†
3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



FC31
2/8, 3/0 x 6/8



FC809
2/8, 3/0 x 6/8



FC862†
2/8, 3/0 x 8/0



FC755†
3/0 x 6/8



FC60
FC860
3/0 x 6/8
2/8, 3/0 x 8/0



1000
81000
3/0 x 6/8
3/0 x 8/0



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S2000
S8000
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S2000-LE
S8000-LE
Low-E Glass
2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/8, 3/0 x 6/0



S2000SL-LE
S8000SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 6/0



S2000XE
S8000XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



S2600-LE
S82600-LE†
Internal Blinds
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200†
S82200†
Clear Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200-LE
S82200-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



S2200-XE
S82200-XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



S82200XC†
Chord Glass
3/0 x 8/0



S82200XN†
Granite Glass
3/0 x 8/0



S82200XR†
Rain Glass
3/0 x 8/0



S2100-LE†
Clear Glass
2/8, 3/0 x 6/8



S4810-LE
S84810-LE
Low-E Glass
Shaker
3/0 x 6/8
3/0 x 8/0



S4810XE†
S84810XE†
Satin Etch Glass
Shaker
3/0 x 6/8
3/0 x 8/0



S4810XR†
Rain Glass
Shaker
3/0 x 6/8



S2610XC†
Chord Glass
Shaker
3/0 x 6/8



S6240†
Saratoga Glass
Shaker
3/0 x 6/8



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S93
Fire Door
Available
2/8, 3/0 x 6/8



S220
S8200
2/8, 2/10, 3/0 x 6/8
3/0 x 7/0
2/8, 3/0 x 8/0



S1100
S81100
Shaker
Fire Door Available
2/8, 3/0 x 6/8
3/0 x 8/0



S120
S8120
Shaker
Fire Door Available
3/0 x 6/8
2/8, 3/0 x 8/0



S200
S897
3/0 x 6/8
3/0 x 8/0



S205
S8201
Fire Door Available
2/8, 3/0 x 6/8
3/0 x 8/0



S31
S831
3/0 x 6/8
2/8, 3/0 x 8/0



S960†
2/8, 3/0 x 6/8



S755†
3/0 x 6/8



S4800
S84800
Shaker
2/8, 3/0 x 6/8
3/0 x 8/0



S600
S8600
2/8, 3/0 x 6/8
3/0 x 8/0



S210
S810
2/6, 2/10, 3/0 x 6/8
2/6, 2/8, 2/10, 3/0 x 8/0



S100
S81000
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 6/8
3/0 x 7/0
2/6, 2/8, 3/0, 3/6 x 8/0



SMOOTH-STAR®



S3300-LE
S83300-LE
Low-E Glass
6/8, 8/0



S3400-LE
S83400-LE
Low-E Glass
6/8, 8/0



S3500-LE
S83500-LE
Low-E Glass
6/8, 8/0



S3600-LE
S83600-LE
Low-E Glass
6/8, 8/0



S3301
S83301
6/8, 8/0



S3401
S83401
6/8, 8/0



S3501
S83501
6/8, 8/0



S3601
S83601
6/8, 8/0



S5701
S85701
6/8, 8/0



S5721
S85721
6/8, 8/0

Other Available Glass Options:

Clear



Chinchilla



Reeded



Satin Etch



Chord





† = TWO WEEK LEAD
Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



SMOOTH-STAR® 1/2 LITES†



S3200
S83200

Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S4200
S84200

Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S6200
S86200

Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S9200
S89200

Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S3200SL
S83200SL

Clear Glass
12", 14" x 6/8
12", 14" x 8/0



S4200SL
S84200SL

Clear Glass
12", 14" x 6/8
12", 14" x 8/0



S6200SL
S86200SL

Clear Glass
12", 14" x 6/8
12", 14" x 8/0



Other Available Glass Options:

Reeded



Chord



Rainglass



Satin Etch



Chinchilla



Granite



STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



2030HD

3/0 x 6/8



978HD

2/8, 3/0 x 6/8



1005HD†

2/8, 3/0 x 6/8



205HD

3/0 x 6/8



210HD†

3/0 x 6/8



100†

3/6 x 6/8



TS210
810†

3/0 x 6/8
3/0 x 8/0



TS100
800†

3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0




† = TWO WEEK LEAD TIME

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.


EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%² — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

millwork.bc.com | 11011 E 104th Ave, Suite 1000 | Commerce City, CO 80640 | 303-653-3333 | DenverMillwork@bc.com

Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



Advanta® Lite Frame¹

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass ¹	■	
Clear & Specialty Glass ¹	■	■

¹See your Therma-Tru seller for details on product availability.

²Not available with Advanta lite frame.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey



ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



CALIX

Glass Privacy Rating **1** 10


Calix includes an on-trend “x” design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



ECHELON


Glass Privacy Rating **1** 10

Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.






KENSINGTON



WELLESLEY






LATITUDE

Glass Privacy Rating 1 **2** 10

Bending tradition. Latitude showcases 1 seeded glass and simple curved details in a half-moon geometric design.




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

HOMeward™ †

Glass Privacy Rating 1 **4** 10

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray artique glass. An ideal complement for a Transitional home design.






TEXAS STAR†

Glass Privacy Rating 1 5 10

Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

AUGUSTINE®†

Glass Privacy Rating 1 10

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.



† = TWO WEEK LEAD TIME
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



BORRASSA®†

Glass Privacy Rating 1 10

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Caming Options



Wrought Iron

25 x 51



BACCW2551-KC-1W†

25 x 51 Arched



BACCW2551A-KC-1W†

25 x 42





BACCW2542-KC-1W†

25 x 42 Arched



BACCW2542A-KC-1W



LUCERNA®†

Glass Privacy Rating 1 7 10

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.

Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)

25 x 51




LCCCR2551-1C
LCCCR2551-1D

25 x 42



LCCCR2542-1C
LCCCR2542-1D



† = TWO WEEK LEAD TIME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

SARATOGA™

Glass Privacy Rating 1 7 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and caming. The geometric pattern bridges both modern and traditional designs.

Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)

22 x 64




SGFC2264-1C
SGFC2264-1D



22 x 47



SGFC2247-1C
SGFC2247-1D



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS



RISERVA®

Glass Privacy Rating 1 10

Riserva combines oceana glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

Caming Options



Wrought Iron

22 x 64



RSFC2264-PC-1W

22 x 47



RSFC2247-PC-1W

22 x 36



RSMBK2236-PC-1W



PEMBRIDGE™

Glass Privacy Rating 1 10

Simplistic in its design, Pembridge features a field of hammered glass framed by gray baroque glass and multifaceted bevels. A central diamond shape adds a decorative touch.

Caming Options




Black Nickel
(1D)




Brushed Nickel
(1C)

22 x 64



PBFC2264-1C
PBFC2264-1D

22 x 47



PBFC2247-1C
PBFC2247-1D



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

AXIS®

Glass Privacy Rating 1 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

Caming Options



Black Nickel
(1D)

22 x 64



07 x 64





22 x 47



AXFC2247-1D

21 x 15



CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU | f t i n



INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.

22 x 80

VBRFC-2280
VBRFC-2280-CE
VBRSS-2280
VBRSS-2280-CE

20 x 80

VBRFC-2080
VBRFC-2080-CE
VBRSS-2080
VBRSS-2080-CE

22 x 64

VBRFC-2264
VBRFC-2264-CE
VBRSS-2264
VBRSS-2264-CE

20 x 64

VBRFC-2064
VBRFC-2064-CE
VBRSS-2064
VBRSS-2064-CE

16 x 64

VBRSS-1664
VBRSS-1664-CE

07 x 64

VBRSS-0764
VBRSS-0764-CE

22 x 47

VBRFC-2247
VBRFC-2247-CE
VBRSS-2247
VBRSS-2247-CE

22 x 36

VBRFC-2236
VBRFC-2236-CE
VBRSS-2236
VBRSS-CE

20 x 36

VBRSS-2036



REEDED

Glass Privacy Rating 1 7 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.

21 x 15

XKSSZ2115-A

8 x 6

XKSS0806-X



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.
CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



SATIN ETCH




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

CHORD

Glass Privacy Rating 1 10

A vertical flowing pattern reminiscent of waves on the water.




FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.





CHINCHILLA



RAINGLASS






GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.



DIVIDED LITES

Simulated Divided Lites (SDL)




Grilles Between Glass (GBG)




Fixed Grilles (FXG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.





CLEAR GLASS

22 x 80

DL818
DL818E
DLFC-2280-CE
DL8084

20 x 80

DL8084N
DL818EN
DL818N
DLFC-2080-CE

07 x 80

DLFC-0780
DLFC-0780-CE
DLSS-0780

DLSS-0780-CE
DLSSZ-0780-A
DLSSZ-0780-ACE

22 x 64

DLFC-2264
DLFC-2264-CE
DLSS-2264
DLSS-2264-CE

20 x 64

DLSS-2064
DLSS-2064-CE

16 x 64

DLFC-1664-E

07 x 64

DLFC-0764
DLFC-0764-CE
DLFC-0764-E
DLFCZ-0764
DLFCZ-0764-CE

DLSS-0764
DLSS-0764-CE
DLSSZ-0764
DLSSZ-0764-CE

22 x 47

DL2247
DLFC2247
DLFC-2247-CE
DLSS-2247-CE

08 x 47

DLFC-0847-CE
DLFC0847
DLJS-0847-CE

22 x 36

DLFC-2236
DLFC-2236-CE
DLSS-2236
DLSS-2236-CE

20 x 36

DLFC-2036
DLFC-2036-CE
DLSS-2036
DLSS-2036-CE

08 x 36

DLSS-0836
DLSS-0836-CE

21 x 15

DLFC-2115-CE
DLFCZ-2115-ACE
DLSS-2115-CE
DLSSZ-2115-ACE

22 x 10

DLSS-2210R

08 x 06

DLFC-0806-CE
DLFCZ-0806-CE
DLSS-0806
DLSSZ-0806-CE
DLSSZ-0806-CE
DLFCZ-0806

GRILLES

22 x 80

DL808
DL808E

20 x 80

DL808N

22 x 64

DLSSG-2264-3W5H
DLSSG-2264-CE-3W5H
DWSS-2264-3W5HF1W
DWSS-2264-CE-3W5HF1W

22 x 64

DLSSG-2264-2W5H

20 x 64

DLSSG-2064-3W5H
DWSS-2064-3W5HF1W
DWSS-2064-CE-3W5HF1W

07 x 64

DLSSG-0764-1W5H
DLSSG-0764-CE-1W5H

22 x 36

DLSSG-2236-3W3H
DLSSG-2236-CE-3W3H
DWSS-2236-3W3HF1W
DWSS-2236-CE-3W3HF1W

20 x 36

DLSSG-2036-3W3H
DWSS-2036-3W3HF1W
DWSS-2036-CE-3W3HF1W

08 x 36

DLSSG-0836-1W3H

22 x 10

DLFCG-2210R-4R
DLFCG-2210R-CE-4R
DLSSG-2210R-4R

22 x 10

DLSSG-2210A-11PR

22 x 06

DLSSG-2206-4W1H

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

FRAMES

Composite Frames - Smooth



Description	Material	Part #	Size
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1

Composite Frames - Grained

Description	Material	Part #	Size
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

Other Frames

Description	Material	Part #	Size
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



COMPOSITE ENTRY MULLION



2" Entry Narrow
2-1/2" Entry Wide

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2 1/2"

COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2 1/2"

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK U1	Inswing	Composite	BMCSNIB90WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL80H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR80H	8/0

Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH36U1R	3/6 U1

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

† - TWO WEEK LEAD TIME


SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood

Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)
- Thick wood-grained composite cap and nosing.
 - U-shaped weather seal.
 - Adjustable flush stainless steel screws.
- Continuous length with spread mullion capability to fill 49"–75" rough openings.*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1

Outswing Composite Outswing Sill




- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1

Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1




TRU-DEFENSE ELIGIBLE

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

Public Access Sill With or Without Thermal Break
(For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


Sill Pan
(Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16

Sill Covers
(Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.


Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

Sill Extenders



Shown in 2"



Finishes:
Darkwood (Premium)


Sizes:
3/4"
2"

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSEN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.


Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1


Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1

Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable

Color:
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Aluminum Astragal

Coastal option also available.



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Bronze
White
Weatherstrip:
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0

END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSFCER30C	3/0

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze



TRU-DEFENSE ELIGIBLE

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

EXTERIOR HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft
Ball-Bearing Staggered
Hole Pattern Hinge



Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8"
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8"
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8"
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8"
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8"

Self-Aligning
Ball-Bearing Hinge



Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

Self-Aligning
Hinge



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

Spring-Loaded
Hinge



Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"



INTERIOR HINGES

We can special order anything and in any color — need another color/size? Just ask!



3.5” Radius Hinge ❖

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME SI 3.5x3.5 5/8	Satin Chrome		5/8

Ball Bearing

Description	Finish	Part #	Size
US15 SATIN NICKLE BALL BEARING HINGE SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS BALL BEARING SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME BALL BEARING SI 3.5x3.5 5/8	Satin Chrome		5/8

Radius 4.0” Hinge ❖

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME SI 4X4 5/8	Satin Chrome		5/8"

Ball Bearing Radius 4.0” Hinge ❖

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS BALL BEARING SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS BALL BEARING SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME BALL BEARING SI 4X4 5/8	Satin Chrome		5/8"

Self Closing Hinge ❖

Description	Finish	Part #	Size
SELF CLOSING US15 SATIN NICKLE RADIUS SC 4X4 5/8	Satin Nickel		5/8"
SELF CLOSING US10B OIL RUBBED BRONZE RADIUS SC 4X4 5/8	Oil-Rubbed Bronze		5/8"
SELF CLOSING US1D BLACK RADIUS SC 4X4 5/8	Black Nickel		5/8"
SELF CLOSING US26D SATIN CHROME RADIUS SC 4X4 5/8	Satin Chrome		5/8"


NRP 4.0” Hinge ❖

Description	Finish	Part #	Size
NRP US15 SATIN NICKLE RADIUS NRP 4X4 5/8	Satin Nickel		5/8"
NRP US10B OIL RUBBED BRONZE RADIUS NRP 4X4 5/8	Oil-Rubbed Bronze		5/8"
NRP US1D BLACK RADIUS NRP 4X4 5/8	Black Nickel		5/8"
NRP US26D SATIN CHROME RADIUS NRP 4X4 5/8	Satin Chrome		5/8"

HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available
Handleset
Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide

Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide



HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Yellow Zinc	MS00SSPTD-YZ

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDSLH-20	1.6"

DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf
(Pairs with 3'6" wide doors.)

Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*



✦ TRU-DEFENSE ELIGIBLE

* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.



DOUGLAS FIR EXTERIOR DOORS*

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



7701

Low-E
12", 14" x 6/8
12", 14" x 8/0



7002 Shaker

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



7701 Shaker

Low-E
12", 14" x 6/8
12", 14" x 8/0



7501

DHRP and
Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



7801

DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



37598

DHRP and
Low-E
3/0 x 6/8
3/0 x 8/0



7002

WaterBarrier[®]
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



37506

DHRP and
Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37803

DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



37508

DHRP and
Low-E
3/0 x 6/8
3/0, 3/6 x 8/0




37804

DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



7044

DHRP and
Low-E
2/8, 3/0 x 6/8



37444

DHRP and
Low-E
2/8, 3/0 x 6/8




37944

DHRP and
Low-E
2/8, 3/0 x 6/8



7130

DHRP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0




37010

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8,
3/0 x 8/0




37010 Shaker

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8,
3/0 x 8/0



37010

WaterBarrier[®]
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



37010 Shaker

WaterBarrier[®]
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



9541

Dentil Shelf
for 3/0 and 3/6 doors



* = TWO-THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



37010

Low-E, SDL
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



7501

DHRP and
Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



7801

DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



7501

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37504

DHRP and
Low-E, SDL
3/0 x 6/8
3/0, 3/6 x 8/0



37802

DHRP and
Low-E, SDL
12", 14" x 6/8
12", 14" x 8/0



37504

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37504

DHRP and White
Laminate IG, SDL
3/0 x 6/8
3/0 x 8/0



37506

DHRP and
Low-E, SDL
3/0 x 6/8
3/0, 3/6 x 8/0



37803

DHRP and
Low-E, SDL
12", 14" x 6/8
12", 14" x 8/0



37506

DHRP and Seedy
Baroque IG, SDL
3/0 x 6/8
3/0 x 8/0



37508

DHRP and
Low-E, SDL
3/0 x 6/8
3/0, 3/6 x 8/0



37804

DHRP and
Low-E, SDL
12", 14" x 6/8
12", 14" x 8/0



37508

DHRP and Seedy
Baroque IG, SDL
3/0 x 6/8
3/0 x 8/0



36806

DHRP and
Low-E, SDL
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and
Low-E, SDL
3/0 x 6/8
3/0 x 8/0



36806

DHRP and Seedy
Baroque IG, SDL
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and Seedy
Baroque IG, SDL
3/0 x 6/8
3/0 x 8/0



36806

DHRP and White
Laminate IG, SDL
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and White
Laminate IG, SDL
3/0 x 6/8
3/0 x 8/0



6801 Shaker

Low-E, DHRP and
Seedy Baroque IG
3/0 x 6/8
3/0 x 8/0



9541

Dentil Shelf
for 3/0 and 3/6 doors



© Great NW Homes

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED



REDI-PRIME[®] INTERIOR DOORS

All Redi-Prime[®] interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



8720 Shaker
3/8" FP
1/3, 1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 8/0



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 8/0



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8760 Shaker
3/8" FP
1/3, 1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8755 Shaker
3/8" FP
1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 8/0



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



89801 Shaker†
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89812 Shaker†
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89815 Shaker†
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4




8001
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8411
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8010
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8012
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8733 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



8733 Shaker
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



8735 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0




8735 Shaker
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0




© Cynthia Brown Studio

DOUGLAS FIR INTERIOR DOORS

All Douglas Fir interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0




55†
3/4" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9255†
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8



1501†
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1643 Shaker†
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1643 Shaker†
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1645 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1645 Shaker
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



66
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9266
2/8, 3/0 x 6/8



† = TWO WEEK LEAD TIME

SG = SINGLE GLAZED

FP = FLAT PANEL

RP = RAISED PANEL

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8,
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove, 3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8,
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
V-Groove
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7282
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7282
1-3/4"
V-Groove
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
V-Groove
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7465
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7465
1-3/4"
V-Groove
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



80801 Shaker
Full Plank
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80812 Shaker
Z Pattern
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80815 Shaker
K Pattern
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



PINE INTERIOR DOORS†

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application.



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70720 Shaker
1-3/4" House-to
-Garage
3/4" FP
2/8, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70782 Shaker
1-3/4" House-to
-Garage
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70760 Shaker
1-3/4" House-to
-Garage
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70755 Shaker
1-3/4" House-to
-Garage
3/4" FP
2/8, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
V-Groove
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7465
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
V-Groove
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



44
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



7344
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8



66
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7130
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



**1501 Shaker
Quirk**
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1590
Pantry with
3/4" RP
2/0, 2/4, 2/6 x 8/0



1593
Laundry
2/8, 3/0 x 6/8




1593
Laundry with
3/4" RP
2/8, 3/0 x 8/0



1310
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1312
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1315
Clear SG
2/6, 2/8, 3/0 x 6/8



1318
Clear SG
2/6, 2/8, 3/0 x 8/0

KNOTTY PINE INTERIOR DOORS†

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application.



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1590
Pantry
2/0, 2/4, 2/6 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
V-Groove
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0




465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
V-Groove
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



66
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7130
1-3/4" House-to
-Garage
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**80801 Shaker
Full Plank**
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



**80812 Shaker
Z Pattern**
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



**80815 Shaker
K Pattern**
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4

† = TWO WEEK LEAD TIME
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

Simpson®
Door Company

millwork.bc.com | 11011 E 104th Ave, Suite 1000 | Commerce City, CO 80640 | 720-653-3333 | Denver.Millwork@bc.com

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

68

MOLDED AND FLUSH INTERIOR DOORS


Special Order - S/O
In Stock - •



Molded Hollow Core 6'8"1-3/8"											
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	•	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	•	•
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Hollow Core 8'0"1-3/8"											
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

STICKING PROFILES



Molded Solid Core 6'8"1-3/8"											
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 6'8"1-3/4"20 min U1 Height20 min U1 Height													
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
5 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Arch V-Groove	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

Molded Solid Core 8'0"1-3/8"											
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Square Top	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 8'0"1-3/4"20 min U1 Height20 min U1 Height													
Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	2'8"	3'0"
2 Panel Arch Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Square Top	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Textured & Smooth 6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
5 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Square Top Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Arch V-Groove	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O
In Stock - •



Birch



Lauan



Primed Hardboard



Textured Primed

Flush Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured Primed	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O

Flush Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O

Flush Solid Core 6'8"

1-3/4"

20 min 20 min

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	2'-8"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

Flush Solid Core 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O

EXTERIOR FRAMES & JAMBS

Non-Stock - N/S
In Stock - •

Exterior Frames

Description	Primed	Knotty Alder	Douglas Fir	White Stipple	Tan Wood Grain
4-9/16" 6/8	•	•	•	•	•
4-9/16" 8/0	•	•	•	•	•
4-9/16" 2/8H	•	N/S	N/S	N/S	N/S
4-9/16" 3/0H	•	N/S	N/S	•	•
4-9/16" 6/0H	•	N/S	N/S	N/S	N/S
4-7/8" 6/8	•	•	N/S	N/S	N/S
4-7/8" 8/0	•	•	N/S	N/S	N/S
5-1/4" 6/8	•	N/S	N/S	N/S	N/S
5-1/4" 8/0	•	N/S	N/S	N/S	N/S
6-9/16" 6/8	•	•	•	•	•
6-9/16" 8/0	•	•	•	•	•
6-9/16" 2/8H	•	N/S	N/S	N/S	N/S
6-9/16" 3/0H	•	N/S	N/S	•	•
6-9/16" 6/0H	•	N/S	N/S	N/S	N/S
6-7/8" 6/8	•	•	N/S	N/S	N/S
6-7/8" 8/0	•	•	N/S	N/S	N/S
7-1/4" 6/8	•	•	N/S	•	•
7-1/4" 8/0	•	•	N/S	•	•
Mull Post 3-9/16" 6/8	•	•	•	•	•
Mull Post 3-9/16" 8/0	•	•	•	•	•
Mull Post 4-3/8" 6/8	•	•	•	•	•
Mull Post 4-3/8" 8/0	•	•	•	•	•
Mull Post 4-3/8" Wide 6/8	•	N/S	N/S	N/S	N/S
Mull Post 4-3/8" Wide 8/0	•	N/S	N/S	N/S	N/S
Raidus Head 4-9/16" 5/4	N/S	N/S	N/S	N/S	N/S
Radius Head 4-9/16" 6/0	N/S	N/S	N/S	N/S	N/S
Radius Head 4-9/16" 3/0	N/S	N/S	N/S	N/S	N/S
Radius Head 4-9/16" 3/6	N/S	N/S	N/S	N/S	N/S
Raidus Head 6-9/16" 5/4	N/S	N/S	N/S	N/S	N/S
Radius Head 6-9/16" 6/0	N/S	N/S	N/S	N/S	N/S
Radius Head 6-9/16" 3/0	N/S	N/S	N/S	N/S	N/S
Radius Head 6-9/16" 3/6	N/S	N/S	N/S	N/S	N/S
T-Astragal 1-3/4" W/S Kerf 6/8	N/S	•	•	N/S	N/S
T-Astragal 1-3/4" W/S Kerf 8/0	N/S	•	•	N/S	N/S
WM180 Brickmold 6/8	•	•	•	•	•
WM180 Brickmold 8/0	•	•	•	•	•
WM180 Brickmold 3/0H	•	N/S	N/S	N/S	N/S
WM180 Brickmold 2/8H	•	N/S	N/S	N/S	N/S

— DURA-TECH —

Interior Jamb

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
WM887 Stop 6/8	•	•	•
WM887 Stop 8/0	•	•	•
T-astragal 1-3/8" 6/8	•	N/S	N/S
T-astragal 1-3/8" 8/0	•	•	•
T-astragal 1-3/4" 8/0	N/S	•	•



Standard Flat Jamb
with Applied Stop



Rabbet Jamb




Flat Jamb



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

MOULDINGS


CASING-BULLNOSE



413
11/16" X 3-1/4" X 17'



473
9/16" X 2-1/4" X 17'



494
1/2" X 3-1/4" X 17'

BASE-BULLNOSE



433
1/2" X 3-1/4" X 16'



603
1/2" X 5" X 16'



803
1/2" X 7-1/4" X 16'

ANDERSEN



346
9/16" X 2-1/4" X 17'

COLONIAL



623
1/2" X 3-1/4" X 16'

1X BOARDS



1X2	1X6
11/16" X 1-3/4" X 16'	11/16" X 5-1/2" X 16'
1X3	1X8
11/16" X 2-1/2" X 17'	11/16" X 7-1/4" X 16'
1X4	1X12
11/16" X 3-1/2" X 16'	11/16" X 11-1/4" X 16'

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL

KWIKSET




Item	Length	Description	
653000607		158 SQT 11P SMT RCAL 5063	158 DEADBOLT VENETIAN BRONZE
653002629		660 11P SMT RCAL RCS	660 DEADBOLT VENETIAN BRONZE
653002638		660 15 SMT RCAL RCS	660 DEADBOLT SATIN NICKEL
653003135		780 15 SMT RCAL 5063	780 DEADBOLT SATIN NICKEL
653003136		780 11P SMT RCAL 5063	780 DEADBOLT VENETIAN BRONZE
653003137		158 SQT 15 SMT RCAL 5063	158 DEADBOLT SATIN NICKEL
653003907		9260 CNT 15 SMT RBP RCALFD	SMARTCODE DEADBOLT CONTEMPORARY SATIN NICKEL 2/CASE
653003913		9260 TRL 11P SMT RBP RCALFD	SMARTCODE DEADBOLT TRADITIONAL VENETIAN BRONZE 2/CASE
653003917		9260 TRL 15 SMT RBP RCALFD	SMARTCODE DEADBOLT TRADITIONAL SATIN NICKEL 2/CASE
653040504		966BL 15 LH	BALBOA SATIN NICKEL INTERIOR HANDLE LH
653040505		966BL 15 RH	BALBOA SATIN NICKEL INTERIOR HANDLE RH
653040513		966BL 11P LH	BALBOA VENETIAN BRONZE INTERIOR HANDLE LH
653040514		966BL 11P RH	BALBOA VENETIAN BRONZE INTERIOR HANDLE RH
653041440		400CV 11P SMT 6AL RCS	COVE KNOB ENTRY VENETIAN BRONZE SMARTKEY 6-WAY ADJUSTABLE LATCH ALL PARTS LOOSE ROUND CORNER STRIKE 3 LOCKSETS KEYED ALIKE
653041493		966CV 11P	COVE KNOB INTERIOR PACK SINGLE CYLINDER VENETIAN BRONZE
653041494		966CV 15	COVE KNOB INTERIOR PACK SINGLE CYLINDER SATIN NICKEL
653041834	15 COVE ENTRY	400CV 15 SMT 6AL RCS VIEW PACK	COVE KEYED ENTRY SATIN NICKEL 94002-821
653042404		966H 15	HANCOCK INTERIOR PACK SATIN NICKEL SINGLE CYLINDER 4/CASE
653042410		966H 11P	HANCOCK INTERIOR HANDLE VENETIAN BRONZE
653042411		740H 11P SMT 6AL RCS	HANCOCK KNOB ENTRY VENETIAN BRONZE SMART KEY 6 WAY LATCH 12/CASE
653042420		740H 15 SMT 6AL RCS	HANCOCK KNOB ENTRY SATIN NICKEL SMART KEY 6 WAY LATCH 12/CASE
653060310		405BL 11P SMT 6AL RCS	BALBOA LEVER VENETIAN BRONZE
653061440		405BL 15 SMT 6AL RCS	BALBOA LEVER SATIN NICKEL
653062404		740HFL SQT 15 SMT 6AL RCS	HALIFAX LEVER KEYED ENTRY SQUARE TRIM SATIN NICKEL SMARTKEY SECURITY 6-WAY ADJUSTABLE LATCH ALL PARTS LOOSE ROUND CORNER STRIKE 97402-810
653062423		740HFL SQT 11P SMT 6AL RCS	HALIFAX LEVER KEYED ENTRY SQUARE TRIM VENETIAN BRONZE SMARTKEY SECURITY 6-WAY ADJUSTABLE LATCH ALL PARTS LOOSE ROUND CORNER STRIKE 97402-822
653062493		966HFL SQT 11P	HALIFAX LEVER INTERIOR PACK SINGLE CYLINDER SQUARE ROSE VENETIAN BRONZE 99660-124
653062494		966HFL SQT 15	HALIFAX LEVER INTERIOR PACK SINGLE CYLINDER SQUARE ROSE SATIN NICKEL 99660-121
653080005		687AMD LIP 15 SMT RCAL RCS	AMADOR HANDLESET SATIN NICKEL
653080006		687AMD LIP 11P SMT RCAL RCS	AMADOR HANDLESET VENETIAN BRONZE
653081315		687DA LIP 15 SMT RCAL RCS	DAKOTA HANDLESET SATIN NICKEL
653081316		687DA LIP 11P SMT RCAL RCS	DAKOTA HANDLESET VENETIAN BRONZE
653082100		971HFL SQT 15	HALIFAX SINGLE CYLINDER INTERIOR PACK W/SQUARE ROSETTE SATIN NICKEL
653082104		971HFL SQT 11P	HALIFAX SINGLE CYLINDER INTERIOR PACK W/SQUARE ROSETTE VENETIAN BRONZE
653082404		800HE LIP 15 SMT RCAL 5063	HAWTHORNE HANDLESET SATIN NICKEL
653082405		800HE LIP 11P SMT RCAL 5063	HAWTHORNE HANDLESET VENETIAN BRONZE
653086024		800SCE LIP 15 SMT RCAL RCS	SAN CLEMENTE HANDLESET SATIN NICKEL
653086033		7690 800SCE LIP 11P SMT RCAL RCS	SAN CLEMENTE HANDLESET VENETIAN BRONZE



DURA-TECH™

The next generation of high performance door frames.




Built on the very successful rot resistant Alaskan Yellow Cypress bottomed DURA-FRAME product line, DURA-TECH raises the standard of exterior finish performance at a competitive price.

Dura-Tech™ PVC Film Technology


- DURA-TECH is a 12 mil rigid PVC film bonded with permanent waterproof exterior polyurethane glue to our lifetime rot resistant DURA-FRAME substrate system.
- DURA-FRAME™ is: Alaskan Yellow Cypress, one of the planet's most durable rot resistant woods, finger jointed to the bottom of a premium pine frame component.
- DURA-TECH offers the strength and rigidity of wood with the low maintenance attributes of PVC components.
- DURA-TECH offers versatility in your finishing options. The UV resistant, impact resistant white with a light stipple finish is a low maintenance prefinished product that can be installed as is, or painted as desired with exceptional results. DURA-TECH will make paint peeling issues a thing of the past.
- DURA-TECH is offered in a tan stainable woodgrain embossed finish for stained fiberglass applications. It is made from the same 12 mil impact resistant rigid PVC film and is designed to be stained and protected by UV resistant topcoats which require some maintenance over time.

Complete product offering


- Door Jambs
- Brick Mould
- Mull Posts
- Mull Casing




Brickmould



Door Jambs



Mull Posts



Mull Casing

Finishes

Available in PrismaGuard.



Embossed
Ready to Stain



UV Resistant White
Stipple Finish



Features & Benefits:

- **DURABLE:** Thick, rigid, impact-resistant PVC finish. Permanent waterproof adhesive.
- **STABLE:** Dura-Frame Lifetime Warranty wood substrate with Alaskan Yellow Cypress bottom.
- **TWO FINISHES:** Available in UV resistant white and embossed tan. Both are paintable and stainable.
- **PROFILES:** Available in all standard profiles. Custom profiles are available upon request.
- **Available for prefinish in PrismaGaurd.**



ECLISSE POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712680**	1468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/4X6/8 BUILT UP PDF 4-5/8"
7712682	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/6X6/8 BUILT UP PDF 4-5/8"
7712684	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X6/8 BUILT UP PDF 4-5/8"
7712686	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X6/8 BUILT UP PDF 4-5/8"
7712688	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X6/8 BUILT UP PDF 4-5/8"
7712690	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X6/8 BUILT UP PDF 4-5/8"
7712692	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X6/8 BUILT UP PDF 4-5/8"
7712693**	4068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0 x 6/8 BUILT UP PDF 4-5/8"
7712694**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X8/0 BUILT UP PDF 4-5/8"
7712696**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X8/0 BUILT UP PDF 4-5/8"
7712698**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X8/0 BUILT UP PDF 4-5/8"
7712700**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X8/0 BUILT UP PDF 4-5/8"
7712702**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X8/0 BUILT UP PDF 4-5/8"
7712706**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0X8/0 BUILT UP PDF 4-5/8"
7712730**	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	1/6X6/8 BUILT UP PDF 6-5/8"
7712732**	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X6/8 BUILT UP PDF 6-5/8"
7712734**	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X6/8 BUILT UP PDF 6-5/8"
7712736**	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X6/8 BUILT UP PDF 6-5/8"
7712738**	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X6/8 BUILT UP PDF 6-5/8"
7712740**	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X6/8 BUILT UP PDF 6-5/8"
7712742**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X8/0 BUILT UP PDF 6-5/8"
7712744**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X8/0 BUILT UP PDF 6-5/8"
7712746**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X8/0 BUILT UP PDF 6-5/8"
7712748**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X8/0 BUILT UP PDF 6-5/8"
7712750**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X8/0 BUILT UP PDF 6-5/8"
7712754**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	4/0X8/0 BUILT UP PDF 6-5/8"



YOUR
TRUSTED
PARTNER IN
MILLWORK

Boise Cascade Millwork is known for its efficient lead times, delivering quality products that exceed industry expectations. The millwork sector, noted for intricate craftsmanship, demands timely delivery for construction and renovation projects. Boise Cascade Millwork excels by streamlining production and logistics, ensuring their products, from doors to moldings, reach clients quickly. This reliability makes them a preferred partner in the competitive millwork market.

