



Boise Cascade®
MILLWORK

DALLAS

MILLWORK STOCK CATALOG



TRANSCEND THE THRESHOLD® OF EXPECTATIONS

CONTENTS

2 BOISE CASCADE MILLWORK

- 3 Anatomy of an Exterior Door
- 4 Door Hanging
- 5 Pre-Hung Features
- 6 Boise Cascade Millwork Capabilities

8 THERMA-TRU

- 8 Simulated Divided Lites (SDL)
- 9 Factory Finishing
- 15 EnLiten™ Flush-Glazed Designs
- 16 Advanta™ Lite Frame
- 17 Classic Craft®**
- 19 Premium Construction
- 21 AccuGrain® Technology
- 23 Classic Craft® Doors
- 23 Classic Craft® Fir Doors
- 26 Classic Craft® Mahogany Doors
- 28 Classic Craft® Canvas / Walnut Doors
- 29 Decorative & Specialty Glass Designs – Classic Craft®
- 31 Fiber-Classic® & Smooth-Star®**
- 33 Grain / Color / Glass Options
- 34 Door Construction
- 35 Fiber-Classic® Mahogany Doors
- 36 Fiber-Classic® Oak Doors
- 37 Smooth-Star® Doors
- 40 Decorative & Specialty Glass Designs – Fiber-Classic® & Smooth-Star®
- 41 Privacy & Textured Glass
- 43 Clear Glass Options
- 44 Internal Blinds
- 45 Hinged Patio Door Systems
- 47 Veris™ Collection
- 49 Therma-Tru Components**
- 49 Frames
- 50 Moulding
- 52 Sills
- 55 Door Bottoms
- 57 Astragals
- 58 Weatherstrip
- 59 Hinges

- 61 Handlesets
- 64 Hardware
- 65 Door & Lite Dividers
- 66 Accessories
- 68 Steel**

69 SIMPSON DOOR COMPANY

- 70 What Makes Simpson Doors Different?
- 71 Construction Methods for Tough Exterior Exposures
- 72 Anatomy of a Stile & Rail Door
- 73 Mahogany Exterior Doors
- 75 Western Hemlock Exterior Doors
- 79 Knotty Alder Exterior Doors
- 81 REDI-PRIME® Interior Doors
- 85 Stile & Rail Interior Doors
- 85 Western Hemlock Interior Doors
- 87 Knotty Alder Interior Doors
- 90 Pine Interior Doors
- 92 Knotty Pine Interior Doors
- 93 Rift Cut White Oak Interior Doors
- 94 Simpson Custom Pre-hang Capabilities & Components

95 STEVES & SONS MOLDED & FLUSH INTERIOR DOORS

100 COMPONENTS

- 100 Attic Stairs / Pocket Door Frames
- 102 Total Frame Defense™
- 103 Exterior Frames
- 104 Interior Jambs
- 105 Mouldings
- 105 Barn Door Hardware
- 106 Handlesets, Knobs & Locks

107 BOISE CASCADE MILLWORK IN DALLAS / RESOURCES





BOISE CASCADE MILLWORK

DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the Threshold® of Expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.


ON-SITE DOOR SHOP SERVICE

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.



ANATOMY OF AN EXTERIOR DOOR

A well-crafted door is more than an entry point. It represents precision, performance, and design at every level. Explore the key parts of a quality door and see how Boise Cascade Millwork helps you Transcend the Threshold®.



HINGE AND BORE LOCATIONS

Hinge locations are from top of door to top of hinge. Standard heights are shown.


Standard passage bore height is 44" from top of door to center of bore on 6/8 doors and 60" for 8/0 doors. Double bore is 5.5" above to center of second bore.




DOOR HANDING

All units viewed from exterior of the home.


INSWING



OUTSWING



FIXED



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

PRE-HUNG FEATURES

STANDARD BOISE PRE-HUNG FEATURES

1. 4-9/16" Primed DuraFrame™ frame (rot-free; limited lifetime warranty) and DuraFrame™ brickmould.

2. Therma-Tru® bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.

3. In-swing unit with corner seal pads.

4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft® door systems have ball-bearing radius/radius hinges).

5. Compression bronze weatherstrip.

6. Adjustable strike plate. Transport clip.

7. Double bore for lockset and deadbolt prep with double strike prep on frame.
8. Sill cover (not included on fixed doors).

9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.

10. Installation instructions.

11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.

12. Inactive door is not bored.

13. Door with sidelites feature continuous composite adjustable sill.

INSWING DOOR SYSTEM

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

DOORS & SIDELITE(S) WITH
CONTINUOUS SILL SYSTEM-INSWING

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

BOISE CASCADE MILLWORK CAPABILITIES

OUTSWING DOOR SYSTEM

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28 1/2" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32 1/2" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34 1/2" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36 1/2" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38 1/2" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40 1/2" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46 1/2" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
	4'8"	58 1/2" x 81 3/16"	59 1/4" x 81 11/16"	61 1/2" x 82 11/16"
	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

DOORS & SIDELITE(S) WITH
CONTINUOUS SILL SYSTEM-OUTSWING

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmould
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Slab Sizes	Size	6/8	8/0
FIR AND MAHOGANY DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.

2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.

3. For units with public access sills, subtract 1" for in-swing height.

Lock Preparation:
2-3/8" Backset
2-1/8" Face Bore
2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

BOISE CASCADE MILLWORK CAPABILITIES

MULTIPLE MULL OPTIONS

Boise Cascade Millwork has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.

Mull Adders	
Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	



SIZE MODIFICATIONS (cut or trim)

*Limitations will apply to different materials

Boise Cascade Millwork can modify the size of all fiberglass doors to help meet your exact needs, without voiding the warranty from Therma-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



SPECIALTY DOORS

- Access Doors**
Boise can build smaller doors to accommodate access areas.
- Doggy Doors**
Boise can cut doggy doors to meet your exact needs.
- Dutch Doors**
Boise can build select slabs into Dutch style doors.



SIMULATED DIVIDED LITES

For our Therma-Tru doors we stock wood grained or smooth SDL bars that are adhered to the panes of the tempered glass with unlimited designs and layouts. They can be stained or painted any color to complement the door and home. Lineal bars widths are: 1-1/8", 3-1/2", and 5-1/2". We also carry lineal 7/8" bars for wood doors in Knotty Alder, Hemlock, and Okoume (Mahogany).



Simulated Divided Lites (SDLs):

Adhered to interior and exterior panes of tempered glass, these can be stained or painted. Choose wood-grained or smooth-textured.

Grilles Between Glass (GBGs):

Thermally-sealed between panes of flat tempered glass for a smooth, easy-to-clean surface. Choose contour or flat shape in almond, white or bronze color.

Fixed Grilles (FXG):

Molded as part of the glass frame on interior and exterior panes of tempered glass, these can be stained or painted.



Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs):

The most authentic divided lite look we offer layers SDLs over flat bronze GBGs.



FACTORY FINISHING



FINISHED FOR LASTING BEAUTY

Today's homeowners expect perfection — PrismaGuard® offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR
LIMITED WARRANTY

Classic Craft Finish
Transferable

10 YEAR
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish



Professional
Application



Durable
Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌿) symbol.



Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn



TESTED TO MEET TOUGH EXPECTATIONS.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.




Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

FACTORY FINISHING

PRISMAGUARD® PREMIUM STAIN

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.




- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

PRISMAGUARD® PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown in Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



FACTORY FINISHING

PRISMAGUARD® PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

PrismaGuard® Paint Options



🌲 = Inspired by Yellowstone National Park

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

FACTORY FINISHING



COMPOSE A SYMPHONY

Enhance your entrance with this exclusive palette from the Boise Cascade Millwork Symphony Collection, designed to complement warm neutral exteriors and natural elements like wood, stone, and greenery. Backed by a 10-year PrismaGuard warranty, it delivers lasting beauty, enduring quality, and peace of mind.



Classic Craft Finish
Transferable



Fiber-Classic, Smooth-Star, Pulse, Steel Finish



Professional Application



Durable Topcoat



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.


ENLITEN™ FLUSH-GLAZED DESIGNS

EnLiten™ flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%¹ – choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



SEE THE DIFFERENCE.

EnLiten™ flush-glazed designs provide a simple profile with no added embellishments around the glass.



¹Flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



ADVANTA™ LITE FRAME



A NEW FRAME OF MIND

The Advanta™ lite frame provides an innovative, plugless solution that will streamline operations and increase efficiencies in pre-finishing, assembly and inventory, reducing overall costs and time.

Appearance Advantages

- The innovative Advanta™ lite frame provides a seamless look without unsightly screw plugs, enhancing the beauty of the entry.
- Available for select glass sizes in Fiber-Classic, Smooth-Star, Profiles and Traditions doors, including all decorative and privacy glass and some specialty and clear glass options.
- Scrolled and flat lite frame options are available.

Quality Advantages

- Ability to pre-finish door and frame cover separately, and install glass after finishing to ensure the door is finished behind the lite frame should it shift over time.
- The finished frame cover can be removed and reused if the glass needs to be replaced. If a frame cover needs to be replaced, it can be done without needing to remove the glass from the door.
- Included in Therma-Tru's comprehensive lifetime limited warranty for fiberglass doors and sidelites, and 10-year limited warranty for steel doors and sidelites.



The Advanta™ lite frame is a patented design, U.S. Patent No. 10,655,382.

THE NEXT GENERATION OF LITE FRAMES.

Patented four-piece design includes two interchangeable frame covers and a two-piece base frame.

- A Frame Covers (Interior / Exterior):** Removable, interchangeable aesthetic frame that clips into place.
- B Base Frame:** Structural frame component that secures the frame to the glass in the door cutout.
- C Insulated Glass Unit (IG):** Available in various decorative, privacy and clear glass options.
- D Frame Clips:** Zinc-plated steel clips that secure the frame cover to the base frame.



THERMA-TRU®
DOORS

CLASSIC CRAFT®

An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship, and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft®. Because homes with uncompromising style demand uncompromising entryways.

LIFETIME
LIMITED
WARRANTY
TRANSFERABLE

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA8220; Sidelites – S8601XESL, Smooth-Star, Satin Etch Glass
Bottom: Classic Craft American Door – CCA2400XE, Satin Etch Glass, Finish – Driftwood; Sidelites – CCA3400SL, Satin Etch Glass, Finish – Driftwood



PREMIUM CONSTRUCTION, INSIDE AND OUT

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.

DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.

TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.

THERMA-TRU® DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.

DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.

TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.

BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹

CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²

¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.
²Comparison of R-Values of fiberglass to wood doors (both without glass).
Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn
Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley
Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



THERMA-TRU® CLASSIC CRAFT®

TRUE-TO-WOOD ORIGINS

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with Therma-Tru's AccuGrain® technology.

AccuGrain.
TECHNOLOGY




FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in the lush coastal rainforests of the Pacific Northwest.



MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



Right Page: Top: Classic Craft Fir Grain in Wildflower Honey.
Bottom Left: Classic Craft Mahogany Grain in Driftwood.
Bottom Right: Classic Craft Canvas Grain in Ruby Red.



THERMA-TRU® CLASSIC CRAFT® FIR

THERMA-TRU®



CCA2400-LE
Low-E Glass
6/8: 3/0

CCA82400-LE
Low-E Glass
8/0: 3/0



CCA2400-XE
Satin Etch Glass
6/8: 3/0

CCA82400-XE
Satin Etch Glass
8/0: 3/0



CCA2400XK
Reeded Glass
6/8: 3/0

CCA82400XK
Reeded Glass
8/0: 3/0



CCA4910L-SDLF3LE
Low-E Glass
6/8: 3/0

CCA84910L-SDLF3LE
Low-E Glass
8/0: 3/0



CCA4910LXE-SDLF3
Satin Etch Glass
6/8: 3/0

CCA84910LXE-SDLF3
Satin Etch Glass
8/0: 3/0



CCA4910LXK-SDLF3
Reeded Glass
6/8: 3/0

CCA84910LXK-SDLF3
Reeded Glass
8/0: 3/0



CCA4910R-SDLF3LE
Low-E Glass
6/8: 3/0

CCA84910R-SDLF3LE
Low-E Glass
8/0: 3/0



CCA4910RXE-SDLF3
Satin Etch Glass
6/8: 3/0

CCA84910RXE-SDLF3
Satin Etch Glass
8/0: 3/0



CCA4910RXK-SDLF3
Reeded Glass
6/8: 3/0

CCA84910RXK-SDLF3
Reeded Glass
8/0: 3/0



CCA4900-SDLF3LE
Low-E Glass
6/8: 3/0

CCA84900-SDLF3LE
Low-E Glass
8/0: 3/0

THERMA-TRU® CLASSIC CRAFT® FIR



CCA4900XE-SDLF3
Satin Etch Glass
6/8: 3/0

CCA84900XE-SDLF3
Satin Etch Glass
8/0: 3/0



CCA4900XK-SDLF3
Reeded Glass
6/8: 3/0

CCA84900XK-SDLF3
Reeded Glass
8/0: 3/0



CCA210-LE
Low-E Glass
6/8: 3/0

CCA8210-LE
Low-E Glass
8/0: 3/0



CCA210XC
Chord Glass
6/8: 3/0

CCA8210XC
Chord Glass
8/0: 3/0



CCA210XN
Granite Glass
6/8: 3/0

CCA8210XN
Granite Glass
8/0: 3/0



CCA211-1D
Homeward Glass
6/8: 3/0

CCA8211-1D
Homeward Glass
8/0: 3/0



CCA211-1C
Homeward Glass
6/8: 3/0

CCA8211-1C
Homeward Glass
8/0: 3/0



CCA220-SDLLE
Low-E Glass
6/8: 3/0

CCA8220-SDLLE
Low-E Glass
8/0: 3/0



CCA220XC-SDL
Chord Glass
6/8: 3/0

CCA8220XC-SDL
Chord Glass
8/0: 3/0



CCA220XN-SDL
Granite Glass
6/8: 3/0

CCA8220XN-SDL
Granite Glass
8/0: 3/0



CCA230-SDLLE
Low-E Glass
6/8: 3/0

CCA8230-SDLLE
Low-E Glass
8/0: 3/0



CCA230XC-SDL
Chord Glass
6/8: 3/0

CCA8230XC-SDL
Chord Glass
8/0: 3/0



CCA230XN-SDL
Granite Glass
6/8: 3/0

CCA8230XN-SDL
Granite Glass
8/0: 3/0



CCA240-SDLLE
Low-E Glass
6/8: 3/0

CCA8240-SDLLE
Low-E Glass
8/0: 3/0



CCA240XC-SDL
Chord Glass
6/8: 3/0

CCA8240XC-SDL
Chord Glass
8/0: 3/0

THERMA-TRU®



CCA240XN- SDL
Granite Glass
6/8: 3/0

CCA8240XN-SDL
Granite Glass
8/0: 3/0



CCA260-SDLLE
Low-E Glass
6/8: 3/0

CCA8260-SDLLE
Low-E Glass
8/0: 3/0



CCA260XC-SDL
Chord Glass
6/8: 3/0

CCA8260XC-SDL
Chord Glass
8/0: 3/0



CCA260XN-SDL
Granite Glass
6/8: 3/0

CCA8260XN-SDLLE
Granite Glass
8/0: 3/0



CCA87100-LE
Low-E Glass
8/0: 3/0



CCA87200-SDLLE
Low-E Glass
8/0: 3/0



CCA87300-SDLLE
Low-E Glass
8/0: 3/0



CCA87400-SDLLE
Low-E Glass
8/0: 3/0



CCA87600-SDLLE
Low-E Glass
8/0: 3/0



CCA1100
6/8: 3/0
CCA881100
8/0: 3/0



CCA4915L-DDBF3
6/8: 3/0
CCA84915L-DDBF3
8/0: 3/0



CCA4915R-DDBF3
6/8: 3/0
CCA84915R-DDBF3
8/0: 3/0



CCA4905-DDBF3
6/8: 3/0
CCA84905-DDBF3
8/0: 3/0



CCA3400SL-LE
Low-E Glass
6/8: 12", 14"
CCA3500SL-LE
Low-E Glass
8/0: 12", 14"



CCA3450SL-SDLLE
Low-E Glass
6/9: 12", 14"
CCA3560SL-SDLLE
Low-E Glass
8/0: 12", 14"



CCR3400SL-LE
Low-E Glass
6/8: 12", 14"
CCR8000SL-LE
Low-E Glass
8/0: 12", 14"



CCM890
8/0: 3/0



CCM701
6/8: 3/0



CCM60
6/8: 3/0



CCR8005
8/0: 3/0



CCR8225
8/0: 3/0, 3/6



CCR8222
8/0: 3/0, 3/6



CCR205
6/8: 3/0
CCR8205
8/0: 3/0, 3/6



CCR200
6/8: 3/0
CCR8200
8/0: 3/0



CCR040
6/8: 3/0
CCR8040
8/0: 3/0, 3/6



CCR100
6/8: 3/0
CCR8100
8/0: 3/0, 3/6



Classic Craft Mahogany Grain Door – CCM701;
Rainglass, Sidelites – CCR3400XRSL



THERMA-TRU®



CCM301CAL
Clear Glass
6/8: 3/0

CCM301CAR
Clear Glass
6/8: 3/0



CCM8301CAL
Clear Glass
8/0: 3/0

CCM8301CAR
Clear Glass
8/0: 3/0



CCM305CAL-SDLF6
Clear Glass
6/8: 3/0

CCM305CAR-SDLF6
Clear Glass
6/8: 3/0



CCM8305CAL-SDLF6
Clear Glass
8/0: 3/0

CCM8305CAR-SDLF6
Clear Glass
8/0: 3/0



CCM306CAL-SDLF6
Clear Glass
6/8: 3/0

CCM305CAR-SDLF6
Clear Glass
6/8: 3/0



CCM8305CAL-SDLF6
Clear Glass
8/0: 3/0

CCM8305CAR-SDLF6
Clear Glass
8/0: 3/0

Classic Craft Mahogany Grain, Borrassa Glass,
Doors – CCM8305CAL-SDLF6, CCM8305CAR-SDLF6



CCV205
6/8: 3/0

CCV8205
8/0: 3/0



CCV220
6/8: 3/0

CCV8220
8/0: 3/0



CCV831
8/0: 3/0



CCV200
6/8: 3/0



CCV050
6/8: 3/0



CCV060
6/0: 3/0



CCW903
6/8: 3/0

CCW8903
8/0: 3/0



CCW906L
6/8: 3/0

CCW8906L
8/0: 3/0



CCW906R
6/8: 3/0

CCW8906R
8/0: 3/0



Classic Craft Walnut Grain, Door – CCW906R


THERMA-TRU®




Classic Craft Mahogany Grain, Borrassa Glass,
Door – CCR822215, Sidelites – CCR8000XHSL

HOMeward™
The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray antique glass. An ideal complement for a Transitional home design.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel (1D)



Brushed Nickel (1C)

THERMA-TRU®
DOORS

FIBER-CLASSIC® & SMOOTH-STAR®

Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic® and Smooth-Star® offer options to fit virtually every entrance – from front entry to patio to utility doors – at an excellent value.



Right Page: Smooth-Star, Calix Glass, Door – S4521, Finish – Estuary
Bottom: Fiber-Classic Mahogany Collection Door – FCM220; Calix Glass, Sidelites – FCM2389SL, Finish – Raven



GRAIN OPTIONS




FIBER-CLASSIC®
MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC®
OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

SEE THE DIFFERENCE COLOR CAN MAKE

Therma-Tru offers a wide variety of finish options for our doors.



GLASS OPTIONS

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
²Comparison of fiberglass to wood doors (both without glass).

DOOR CONSTRUCTION

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-¼" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



NEW Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

THERMA-TRU® FIBER-CLASSIC® MAHOGANY COLLECTION™



Fiber-Classic Mahogany Collection, Clear Glass, Door – FCM4810, Finish – New Earth



FCM4810
Clear Glass
6/8: 3/0

FCM4812-SDLF1
Clear Glass
6/8: 3/0

FCM4813-SDLF1
Clear Glass
6/8: 3/0

FCM4814-SDLF1
Clear Glass
6/8: 3/0

FCM4816-SDLF1
Clear Glass
6/8: 3/0

FCM220
6/8: 2/8, 3/0

FCM205
6/8: 2/8, 3/0



FCM31
6/8: 2/8, 3/0

FCM755
6/8: 3/0

FCM600
6/8: 2/8, 3/0

FCM60
6/8: 2/8, 3/0

FCM860
8/0: 2/8, 3/0

FCM1000
6/8: 2/0, 2/6, 2/8, 3/0

FCM81000
8/0: 2/6, 2/8, 3/0

FCM2000SL
Clear Glass
6/8: 12", 14"

FCM2050SL-SDLF1
Clear Glass
6/8: 12", 14"

THERMA-TRU® FIBER-CLASSIC® OAK COLLECTION™



FC31
6/8: 2/8, 3/0

FC809
6/8: 2/8, 3/0

FC862
8/0: 2/8, 3/0

FC755
6/8: 3/0

FC60
6/8: 2/6, 2/8, 2/10, 3/0

FC860
8/0: 2/8, 3/0, 3/6

1000
6/8: 2/0, 2/6, 2/8, 2/10, 3/0

81000
8/0: 2/0, 2/6, 2/8, 3/0

THERMA-TRU® FIBER-CLASSIC® OAK COLLECTION™ – FLUSH GLAZED



2000-LE
Low-E Glass
6/8: 2/6, 2/8, 3/0

8000-LE
Low-E Glass
8/0: 2/6, 2/8, 3/0



2000XE
Satin Etch Glass
6/8: 3/0

8000XE
Satin Etch Glass
8/0: 3/0



Fiber-Classic, Clear Glass, Door – 2000



Smooth-Star - SB2103, Clear Glass, Finish - Onyx



S2000
Clear Glass
6/8: 2/0, 2/6, 2/8, 2/10, 3/0
S8000
Clear Glass
8/0: 2/0, 2/6, 2/8, 3/0



S2000-LE
Low-E Glass
6/8: 2/0, 2/6, 2/8, 2/10, 3/0
S8000-LE
Low-E Glass
8/0: 2/0, 2/6, 2/8, 3/0



S2000SL-LE
Low-E Glass
6/8: 12", 14"
S8000SL-LE
Low-E Glass
8/0: 12", 14"




S2000-XE
Satin Etch Glass
6/8: 2/6, 2/8, 3/0
S8000-XE
Satin Etch Glass
8/0: 2/6, 2/8, 3/0



S2000XESL
Satin Etch Glass
6/8: 12", 14"
S8000XESL
Satin Etch Glass
8/0: 12", 14"



S2000XK
Reeded Glass
6/8: 3/0
S8000XK
Reeded Glass
8/0: 3/0



S2600-LE
Internal Blinds
6/8: 2/6, 2/8, 3/0
S82600-LE
Internal Blinds
8/0: 2/6, 2/8, 3/0



S2200
Clear Glass
6/8: 2/6, 2/8, 3/0
S82200
Clear Glass
8/0: 2/6, 2/8, 3/0



S2200-LE
Low-E Glass
6/8: 2/6, 2/8, 3/0
S82200-LE
Low-E Glass
8/0: 2/6, 2/8, 3/0



S82200XE
Satin Etch Glass
8/0: 2/6, 2/8, 3/0



S82200XC
Chord Glass
8/0: 3/0



S2100
Clear Glass
6/8: 2/8, 3/0



S200
Shaker
6/8: 2/6, 2/8, 3/0
S897
Shaker
8/0: 2/8, 3/0



S205
6/8: 2/8, 3/0
S8201
8/0: 2/8, 3/0




S93
6/8: 2/8, 3/0




S31
6/8: 3/0
S831
8/0: 2/8



S600
6/8: 2/8, 3/0
S8600
8/0: 2/8, 3/0



S4810-LE
Low-E Glass
Shaker
6/8: 2/8, 3/0
S84810-LE
Low-E Glass
Shaker
8/0: 2/8, 3/0



S4810XE
Satin Etch Glass
Shaker
6/8: 2/8, 3/0
S84810XE
Satin Etch Glass
Shaker
8/0: 2/8, 3/0




S1100
Shaker
6/8: 2/8, 3/0
S81100
Shaker
8/0: 2/8, 3/0



S120
Shaker
6/8: 2/8, 3/0
S8120
Shaker
8/0: 2/8, 3/0



S220
6/8: 2/8, 2/10, 3/0
S8200
8/0: 2/8, 3/0




S4800
Shaker
6/8: 2/8, 3/0
S84800
Shaker
8/0: 2/8, 3/0




S755
6/8: 3/0



S960
6/8: 2/8, 3/0



S210
6/8: 2/6, 2/8, 2/10, 3/0
S810
8/0: 2/6, 2/8, 2/10, 3/0



S100
6/8: 2/0, 2/4, 2/6, 2/8, 2/10, 3/0, 3/6
S81000
8/0: 2/0, 2/4, 2/6, 2/8, 2/10, 3/0, 3/6



S3300
Clear Glass
6/8: 2/0, 2/6, 2/8, 3/0

S83300
Clear Glass
8/0: 2/0, 2/6, 2/8, 3/0



S3400
Clear Glass
6/8: 2/0, 2/6, 2/8, 3/0

S83400
Clear Glass
8/0: 2/0, 2/6, 2/8, 3/0



S3500
Clear Glass
6/8: 2/0, 2/6, 2/8, 3/0

S83500
Clear Glass
8/0: 2/0, 2/6, 2/8, 3/0



S3600
Clear Glass
6/8: 2/0, 2/6, 2/8, 3/0

S83600
Clear Glass
8/0: 2/0, 2/6, 2/8, 3/0



S3301
6/8: 2/8, 3/0

S83301
8/0: 2/8, 3/0



S3401
6/8: 2/8, 3/0

S83401
8/0: 2/8, 3/0



S3501
6/8: 2/8, 3/0

S83501
8/0: 2/8, 3/0



S3601
6/8: 2/8, 3/0

S83601
8/0: 2/8, 3/0



S5701
6/8: 2/8, 3/0

S85701
8/0: 2/8, 3/0



S5721
6/8: 2/8, 3/0

S85721
8/0: 2/8, 3/0



S4305XC
Chord Glass
6/8: 2/8, 3/0



S4305XE
Satin Etch Glass
6/8: 2/8, 3/0



S4308
Internal Blinds
6/8:



S4315
Clear Glass
6/8:



S4326
Riserva Glass
6/8:



S4329
Texas Star Glass
6/8:




S4329
Texas Star Glass
6/8:

DECORATIVE & SPECIALTY GLASS DESIGNS

TEXAS STAR

Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel (1D)




Brushed Nickel (1C)

RISERVA®

Riserva combines oceana glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

GLASS SHAPES



GLASS PRIVACY RATING



Black Nickel (1D)

PRIVACY & TEXTURED GLASS

REEDED

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.



GLASS SHAPES



21x15
XKSSZ2115-A



08x06
XKSS0806-X

GLASS PRIVACY RATING



SATIN ETCH

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



GLASS SHAPES



22x80
XECS2280




07x80
XECS20780




22x64
XECS2264



07x64
XEFCZ0764
XECS0764
XECSZ0764



22x47
XECS2247



22x36
XECS2236



21x15
XEFCZ2115
XECS2115
XECSZ2115
XEMBK2115-A



08x06
XEFCZ0806
XECS0806
XECSZ0806


GLASS PRIVACY RATING




PRIVACY & TEXTURED GLASS

GRANITE

A coarse-grained arrangement with surface detail over the entirety of the glass.




GLASS SHAPES




22x64
XNSS2264



07x64
XNFCZ0764
XNSS0764
XNSSZ0764



22x47
XNSS2247



22x36
XNSS2236



21x15
XNFCZ2115
XNSS2115
XNSSZ2115



08x06
XCFCZ0806
XNSS0806
XNSSZ0806

GLASS PRIVACY RATING



CHORD


This vertical pattern is reminiscent of waves on water.



GLASS SHAPES




07x80
XCSS20780




22x64
XCSS2264



07x64
XCFCZ0764
XCSS0764
XCSSZ0764



22x47
XCSS2247



22x36
XCSS2236



21x15
XCSS2115
XCSSZ2115



08x06
XCFCZ0806
XCSS0806
XCSSZ0806
XCMBK0806

GLASS PRIVACY RATING



CLEAR GLASS OPTIONS

CLEAR



GLASS SHAPES



22x80
DL818
DL818E
DLFC-2280-CE



20x80
DL8084N
DL818EN
DL818N
DLFC-2080-CE



14x80
DL8040
DL840



22x64
DLFC-2264
DLFC-2264-CE
DLSS-2264
DLSS-2264-CE
DLMBK-2264-CE (Low-E)



20x64
DLFC-2064-CE
DLSS-2064
DLSS-2064-CE



16x64
DLFC-1664-E



14x64
DL140
DLSSP-1464-CE



07x64
DLFC-0764
DLFC-0764-CE
DLFC-0764-E
DLFCZ-0764
DLFCZ-0764-CE
DLSS-0764
DLSS-0764-CE
DLSSZ-0764
DLSSZ-0764-CE



07x80
DLFC-0780
DLFC-0780-CE
DLFCZ-0780-ACE
DLSS-0780
DLSS-0780-CE
DLSSZ-0780-A
DLSSZ-0780-ACE




22x10
DLSS-2210R




08x47
DLFC-0847-CE




22x36
DLFC-2236
DLFC-2236-CE
DLSS-2236
DLSS-2236-CE



20x36
DLFC-2036
DLFC-2036-CE
DLSS-2036
DLSS-2036-CE



22x47
DL2247
DLFC2247
DLFC-2247-CE
DLSS-2247-CE



08x36
DLSS-0836
DLSS-0836-CE



21x15
DLFC-2115-CE
DLFCZ-2115-ACE
DLSS-2115-CE
DLSSZ-2115-ACE




08x06
DLFC-0806
DLFC-0806-CE
DLFCZ-0806-CE
DLSS-0806
DLSS-0806-CE
DLSSZ-0806
DLSSZ-0806-CE

INTERNAL BLINDS

INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



GLASS SHAPES



22x80
VBRFC-2280
VBRFC-2280-CE
VBRSS-2280
VBRSS-2280-CE



20x80
VBRFC-2080
VBRFC-2080-CE
VBRSS-2080
VBRSS-2080-CE



22x64
VBRFC-2264
VBRFC-2264-CE
VBRSS-2264
VBRSS-2264-CE




20x64
VBRFC-2064
VBRFC-2064-CE
VBRSS-2064
VBRSS-2064-CE



16x64
VBRSS-1664
VBRSS-1664-CE



07x64
VBRSS-0764
VBRSS-0764-CE



22x47
VBRFC-2247
VBRFC-2247-CE
VBRSS-2247
VBRSS-2247-CE



22x36
VBRFC-2236
VBRFC-2236-CE
VBRSS-2236



20x36
VBRFC-2036
VBRFC-2036-CE
VBRSS-2036

Smooth-Star Door – S82600, Internal Blinds



HINGED PATIO DOOR SYSTEMS

SIMPLY BEAUTIFUL, ANY WAY YOU SEE IT.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood



HINGED PATIO DOOR SYSTEMS

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Veris™

COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors



NEW MODERN GRAIN

Designed to harmonize with your home and enhance your way of living, new Veris™ Modern Grain entryway systems blend the best of both worlds — sleek glass and aluminum with warm, true-to-wood Walnut-grained fiberglass panels.



Experience Veris.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at veriscollection.com.

THERMA-TRU®

THERMA-TRU® COMPONENTS

FRAMES

COMPOSITE FRAMES

Description	Material	Part #	Size	Item
FRAME COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B	3/0 4-9/16 U1	803410271
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSNI490WMU1B	9/0 4-9/16 U1	803410272
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN41L68HHSG	6/8 4-9/16	803410254
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN41L80HHSG	8/0 4-9/16	803410258
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN41R68HHSG	6/8 4-9/16	803410255
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN41R80HHSG	8/0 4-9/16	803410259
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN530U1B	3/0 5-1/4 U1	803410273
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN590WMU1B	9/0 5-1/4 U1	803410274
FRAME COMPOSITE SMOOTH RAW IS LH HB HD/SILL	Composite	JCSN51L68HHSG	6/8 5-1/4	803410275
FRAME COMPOSITE SMOOTH RAW IS LH HB HD/SILL	Composite	JCSN51L80HHSG	8/0 5-1/4	803410276
FRAME COMPOSITE SMOOTH RAW IS RH HB HD/SILL	Composite	JCSN51R68HHSG	6/8 5-1/4	803410277
FRAME COMPOSITE SMOOTH RAW IS RH HB HD/SILL	Composite	JCSN51R80HHSG	8/0 5-1/4	803410278
FRAME COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B	3/0 6-9/16 U1	803410279
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B	9/0 6-9/16 U1	803410280
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN61L68HHSG	6/8 6-9/16	803410262
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN61L80HHSG	8/0 6-9/16	803410266
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN61R68HHSG	6/8 6-9/16	803410263
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN61R80HHSG	8/0 6-9/16	803410267

OTHER FRAMES


Description	Material	Part #	Size	Item
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1	803470000
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1	803470002
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1	803470004
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1	803470006
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1	803470008
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1	803470014
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1	803470010
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1	803470012

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Material	Part #	Item
JAMB PLUG COMPOSITE SMOOTH RAW	Jamb	JPCSN	803560178
JAMB PLUG INSTALLATION SCREWS	Jamb	JPSCREW	803560178
JAMB PLUG INSTALLATION TOOL	Jamb	JPTOOL	803560178



Stock status is subject to availability.
Contact your Boise Cascade Millwork Representative with any questions.

THERMA-TRU® COMPONENTS

MOULDING

COVE MOULD

7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size	Item
CELLULAR PVC COVE MOLDING FOR OS BUFF	Outswing	PVC	CPCOVMLD68F	6/8	808980045
CELLULAR PVC COVE MOLDING FOR OS BUFF	Outswing	PVC	CPCOVMLD80F	8/0	808980065
CELLULAR PVC COVE MOLDING FOR OS WHITE	Outswing	PVC	CPCOVMLD80W	8/0	808980072
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8	801080327
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0	801080328
REPLACEMENT COVE MOULD PRIMED PINE		Primed Pine	RPCOVMLD	82"	806040051



BRICKMOULD

2" Brickmould WM180

Description	Application	Material	Part #	Size	Item
BRICKMOULD COMPOSITE SMOOTH RAW IS SKID	Inswing	Composite	BMCSNI30U1	3/0 U1	800700068
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8	800700057
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8	800700058
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1	800700067
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0	800700065
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0	800700061
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0	800700062

ADDITIONAL BRICKMOULD

Description	Material	Part #	Size	Item
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1	800700013
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1	800700018
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1	800700014
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1	800700019

■ Pre-inserted weatherstrip option available for select white smooth jams and mullions pre-machined for hinges and locks.
*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

THERMA-TRU® COMPONENTS

MOULDING

COMPOSITE ENTRY MULLION

2" Entry Narrow 2-1/2" Entry Wide



Description	Application	Material	Part #	Size	Material
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HB HD/SILL	Inswing	Composite	MCSNENIB68HHSG	6/8 X 2"	804340032
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HB HD/SILL	Inswing	Composite	MCSNEWIB68HHSG	6/8 X 2-1/2"	804340033
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HB HD/SILL	Inswing	Composite	MCSNEWIB80HHSG	8/0 X 2"	804340034
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Inswing	Composite	MCSNENIB80HHSG	8/0 X 2-1/2"	804340026

COMPOSITE PATIO MULLION

2" Patio Narrow 2-1/2" Patio Wide



Description	Application	Material	Part #	Size	Item
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HB HD/SILL	Inswing	Composite	MCSNPNIB68HHSG	6/8 X 2"	808980372
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Inswing	Composite	MCSNPNIB80HHSG	8/0 X 2"	808980370
MULL COMPOSITE SMOOTH RAW PATIO WIDE IS BLANK HB HD/SILL	Inswing	Composite	MCSNPWIB80HHSG	8/0 X 2-1/2"	808980373
MULL COMPOSITE SMOOTH RAW PATIO WIDE IS BLANK HD/SILL	Inswing	Composite	MCSNPWIB68HHSG	6/8 X 2-1/2" U4	808980374
MULL COMPOSITE SMOOTH RAW PATIO WIDE OS BLANK HB HD/SILL	Outswing	Composite	MCSNPWOB68HHSG	6/8 X 2-1/2"	804340039
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HB HD/SILL	Outswing	Composite	MCSNPNOB68HHSG	6/8 X 2"	804340036
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HB HD/SILL	Outswing	Composite	MCSNPNOB80HHSG	8/0 X 2"	804340037

ADDITIONAL ENTRY MULLIONS

Description	Application	Material	Part #	Size	Item
MULLION PINE PATIO IS HEAD/SILL PRIMED	Inswing	Primed Pine	MNPPI79280HSGN	80" RO	804470002



COMPOSITE MULL CASING

3-1/2" x 3/4" Flat Casing 4-9/16" Base Adaptor (Use 1-15/32" x 1-1/16" Mull Casing)

Description	Application	Material	Part #	Size	Item
FC COMPOSITE SMOOTH RAW IS BLANK BK	Inswing	Composite	FCCSNIB30BK	3/0 X 3-1/2"	801930003
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK	Inswing	Composite	FCCSNIB90WBK	9/0 X 3-1/2"	801930006
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK	Inswing	Composite	FCCSNIB68B	6/8 X 3-1/2"	801930004
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK	Inswing	Composite	FCCSNIB80B	8/0 X 3-1/2"	801930005
MULL CASING COMPOSITE SMOOTH RAW LARGE		Composite	MCCSNLG80L	8/0 X 3-1/2"	804340030

THERMA-TRU® COMPONENTS

SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood

INSWING COMPOSITE ADJUSTABLE SILL

Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.



Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES36UNBD	3/6 5-3/4 U1	803260263
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Bronze	Darkwood	ISL3AS5EN90UNBD	9/0 5-3/4 U1	803260224
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Mill	Darkwood	ISL3AS5EN90UNMD	9/0 5-3/4 U1	803260226
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES26UNMD	2/6 5-3/4 U1	803260241
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES36UNMD	3/6 5-3/4 U1	803260265
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES28UNBD	2/8 5-3/4 U1	803260247
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES28UNMD	2/8 5-3/4 U1	803260249
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES30UNBD	3/0 5-3/4 U1	803260255
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES30UNMD	3/0 5-3/4 U1	803260257
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS5EF607UNBD	6/0 5-3/4 U1	803260168
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS5EF607UNMD	6/0 5-3/4 U1	803260170
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Bronze	Darkwood	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1	803260184
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Mill	Darkwood	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1	803260186
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Bronze	Darkwood	ISL3AS5PD60ULNBD	6/0 5-3/4 U1	803260519
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Mill	Darkwood	ISL3AS5PD60ULNMD	6/0 5-3/4 U1	803260521
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Bronze	Darkwood	ISL3AS5PD60URNBD	6/0 5-3/4 U1	803260527
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Mill	Darkwood	ISL3AS5PD60URNMD	6/0 5-3/4 U1	803260529
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Bronze	Darkwood	ISL3AS5PN90UNBD	9/0 5-3/4 U1	803260551
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Mill	Darkwood	ISL3AS5PN90UNMD	9/0 5-3/4 U1	803260553
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS4EF607UNBD	6/0 4-9/16 U1	803260048
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS4EF607UNMD	6/0 4-9/16 U1	803260050
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES28UNBD	2/8 4-9/16 U1	803260096
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES28UNMD	2/8 4-9/16 U1	803260098
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES30UNBD	3/0 4-9/16 U1	803260104
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES30UNMD	3/0 4-9/16 U1	803260106

+ = Tru-Defense Eligible

Pre-inserted weatherstrip option available for select white smooth jambs and mullions pre-machined for hinges and locks.


*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

THERMA-TRU® COMPONENTS

OUTSWING COMPOSITE OUTSWING SILL ❖

Basic Composite Adjustable Sill (Economy)

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip



Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE36USF5BDB	3/6 5-3/4 U1	805140272
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE36USF5MDB	3/6 5-3/4 U1	805140274
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE50USF5MDB	5/0 5-3/4 U1	805140352
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE54USF5MDB	5/4 5-3/4 U1	805140400
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE90USF5MDB	9/0 5-3/4 U1	805140688
OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U12SF5MDB	3/0 5-3/4 U1	805140210
OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U14SF5MDB	3/0 5-3/4 U1	805140218
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE28USF5BDB	2/8 5-3/4 U1	805140165
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE28USF5MDB	2/8 5-3/4 U1	805140167
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30USF5BDB	3/0 5-3/4 U1	805140224
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30USF5MDB	3/0 5-3/4 U1	805140226
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE26USF5BDB	2/6 5-3/4 U1	805140144
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE50USF5BDB	5/0 5-3/4 U1	805140350
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE54USF5BDB	5/4 5-3/4 U1	805140398
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE60USF5BDB	6/0 5-3/4 U1	805140526
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE90USF5BDB	9/0 5-3/4 U1	805140686
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE60USF5MDB	6/0 5-3/4 U1	805140528
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE26USF5MDB	2/6 5-3/4 U1	805140146
TRU-DEFENSE OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U12SF5BDB	3/0 5-3/4 U1	805140208
TRU-DEFENSE OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U14SF5BDB	3/0 5-3/4 U1	805140216
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE607USF5BDB	6/0 5-3/4 U1	805140510
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE607USF5MDB	6/0 5-3/4 U1	805140512



VALUE COMPOSITE ADJUSTABLE SILL ❖

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1	803261805
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1	803261804
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1	803261807
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1	803261808
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1	803261803
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1	803261798
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1	803261806
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1	803261799

SILL END SEAL PADS

Description	Part #	Size	Item
IS SILL PAD SLANTED END	ISL3FSEALPAD-24	1-3/8"	808980348
TRU-DEFENSE END SEAL SILL PAD	MSISSEAL-TD3		804520079
TRU-DEFENSE OS END SEAL SILL PAD	MSOSSEAL-TD		804520086

THERMA-TRU® COMPONENTS

OUTSWING ALUMINUM SILL WITHOUT THERMAL BREAK ❖

Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip

Description	Application	Sill Finish	Part #	Size	Item
OS NTB SILL BRONZE	Outswing	Bronze	BS260ABU1	2/6 4-9/16 U1	800770003
OS NTB SILL BRONZE	Outswing	Bronze	BS280ABU1	2/8 4-9/16 U1	800770007
OS NTB SILL BRONZE	Outswing	Bronze	BS300ABU1	3/0 4-9/16 U1	800770011
OS NTB SILL BRONZE	Outswing	Bronze	BS600ABU1	6/0 4-9/16 U1	800770027
OS NTB SILL MILL	Outswing	Mill	BS26096U1	2/6 4-9/16 U1	800770001
OS NTB SILL MILL	Outswing	Mill	BS28096U1	2/8 4-9/16 U1	800770005
OS NTB SILL MILL	Outswing	Mill	BS30096U1	3/0 4-9/16 U1	800770009
OS NTB SILL MILL	Outswing	Mill	BS60096U1	6/0 4-9/16 U1	800770025



PUBLIC ACCESS SILL WITH OR WITHOUT THERMAL BREAK

(For ADA Applications**)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements

Description	Part #	Size	Item
PUBLIC ACCESS SILL MILL	S430PAU1	3/0 4-9/16 U1	806180007
PUBLIC ACCESS SILL MILL	S460PAU1	6/0 4-9/16 U1	806180015
PUBLIC ACCESS SILL MILL	S630PAU1	3/0 4-9/16 U1	806190007
PUBLIC ACCESS SILL MILL	S660PAU1	6/0 4-9/16 U1	806190015
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S430PABU1	3/0 6-9/16 U1	806180002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S460PABU1	6/0 6-9/16 U1	806180010
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S630PABU1	3/0 6-9/16 U1	806190002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S660PABU1	6/0 6-9/16 U1	806190010



SILL COVERS

(Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Description	Part #	Size	Item
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4	806800013
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4	806800002



SILL EXTENDERS

Description	Finish	Part #	Size	Item
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72	806800037
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN90D	2"X108	806800041
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0	806261173
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1	806261207
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0	806261174
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1	806261208
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1	806261239
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1	806261240



❖ = Tru-Defense Eligible

**door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. we recommend these systems be installed away from weather under large soffits or overhangs.

THERMA-TRU® COMPONENTS

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

DUAL BULB KERF-APPLIED DOOR BOTTOM FOR COMPOSITE ADJUSTABLE, BASIC COMPOSITE ADJUSTABLE, HARDWOOD ADJUSTABLE SILLS

Sills:Composite AdjustableHardwood AdjustableBasic Composite Adjustable

Color:Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1	801270086
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1	801270092
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1	801270088
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1	801270090
DOOR BOTTOM IS DP ACTIVE NOTCHED BRONZE	Inswing	DBDBU300NB	3/0 U1	801270091
DOOR BOTTOM SIDELITE IS DP ACTIVE NO NOTCH BRONZE	Inswing	DBDB140B	14"	801270050



DUAL BULB KERF-APPLIED DOOR BOTTOM FOR COMPOSITE ADJUSTABLE, BASIC COMPOSITE ADJUSTABLE, HARDWOOD ADJUSTABLE SILLS

Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU360B	3/6 U1	806040054



KERF-APPLIED DOOR BOTTOMS FOR COMPOSITE OUTSWING SILLS

Sills:Composite OutswingAluminumCoastal

Color:Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS ACTIVE NO HAND BRONZE	Outswing	DB30OS99U	3/0 U1	801270034
DOOR BOTTOM OS ACTIVE NO HAND BRONZE	Outswing	DB36OS99U	3/6 U1	801270042



4 FIN SWEEP DOOR BOTTOM FOR PUBLIC ACCESS SILLS

Sills:Public Access

Color:Bronze

Description	Part #	Size	Item
DOOR BOTTOM SWEEP	DB30USWP	3/0 U1	801270037
DOOR BOTTOM SWEEP	DB36USWP	3/6 U1	801270046



THERMA-TRU® COMPONENTS

INACTIVE DOOR BOTTOMS FOR OUTSWING ALUMINUM SILLS

Sills:Composite Outswing

Color:Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS INACTIVE BRONZE	Outswing	DBP30UTS	3/0	808980310



INACTIVE DOOR BOTTOMS FOR COMPOSITE OUTSWING SILLS

Sills:Composite AdjustableHardwood Adjustable

Color:Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOS140B	14"	806040076
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOSU300B	3/0 U1	806040089



INACTIVE DOOR BOTTOMS FOR COMPOSITE INSWING SILLS

Sills:Composite AdjustableHardwood Adjustable

Color:Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"	802090003
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0 U1	802090007



ADDITIONAL DOOR BOTTOMS

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6	806040054

THERMA-TRU® COMPONENTS

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

STAINABLE ASTRAGAL

- Heights:**

6'6"

6'8"

7'0"

8'0"
- Configurations:**

Inswing

Outswing

Multi-Point Lock

Double Bore

Left-Handed

Right-Handed
- Grain Options:**

Fir

Weatherstrip:

Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS0SABFL	6/8	800460016
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS8SABFL	6/8	800460098
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS0SABFR	8/0	800460017
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS8SABFR	6/8	800460099
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS0SABFL	6/6	800460177
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS8SABFL	6/8	800460257
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS0SABFR	8/0	800460178
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS8SABFR	6/8	800460258



ALUMINUM ASTRAGAL

- Heights:**

6'6"

6'8"

7'0"

8'0"
- Configurations:**

Inswing

Outswing

Multi-Point Lock

Double Bore

Left-Handed

Right-Handed
- Grain Options:**

Bronze

White

Weatherstrip:

Bronze

Coastal option also available.

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	6/8	800460010
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	7/0	800460052
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS8SAAL	8/0	800460092
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	6/6	800460137
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/8	800460012
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	7/0	800460053
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS8SAAR	8/0	800460094
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	6/6	800460138
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS0SAAL	6/8	800460172
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS8SAAL	8/0	800460253
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	6/6	800460293
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS0SAAR	6/8	800460173
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS8SAAR	8/0	800460254
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	6/6	800460294



THERMA-TRU® COMPONENTS

ASTRAGAL REPLACEMENT PARTS

Description	Part #	Size	Item
ASTRAGAL REPLACEMENT BOOT LH STANDARD	7ASTBOOTL450		800180000
ASTRAGAL REPLACEMENT BOOT RH STANDARD	7ASTBOOTR450		800180001
REPLACEMENT ALUMINUM ASTRAGAL HARDWARE PACKAGE	RPAHWB		806040006
REPLACEMENT ALUMINUM ASTRAGAL SPRING CLIP REP KIT	RPSPREPKIT		806040160
REPLACEMENT ASTRAGAL ALUMINUM TOP & OUTSWING BOOT 2/PK	RPTOPBT		806040198
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTL	17"	806040024
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTS	2-5/8"	806040026
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTLB	17"	806040025
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTSB	2-5/8"	806040027
REPLACEMENT CLOSURE STRIP WHITE	RPATRMW		806040023
REPLACEMENT SCREW BOLT RETAINER	RPAST5136016		806040019
REPLACEMENT SNAP-IN TRIM STRIP BRONZE	RPATRMB		806040022

END RAIL

Description	Part #	Size	Item
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0	806040042
CC REPLACEMENT KERF END RAIL	RPCCER30SS	3/6	806040043
CC REPLACEMENT KERF END RAIL	RPFGERT36C	3/6	806040044
REPLACEMENT END RAIL	RPER36C	3/6	806040215
SS REPLACEMENT KERF END RAIL	RPFGERT30C	3/0	806040214
CC END RAIL FOR FULL PLANK REVV	CCER30SSPLKREVV	3/0	800920027

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

MEDIUM-REACH WEATHERSTRIP

- Colors:**
- Bronze
- White



LONG-REACH WEATHERSTRIP

- Colors:**
- Bronze
- White



Description	Part #	Size	Color	Item
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze	807830001
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze	807830004
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze	807950015
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze	807950006
WEATHERSTRIP SIDE LONG REACH	WS8FW	8/0	White	807950012
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze	807950018
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze	807950008
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FW7	8/0	White	807950014

THERMA-TRU® COMPONENTS

HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

CLASSIC CRAFT BALL-BEARING
STAGGERED HOLE PATTERN HINGE



Description	Finish	Part #	Size	Item
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8	802790079
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8	802790080
CC NRP HINGE BALL BEARING STAGGERED	Oil-Rubbed Bronze	HGBCCSR5NRP-1H	5/8	802790081
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8	802790082
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8	802790083
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8	802790084
CC HINGE BALL BEARING STAGGERED	Oil-Rubbed Bronze	HGBCCR5S-1H	5/8	802790085
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8	802790086

SELF-ALIGNING BALL-BEARING HINGE



Description	Finish	Part #	Size	Item
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"	802790061
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"	802790060
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"	802790062
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"	802790067
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"	802790052
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"	802790051
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"	802790053
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"	802790058

THERMA-TRU® COMPONENTS

SELF-ALIGNING HINGE



Description	Finish	Part #	Size	Item
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"	802790011
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"	802790010
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"	802790012
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"	802790015
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"	802790008
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"	802790009
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"	802790027
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"	802790028

SPRING-LOADED HINGE



Description	Finish	Part #	Size	Item
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"	802790017
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"	802790016
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"	802790018
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"	802790022

THERMA-TRU® COMPONENTS

HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

FINISHES



GRIP STYLE HANDLESETS



FORTE


Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active	804490291
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active	804490290
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil Rubbed Bronze	MPGSGTHS2016-1H	Active	804490273

PROSPECT

Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil Rubbed Bronze	MPGSGTHS1986-1H	Active	804490274
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active	804490289
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active	804490288

THERMA-TRU® COMPONENTS

LEVER STYLE HANDLESETS



HEIRLOOM

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow	804490203
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide	804490210
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow	804490202
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide	804490209
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow	804490204
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide	804490211
HANDLESET HEIRLOOM	Black Nickel	DTS112374-1D	Inactive	Narrow	801480016
HANDLESET HEIRLOOM	Black Nickel	DTS1123965N-1D	Inactive	Wide	801480023
HANDLESET HEIRLOOM	Brushed Nickel	DTS112374-1C	Inactive	Narrow	801480015
HANDLESET HEIRLOOM	Brushed Nickel	DTS1123965N-1C	Inactive	Wide	801480022
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS112374-1H	Inactive	Narrow	801480017
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS1123965N-1H	Inactive	Wide	801480024

MILLENNIAL

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow	804490217
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide	804490224
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow	804490216
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide	804490223
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow	804490218
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide	804490225
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow	801480030
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide	801480037
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow	801480029
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide	801480036
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow	801480031
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide	801480038

THERMA-TRU® COMPONENTS

LEVER STYLE HANDLESETS

Venture



VENTURE

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow	804490189
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide	804490196
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow	804490188
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide	804490195
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow	804490190
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide	804490197
HANDLESET VENTURE	Black Nickel	DTS1020374-1D	Inactive	Narrow	801480002
HANDLESET VENTURE	Black Nickel	DTS10203965N-1D	Inactive	Wide	801480009
HANDLESET VENTURE	Brushed Nickel	DTS1020374-1C	Inactive	Narrow	801480001
HANDLESET VENTURE	Brushed Nickel	DTS10203965N-1C	Inactive	Wide	801480008
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS1020374-1H	Inactive	Narrow	801480003
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS10203965N-1H	Inactive	Wide	801480010

- Note:
- Grip Style Handlesets and Lever Style Handlesets are not interchangeable.
 - Grip style is for single door units or patio door units only.

THERMA-TRU® COMPONENTS

HARDWARE

SECURITY STRIKE PLATE

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #	Item
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D	804520044
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C	804520043
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H	804520045
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ	804520050
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MS00SSPTD-1D	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MS00SSPTD-1C	804520013
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil-Rubbed Bronze	MS00SSPTD-1H	804520015
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MS00SSPTD-YZ	804520020
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D	804490098
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C	804490097
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil-Rubbed Bronze	MPMSBASIS3-1H	804490099
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D	804490115
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C	804490114
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil-Rubbed Bronze	MPMSBOSIS-1H	804490116
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSP-1D	804520044
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP	804520050
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C	804520043
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSP-1H	804520045
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Black Nickel	MPGSGTCS-1D	804490295
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Brushed Nickel	MPGSGTCS-1C	808980079
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Oil-Rubbed Bronze	MPGSGTCS-1H	804490294
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D	804490077
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C	804490076
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil-Rubbed Bronze	MPMARTS-1H	804490078

STRIKE PLATE SCREWS

Description	Finish	Part #	Item
SCREW PACKAGE A	Yellow Zinc	MSSCRPA	804520088
SCREW PACKAGE A	Black Nickel	MSSCRPA-1D	804520090
SCREW PACKAGE A	Brushed Nickel	MSSCRPA-1C	804520089

THERMA-TRU® COMPONENTS

STORM DOOR ADAPTER

Description	Part #	Size	Item
LONG STORM DOOR ADAPTER	BACSN680L	8/0 6-9/16	80057009

6-9/16" Base Adapter



RAIN DEFLECTOR

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Description	Part #	Size	Color
OS RAIN GUARD HEAD BRONZE	RGPF30B	3/0	Bronze
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White



DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.

Description	Part #	Width	Item
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCA36LD3024V24	1.6"	800920004
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCALD3024L4-1	1.6"	800920014
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK <i>For use with 3'6" Flush-Glazed Doors.</i>	CCALD3024L6-1	1.6"	800920015
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK <i>Contains 2 vertical and 4 horizontal pieces (1 door).</i>	CCALD2618L4-1	1.6"	80092011
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK <i>Contains 2 vertical and 6 horizontal pieces (1 door).</i>	CCALD2618L6-1	1.6"	800920012
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK <i>Contains 20 long horizontal pieces.</i>	CCALDSLHL20	1.6"	800920016
CCA STYLE LITE DIVIDER VERTICAL 24-PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCALD2618V24	1.6"	800920013
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCS5LD86-6	5.5"	800952277
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK <i>For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.</i>	CCS4LD86-6	4.25"	800952276
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDLH-20	1.6"	800960463

SDL BAR OPTIONS

Grained



1.125"



1.125"




3.5" & 5.5"


Smooth



1.125"



1.125"



3.5" & 5.5"

THERMA-TRU® COMPONENTS

ACCESSORIES

CORNER SEAL PADS

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads

Sills:

Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Color:

Bronze
White



Fiber-Classic® / Smooth-Star® 7-Shape Pads

Sills:

Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Color:

Bronze
White




Description	Part #	Color	Item
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE LH BRONZE	CCCPKLB	Bronze	800920020
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE RH BRONZE	CCCPKRB	Bronze	800920023
FC/SS TRU-DEFENSE CORNER SEAL PAD PACKAGE BRONZE	CPPKB	Bronze	801120010

CLAVOS & STRAP HINGES

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos as well as strap hinges.

Description	Part #	Size	Item
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"	801070001
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"	801070003
CLAVOS SQUARE BLACK	CLVSBL150SAB20	1-1/2"	801070004
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"	801070000
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"	801070002
CLAVOS ROUND BLACK	CLVSBL175RAB20	1-3/4"	801070005
STRAP HINGE BLACK	STRPHSD183	18"	806690005

Pyramid Clavos



1-1/2"

1-3/4"

1"

Round Clavos



1-3/4"

1-1/4"

1"

Strap



18"

ACCESSORIES

DENTIL SHELVES

Complete the look with a dentil shelf for true craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size	Item
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"	800920007
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"	800920002
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"	800960459



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf
(Pairs with 3 1/6" wide doors.)



Classic Craft® Canvas 4-Block Dentil Shelf

Description	Part #	Size	Item
FC DENTIL SHELF	DSB4BLK	26.2"	801460175
SS DENTIL SHELF	DSW4BLK	25.4"	801460176



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*

TRANSPORT CLIPS

Description	Part #	Item
TRANSPORT CLIP	MS00TPC	804520021



Fiber Classic Mahogany Grain, Chord Glass, Door – FCM608XC



STEEL

Versatile, affordable options

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.

PROFILES



Door & Glass



TRADITIONS



Door



Glass



978HD
6/8: 2/8, 3/0



1005HD
6/8: 2/8, 3/0



205HD
6/8: 2/8, 3/0




210HD
6/8: 3/0




TS210
6/8: 2/6, 2/8, 2/10, 3/0




810
8/0: 2/6, 2/8, 3/0



100
6/8: 3/6



TS100
6/8: 2/0, 2/4, 2/6, 2/8, 2/10, 3/10



800
8/0: 2/0, 2/6, 2/8, 3/0

Profiles Collection Door – 205HD, Fire-Rated



STILE & RAIL EXTERIOR DOORS

Not all wood doors are created equally.

When selecting a wood door for your project, select Simpson, the industry's leading wood door manufacturer.



SIMPSON® EXTERIOR DOORS

WHAT MAKES SIMPSON DOORS DIFFERENT?

Simpson exterior doors can be made in any design, size or shape and with any glass or wood type. With so many options, it can be tough to find the right product for your projects. Below is a guide to help with the selection process.

Product Type	Available in Any Design	Available in Any Type of Wood	Can Be Stained	Can be Painted	Can Be Painted a Dark Color	Warrantied with No Overhang Protection	Warranty Period
Door with UltraBlock® Technology	✓	✓	✓	✓			5 Years
Door with WaterBarrier® Technology	✓	✓	Can be stained inside only. Outside must be painted.	✓		✓	5 Years
Door with Nantucket Collection™ Construction	✓	Available in Douglas Fir, Western Hemlock, Sapele Mahogany, Nootka Cypress & Factory-Primed Accoya	✓	✓	Must use the Factory-Primed Accoya	✓	10 Years
SelectGuard™ Flat Panel <i>(can be used with any door type)</i>	✓	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(with no split guarantee)</i>
SelectGuard™ Scoop Single Hip-Raised Panel <i>(can be used with any door type)</i>	For square or rectangle shaped panels only	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(with no split guarantee)</i>
Innerbond® Double Hip-Raised Panel <i>(can be used with any door type)</i>	✓	✓	✓	✓	If used with Nantucket made from Accoya	✓	Lifetime <i>(against splitting all the way through)</i>

ULTRABLOCK® TECHNOLOGY:

PROVEN PROTECTION FOR YOUR DOOR

- Composite block material finger-jointed into the bottom of the stiles eliminates water infiltration
- Minimizes the possibility of stile and rail separation
- Eliminates bottom rail and lower stile decay
- Reduces buckling and swelling of bottom rail and lower stile components
- Improves warp resistance
- 5-year warranty
- Standard on most Simpson entry doors

FLEXIBLE DESIGN OPTIONS

- UltraBlock can be used in any door 1-3/4" and 2-1/4" thick
- Protect all of your exterior doors including entry, side and patio
- Can be used in combination with any type of wood




CONSTRUCTION METHODS FOR TOUGH EXTERIOR EXPOSURES

No wood door manufacturer engineers their doors to withstand tough exposures like Simpson. And no one backs their exterior wood door like Simpson, with extended warranties— and warranties that apply even with no building overhang. See warranties If your door will be exposed to the elements, consider the following construction types when selecting your Simpson door.

NANTUCKET COLLECTION™

- 10-year warranty - no overhang required
- Superior performing wood species - choose from Western Hemlock, Douglas Fir, Sapele Mahogany, Nootka Cypress and Accoya (Primed-Can Be Painted Any Color)
- Two-piece laminated construction for all stiles and rails
- Mortise-and-tenon joinery with face-driven pins to eliminate stile and rail separation
- No-face pin option with grip tenon
- Face-driven pins create a dramatic design aesthetic
- Two thicknesses available - 1¾" and 2¼"
- Two panel options - 17½" Innerbond® double hip-raised or ¾" solid flat
- Two sticking profile options - Shaker or Ovolo
- All divided lite doors constructed with Simulated Divided Lite (SDL) construction
- Design pressure ratings of DP50 (additional hardware may be required in some applications)



PERFORMANCE SERIES® UPGRADES

Performance Series® is a selection of heavy-duty door components that deliver maximum protection for your finely crafted Simpson door. We currently offer two Performance Series options, UltraBlock® and WaterBarrier® technologies. The combination of these two technologies creates a door suited for the toughest exposures. And this protection is delivered without sacrificing the charm and craftsmanship you've come to expect from a Simpson door. After all, a beautiful door is only worth having if you can protect it.

WARRANTY

NO OVERHANG? NO PROBLEM.

Speak with your Boise Cascade Millwork sales representative about selecting the Simpson WaterBarrier® technology (5-year warranty) or the Nantucket® Collection (10-year warranty) and have an extended warranty for any tough application.

ANATOMY OF A STILE & RAIL DOOR

For contractors and builders, knowing the full breakdown of exterior door components is essential. The entry door isn't just an aesthetic feature—it's a system of integrated door parts designed for security, durability, energy efficiency, and curb appeal. Too often, homeowners assume “a door is just a door,” but every piece of the door anatomy plays a role in long-term performance.

Below is a simple illustration of the anatomy of a stile & rail door. This graphic will aid in familiarizing oneself with some of the typical components that come together to form a durable and beautiful entryway.





37504, Mahogany

MAHOGANY EXTERIOR DOORS

7504
DHRP
Low-E Bevel Glass
6/8: 3/0
8/0: 3/0

7802
DHRP
Low-E Bevel Glass
6/8: 12", 14"
8/0: 12", 14"

37506
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6

37506
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0

37506
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0

37803
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"

SIMPSON EXTERIORS

7002
Low-E Glass
6/8: 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0

7403 Shaker
Satin Etch IG
6/8: 3/0

7404 Shaker
Satin Etch IG
6/8: 3/0

7405 Shaker
Low-E Glass
8/0: 3/0
Satin Etch IG
8/0: 3/0, 3/6

7501
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6

7801
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"

SIMPSON EXTERIORS

7501
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0

7501
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0

37504
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6

37504
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0

37504
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0

37802
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"

7506 Double Arch Top Unit
DHRP
Low-E Bevel Glass
8/0: 5/0, 5/4, 6/0

6801
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0

6801
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0

6801
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0

6175
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"

9541
Dentil Shelf for 3/0 doors

WESTERN HEMLOCK EXTERIOR DOORS



7002
Clear IG
6/8: 2/0, 2/6,
2/8, 3/0
8/0: 2/0, 2/6,
2/8, 3/0



7701
Clear IG
6/8: 12", 14"
8/0: 12", 14"



7002
Low-E Glass
6/8: 2/0, 2/6,
2/8, 3/0
8/0: 2/0, 2/6,
2/8, 3/0



7701
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



7002 Shaker
Clear IG
6/8: 2/0, 2/6,
2/8, 3/0



7701 Shaker
Clear IG
6/8: 12", 14"
8/0: 12", 14"



7002 Shaker
Low-E Glass
6/8: 2/0, 2/6,
2/8, 3/0
8/0: 2/0, 2/6,
2/8, 3/0




7701 Shaker
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



7002
ADA Compliant
Low-E Glass
6/8: 3/0
7/0: 3/0
8/0: 3/0



7002
WaterBarrier
Low-E Glass
6/8: 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0



37010
Low-E Glass
6/8: 2/0, 2/6, 2/8, 3/0
8/0: 2/6, 2.8, 3/0




37010 Shaker
Low-E Glass
6/8: 2/0, 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0



37010
WaterBarrier
Low-E Glass
6/8: 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0



37010 Shaker
WaterBarrier
Low-E Glass
6/8: 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0




1510
Clear SG
No UltraBlock®
6/8: 2/0, 2/4,
2/6, 2/8, 3/0



1515
Clear SG
No UltraBlock®
6/8: 2/6, 2/8, 3/0

WESTERN HEMLOCK EXTERIOR DOORS



37015
Clear IG
6/8: 2/6, 2/8, 3/0



7037
Low-E Glass
6/8: 3/0



7501
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



7501
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0



7501
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37598
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0



7801
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



37504
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



37504
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0



37504
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37802
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"

DHRP = 1-7/16" Double Hip-Raised Panel
FP = 3/4" Flat Panel

IG = 3/4" Insulated Glazing
SG = 1/8" Single Glazed

WESTERN HEMLOCK EXTERIOR DOORS



37506
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



37506
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0



37506
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37803
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



37508
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0



37508
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0, 3/6



37508
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37804
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



7044
DHRP
Low-E Glass
6/8: 2/8, 3/0



7031
DHRP
Low-E Glass
6/8: 2/8, 3/0



37444
DHRP
Low-E Glass
6/8: 2/8, 3/0



37435
DHRP
Low-E Glass
6/8: 2/8, 3/0



37944
DHRP
Low-E Glass
6/8: 2/8, 3/0



37035
DHRP
Low-E Glass
6/8: 2/8, 3/0

WESTERN HEMLOCK EXTERIOR DOORS



6801
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



6801
DHRP
White Laminate IG
6/8: 3/0
8/0: 3/0



6801
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



6175
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



6801 Shaker
FP
Low-E Glass
6/8: 3/0
8/0: 3/0



6801 Shaker
FP
White Laminate IG
6/8: 3/0
8/0: 3/0



6801 Shaker
FP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0




6175 Shaker
FP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"




7132
DHRP
Low-E Glass
6/8: 2/8, 3/0



37134
DHRP
Low-E Glass
6/8: 2/8, 3/0



7130
DHRP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



7344
DHRP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



9541
Dentil Shelf for 3/0 and 3/6 doors

SIMPSON EXTERIORS

SIMPSON EXTERIORS

KNOTTY ALDER EXTERIOR DOORS



7002
Low-E Glass
6/8: 2/0, 2/6, 2/8, 3/0
8/0: 2/0, 2/6, 2/8, 3/0



37010
Low-E Glass
6/8: 2/0, 2/6, 2/8, 3/0
8/0: 2/6, 2/8, 3/0



7501
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



7501
DHRP
White Laminated IG
6/8: 3/0
8/0: 3/0



7501
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



7801
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"


KNOTTY ALDER EXTERIOR DOORS




36806
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0



36806 Shaker
FP
Low-E Glass
6/8: 3/0
8/0: 3/0



36806
DHRP
White Laminated IG
6/8: 3/0
8/0: 3/0



36806 Shaker
FP
White Laminated IG
6/8: 3/0
8/0: 3/0



37804
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"




9541
Dentil Shelf for 3/0 and 3/6 doors




37504
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



37504
DHRP
White Laminated IG
6/8: 3/0
8/0: 3/0



37504
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37506
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



37506
DHRP
White Laminated IG
6/8: 3/0
8/0: 3/0




37802
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



36806
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0




37506
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37508
DHRP
Low-E Glass
6/8: 3/0
8/0: 3/0, 3/6



37508
DHRP
White Laminated IG
6/8: 3/0
8/0: 3/0



37508
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



37803
DHRP
Low-E Glass
6/8: 12", 14"
8/0: 12", 14"



36806 Shaker
DHRP
Seedy Baroque IG
6/8: 3/0
8/0: 3/0



7508, Knotty Alder

REDI-PRIME® INTERIOR DOORS

ABOUT SIMPSON REDI-PRIME®

Simpson Redi-Prime® is one of today's most recognized brands for primed interior doors. The method of construction and internal components are the same as Simpson wood doors. And when combined with MDF veneers on stile and rail surfaces, solid MDF panels and an impeccable priming process, the result is an architecturally-beautiful, long-lasting interior primed door. Choose from a variety of panel and French designs, all available either in local inventory or through Simpson's Redi-Ship® Program.

- Proven value compared to other primed interior doors
- Engineered stiles and rails with 1/8" thick MDF veneer over finger-jointed wood core
- Solid MDF panels
- Factory double-primed and sanded
- Available in all widths to meet your interior door needs
- Choose from 6'8", 7'0" and 8'0" heights
- Special sizes, designs and shapes can be manufactured to complete your house pack
- Flat Panel Doors – 3/8" thick flat panel with either shaker or ovolo sticking profile, and matching 20-minute fire-rated doors available
- Premium Flush Doors – 1/4" think veneer over stave wood core with 9/16" wide x 1/16" deep square grooves, and matching 20-minute fire-rated doors available
- Barn Doors - select from one-panel, Z-layout and K-layout options
- Raised Panel Doors - 3/4" thick double hip-raised panel with ovolo sticking, all with v-groove options
- French doors – dozens of glass types available with either ovolo or shaker quirk sticking
- All designs available 1-3/8" thick with a growing inventory of 1-3/4" thick doors
- 10-year warranty



REDI-SHIP PROGRAM:

OUR WAREHOUSE IS YOUR WAREHOUSE

Simpson Redi-Ship® takes the most popular interior door designs and makes them available in an expedited lead time. If your customer needs doors quickly and your Simpson supplier is not stocking what you need, look to the Redi-Ship program.

- Amazing Service: Quick lead time for the most popular door designs.
- Superior Quality: 10-year warranty on all Simpson interior doors.
- Unsurpassed Marketing: Backed by the most complete marketing program in the industry.
- Broadest Product Selection: Over 600 designs available in a variety of widths. 10 wood types offered plus both 1-3/8" and 1-3/4" thicknesses. Use the filters below to find a match for your project.

WARRANTY

10 YEAR LIMITED WARRANTY

For doors used in an interior application (defined as being exposed to controlled interior climactic conditions on both sides of the door), this warranty shall survive for ten years after the date of shipment from Simpson. Speak with your Boise Cascade Millwork sales representative for more information.

REDI-PRIME® INTERIOR DOORS



8001 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8001 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8411
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8411 Shaker Quirk
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8475
V-Groove
6/8 10-Lite: 2/0
6/8 15-Lite: 2/4, 2/6, 2/8, 3/0

REDI-PRIME® INTERIOR DOORS



8720 Shaker
3/8" FP
6/8: 1/3, 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



8782 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



8730 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



8490
Pantry
3/8" FP
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



8490 (8/0)
Pantry
3/8" FP
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8010
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



8012
Clear SG
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8015
Clear SG
6/8: 2/4, 2/6, 2/8, 3/0



8018
Clear SG
8/0: 2/6, 2/8, 3/0



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



8755 Shaker
3/8" FP
6/8: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



8760 Shaker
3/8" FP
6/8: 1/3, 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0




89360 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



8733 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



8733 Shaker
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



8735 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8735 Shaker
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



8780 Shaker
Plantation Louver
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



8781 Shaker
Plantation Louver
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



89801 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



89812 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



89815 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6

SIMPSON INTERIORS

SIMPSON INTERIORS

STILE & RAIL INTERIOR DOORS



SIMPSON INTERIORS

SIMPSON INTERIORS

WESTERN HEMLOCK INTERIOR DOORS



1501
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8 3/0
8/0: 2/0, 2/6, 2/8, 3/0



1501 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8 3/0
8/0: 2/0, 2/6, 2/8, 3/0



1501
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8 3/0
8/0: 2/0, 2/6, 2/8, 3/0



1501 Shaker Quirk
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1590
Pantry
6/8: 2/0, 2/4, 2/6


WESTERN HEMLOCK INTERIOR DOORS



1593
Laundry
3/4" RP
6/8: 2/8, 3/0



1590
Pantry
3/4" RP
6/8: 2/0, 2/4, 2/6



1310
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1312
Clear SG
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1315
Clear SG
6/8: 2/6, 2/8, 3/0



1318
Clear SG
8/0: 2/6, 2/8, 3/0



1643 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1643 Shaker
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1645 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1645 Shaker
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



55
3/4" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0




9255
1-3/4" Fire-Rated
1-7/16" FP
6/8: 2/8, 3/0




720 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



782 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



730 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

RP = Raised Panel
FP = 3/4" Flat Panel
🔥 = 20 Minute Fire-Rated

IG = 3/4" Insulated Glazing
SG = 1/8" Single Glazed

WESTERN HEMLOCK INTERIOR DOORS



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0

760 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4,
2/6, 2/8, 3/0

9360 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0

755 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9355 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

KNOTTY ALDER INTERIOR DOORS



1501
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8 3/0

1501 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6,
2/8, 3/0

1501
White Laminate
6/8: 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 2/0, 2/4, 2/6,
2/8, 3/0

1501 Shaker Quirk
White Laminate
6/8: 2/0, 2/4, 2/6,
2/8, 3/0

1590
Pantry
6/8: 2/0, 2/4, 2/6

1593
Laundry
3/4" RP
6/8: 2/8, 3/0



720 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9320
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0

782 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9382 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

82
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

KNOTTY ALDER INTERIOR DOORS



9282
1-3/4" Fire-Rated
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

82
V-Groove
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9282
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

7282
1-3/4"
1-7/16" RP
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8,
3/0, 3/6

7282
1-3/4"
V-Groove 1-7/16" RP
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8,
3/0, 3/6



465
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9265
1-3/4" Fire-Rated
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

465
V-Groove
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9265
1-3/4" Fire-Rated
V-Groove 1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

7465
1-3/4"
1-7/16" RP
6/8: 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6



7465
1-3/4"
V-Groove 1-7/16" RP
6/8: 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6

730 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9330 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0


760 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6,
2/8, 3/0

9360 Shaker
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0


RP = Raised Panel
FP = 3/4" Flat Panel
🔥 = 20 Minute Fire-Rated

IG = 3/4" Insulated Glazing
SG = 1/8" Single Glazed


KNOTTY ALDER INTERIOR DOORS



755 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



9355 Shaker
1-3/4" Fire-Rated 3/4" FP
6/8: 2/8, 3/0



80801 Shaker
Barn Door V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



80812 Shaker
Barn Door V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



80815 Shaker
Barn Door V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6

PINE INTERIOR DOORS



1501
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1501 Shaker
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1501
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0




1501 Shaker Quirk
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0




1310
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0



1315
Clear SG
6/8: 2/6, 2/8, 3/0



1312
Clear SG
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1318
Clear SG
8/0: 2/6, 2/8, 3/0



1590
Pantry
6/8: 2/0, 2/4, 2/6



1593
Laundry
6/8: 2/8, 3/0



1590 (8/0)
Pantry 3/4" RP
8/0: 2/0, 2/4, 2/6



1593 (8/0)
Laundry 3/4" RP
8/0: 2/8, 3/0




720 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0




70720 Shaker
1-3/4" House-to-Garage 3/4" FP
6/8: 2/8, 3/0



782 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



70782 Shaker
1-3/4" House-to-Garage 3/4" FP
6/8: 2/8, 3/0




82
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



760, Knotty Alder

PINE INTERIOR DOORS


KNOTTY PINE INTERIOR DOORS



7282
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



82
V-Groove 3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7282
1-3/4" House-to-Garage
V-Groove 1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



465
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7465
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



1501
Clear SG
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1501
White Laminate
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 2/0, 2/4, 2/6, 2/8, 3/0



1590
Pantry
6/8: 2/0, 2/4, 2/6



82
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7282
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



465
V-Groove 3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7465
1-3/4" House-to-Garage
V-Groove 1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



760 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



70760 Shaker
1-3/4" House-to-Garage
3/4" FP
6/8: 2/8, 3/0



66
3/4"RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



82
V-Groove
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7282
1-3/4" House-to-Garage
V-Groove 3/4" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



465
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7465
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



465
V-Groove
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7130
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



44
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7344
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0



755 Shaker
3/8" FP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



70755 Shaker
1-3/4" House-to-Garage
3/4" FP
6/8: 2/8, 3/0



66
3/4" RP
6/8: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/6, 2/0, 2/4, 2/6, 2/8, 3/0



7130
1-3/4" House-to-Garage
1-7/16" RP
6/8: 2/8, 3/0
8/0: 2/8, 3/0



80801 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



80812 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6



80815 Shaker
Barn Door
V-Groove
7/0: 3/0, 3/6
8/4: 3/0, 3/6

RP = Raised Panel
FP = 3/4" Flat Panel
🔥 = 20 Minute Fire-Rated

IG = 3/4" Insulated Glazing
SG = 1/8" Single Glazed



RIFT CUT WHITE OAK INTERIOR DOORS

782, Rift Cut White Oak

NEW




720 Shaker ☺
3/8" FP
6/8: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

720 Shaker ☺
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

782 Shaker ☺
3/8" FP
6/8: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0
8/0: 1/4, 1/6, 2/0, 2/4, 2/6, 2/8, 3/0

782 Shaker ☺
1-3/4" Fire-Rated
3/4" FP
6/8: 2/8, 3/0
8/0: 2/8, 3/0

DIFFERENT CUTS YIELD DIFFERENT FIGURES



SIMPSON CUSTOM PRE-HANG CAPABILITIES AND COMPONENTS

Simpson's new Custom Pre-hang Facility is now open and ready to help you with pre-hang projects that you do not want to run through your own production facility. This capability is being offered only to current Simpson distributor pre-hang partners. It is a service that can be used as needed.

While Simpson will quote any pre-hang project, here are some product categories that may be of interest to you:

- Technical Projects:
- Fire-rated doors
 - Impact-rated doors
 - Doors with multi-point locks
 - Other unique machining requirements

- Unique Design Requirements:
- Pivot door systems
 - Arch tops and shared arches across multiple components
 - Dutch doors
 - Hidden hinges
 - Operable sidelights/transoms

- Beyond Your Capabilities:
- Monster door sizes (slabs up to 10' tall and 5' wide, units much larger)
 - Expensive door slabs you don't want to risk a mistake with.

RP = Raised Panel
FP = 3/4" Flat Panel
🔥 = 20 Minute Fire-Rated

IG = 3/4" Insulated Glazing
SG = 1/8" Single Glazed





MOLDED & FLUSH INTERIOR DOORS

Legacy in all doors we create.

Molded panel doors resist shrinking, swelling, cracking and splitting. Available in a wide variety of sizes, they can be painted to match any decor.



MOLDED & FLUSH INTERIOR DOORS



2 Panel Squaretop
Hollow Core
Solid Core
6/8 & 8/0



2 Panel Roundtop
Hollow Core
Solid Core
6/8 & 8/0



5 Panel
Hollow Core
Solid Core
6/8 & 8/0



6 Panel
Hollow Core
Solid Core
6/8 & 8/0



2 Panel Archtop
Hollow Core
Solid Core
6/8



2 Panel Roundtop Plank
Hollow Core
Solid Core
6/8 & 8/0

SMOOTH
BEAD & COVE

SMOOTH
BEAD & COVE

SMOOTH
BEAD & COVE

TEXTURED
BEAD & COVE

TEXTURED
BEAD & COVE

SMOOTH ROUND



1 Panel Shaker
Hollow Core
Solid Core
6/8 & 8/0



2 Panel Shaker
Hollow Core
Solid Core
6/8 & 8/0




3 Panel Equal Shaker
Hollow Core
Solid Core
6/8 & 8/0



Birch Hardboard
Hollow Core
Solid Core
6/8



Lauan Hardboard
Hollow Core
Solid Core
6/8






Primed Hardboard
Dunnage Door Slab
Hollow Core
Solid Core
6/8 & 8/0

SMOOTH SQUARE

SMOOTH SQUARE

SMOOTH SQUARE

STICKING PROFILES




HC = Holow Core
FP = 3/4" Flat Panel

SC = Solid Core
SG = 1/8" Single Glazed



MOLDED & FLUSH INTERIOR DOORS



MOLDED 1-3/8" HOLLOW CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
2 Panel Squaretop	•	•	•	•	•	•	•	•	•	S/O	•
2 Panel Roundtop	•	•	•	•	•	•	•	•	•	S/O	•
5 Panel	•	•	•	•	•	•	•	•	•	S/O	•
6 Panel	•	•	•	•	•	•	•	•	•	•	•
2 Panel Archtop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Roundtop Plank	•	•	•	•	•	•	•	•	•	S/O	•
1 Panel Shaker	•	•	•	•	•	•	•	•	•	S/O	•
2 Panel Shaker	•	•	•	•	•	•	•	•	•	S/O	•
3 Panel Equal Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

MOLDED 1-3/8" HOLLOW CORE 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
2 Panel Squaretop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Roundtop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Roundtop Plank	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
3 Panel Equal Shaker	S/O	S/O	S/O	•	S/O	•	•	S/O	•	S/O	•

MOLDED & FLUSH INTERIOR DOORS

MOLDED 1-3/8" SOLID CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
2 Panel Squaretop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Roundtop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Archtop	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Roundtop Plank	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

MOLDED 1-3/4" SOLID CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0	20 Min	20 Min
2 Panel Squaretop	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Roundtop	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
5 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Archtop	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
2 Panel Roundtop Plank	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
1 Panel Shaker	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
2 Panel Shaker	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
3 Panel Equal Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•

MOLDED 1-3/8" SOLID CORE 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
2 Panel Squaretop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Roundtop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Roundtop Plank	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
2 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

MOLDED 1-3/4" SOLID CORE 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0	20 Min	20 Min
2 Panel Squaretop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
2 Panel Roundtop	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
5 Panel	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
6 Panel	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
2 Panel Roundtop Plank	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
1 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
2 Panel Shaker	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
3 Panel Equal Shaker	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	S/O

MOLDED & FLUSH INTERIOR DOORS



FLUSH 1-3/8" HOLLOW CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Birch Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Primed Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

DUNNAGE DOOR SLABS 6/8 & 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Primed Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	S/O	•

FLUSH 1-3/8" SOLID CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Birch Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

FLUSH 1-3/4" SOLID CORE 6/8

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Birch Hardboard	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•
Lauan Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	S/O	•
Primed Hardboard	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

FLUSH 1-3/8" SOLID CORE 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Birch Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

FLUSH 1-3/4" SOLID CORE 8/0

Description	1/0	1/3	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
Birch Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan Hardboard	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hardboard	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

COMPONENTS

ATTIC STAIRS

Description	Extended Description	Size	Item
ATLAS ATTIC STAIR UNIVERSAL 250# RATING	A2554 TRIMMABLE FROM 7'6" TO 10'4"	22-1/2" x 54"	0804286
ATLAS STAIR R3 250# RATING		22-1/2" x 54"	0804307
ATLAS STAIR FIRE TREATED 250# RATING	A2554FT TRIMMABLE FROM 7'6" TO 10'4"	25-1/2" x 54"	0804289
ATTIC STAIR UNIVERSAL 250# RATING	A2254 TRIMMABLE FROM 7'6" TO 10'4"	25-1/2" x 54"	0804285
SUPERIOR ATTIC STAIR UNIVERSAL 300#	S2554 TRIMMABLE FROM 7'6" TO 10'4"	25-1/2" x 54"	0804293
SUPERIOR STAIR FIRE TREATED 300# RATING	S2554FT TRIMMABLE 7'6" to 10'4"	25-1/2" x 54"	0804297
SUPERIOR STAIR FIRE TREATED 300# RATING	S3054FT TRIMMABLE FROM 7'6" TO 10'4"	30" x 54"	0804807
SUPERIOR PLUS STAIR R3 350#		25-1/2" x 54"	0804791
SUPERIOR PLUS STAIR R3 FIRE TREATED 350#		25-1/2" x 54"	0804792
SUPERIOR STAIR R3 300# RATING	S2554R3 TRIMMABLE FROM 7'6" TO 10'4"	25-1/2" x 54"	0804783
TITAN ALUM 375 DUTY FIRE TREATED	T-101FT	25-1/2" x 54" x 10'4"	0804212
T2512FT TITAN ALUM STAIR FIRETREATED DR	T2512FT	25-1/2" x 63" x 12'	0804220



POCKET DOOR FRAMES

Description	Extended Description	Size	Item
200LB BB 3 WHEEL POCKET DOOR HDW BAG	PDJ200BB		7712085
ALUM TRACK 200# BB HDWE FJ-JAMB	ONLY FOR 1-3/8 DOORS	21068	7712758
ALUM TRACK 200# BB HDWE FJ-JAMB	ONLY FOR 1-3/8 DOORS	21080	7712759
ALUM TRACK 200# BB HDW A-JAMB	2/0 x 6/8 BUILT UP PDF 6-5/8"	2068	7712580
ALUM TRACK 200# BB HDW A-JAMB	2/4 x 6/8 BUILT UP PDF 6-5/8"	2468	7712581
ALUM TRACK 200# BB HDW A-JAMB	2/6 x 6/8 BUILT UP PDF 6-5/8"	2668	7712582
ALUM TRACK 200# BB HDW A-JAMB	2/8 x 6/8 BUILT UP PDF 6-5/8"	2868	7712583
ALUM TRACK 200# BB HDW A-JAMB	3/0 x 6/8 BUILT UP PDF 6-5/8"	3068	7712584
ALUM TRACK 200# BB HDWE A-JAMB	2/0 x 8/0 BUILT UP PDF 6-5/8"	2080	7712585
ALUM TRACK 200# BB HDWE A-JAMB	2/4 x 8/0 BUILT UP PDF 6-5/8"	2480	7712586
ALUM TRACK 200# BB HDWE A-JAMB	2/6 x 8/0 BUILT UP PDF 6-5/8"	2680	7712587
ALUM TRACK 200# BB HDWE A-JAMB	2/8 x 8/0 BUILT UP PDF 6-5/8"	2880	7712588
ALUM TRACK 200# BB HDWE A-JAMB	3/0 x 8/0 BUILT UP PDF 6-5/8"	3080	7712589
POCKET DOOR CONVERGING KIT 15555PPK3	PDFCKITJ		7712090
POCKET DOOR FRAME SOFT CLOSE HARDWARE	PD200SC		7712123
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 6/8 BUILT UP PDF 6-5/8"	2068	7712525
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 6/8 BUILT UP PDF 6-5/8"	2468	7712526
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 6/8 BUILT UP PDF 6-5/8"	2668	7712527
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 6/8 BUILT UP PDF 6-5/8"	2868	7712528
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 6/8 BUILT UP PDF 6-5/8"	3068	7712529
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 8/0 BUILT UP PDF 6-5/8"	2080	7712530
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 8/0 BUILT UP PDF 6-5/8"	2480	7712531
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 8/0 BUILT UP PDF 6-5/8"	2680	7712532
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 8/0 BUILT UP PDF 6-5/8"	2880	7712533
W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 8/0 BUILT UP PDF 6-5/8"	3080	7712534



ECLISSE POCKET DOOR FRAMES

Description	Extended Description	Size
ECLISSE FRAME KIT	EKC2480 CLASSIC COLLECTION KIT	2068
ECLISSE FRAME KIT	EKC2496 CLASSIC COLLECTION KIT	2080
ECLISSE FRAME KIT	EKC2880 CLASSIC COLLECTION KIT	2468
ECLISSE FRAME KIT	EKC2896 CLASSIC COLLECTION KIT	2480
ECLISSE FRAME KIT	EKC3080 CLASSIC COLLECTION KIT	2668
ECLISSE FRAME KIT	EKC3096 CLASSIC COLLECTION KIT	2680
ECLISSE FRAME KIT	EKC3280 CLASSIC COLLECTION KIT	21068
ECLISSE FRAME KIT	EKC3296 CLASSIC COLLECTION KIT	21080
ECLISSE FRAME KIT	EKC3480 CLASSIC COLLECTION KIT	3068
ECLISSE FRAME KIT	EKC3496 CLASSIC COLLECTION KIT	3080
ECLISSE FRAME KIT	EKC3680 CLASSIC COLLECTION KIT	3668
ECLISSE FRAME KIT	EKC3696 CLASSIC COLLECTION KIT	3680
ECLISSE FRAME KIT	EKC4280 CLASSIC COLLECTION KIT	3668
ECLISSE FRAME KIT	EKC4296 CLASSIC COLLECTION KIT	3680
SOFT CLOSE ONE DIRECTION	BIAS3 ECLISSE ACCESSORIES	
SOFT CLOSE BOTH DIRECTIONS	BIASDS3 ECLISSE ACCESSORIES	
SOFT + BIAS CLOSE ONE DIRECTION	AUTSAPT3 ANTI WARP BAR ECLISSE ACCESSORIES	
CO-ORIDINATION KIT DOUBLE	AUTDA5 ECLISSE ACCESSORIES	
JOINING KIT FOR DOUBLE	OPC7 ECLISSE ACCESSORIES	
84" WHITE JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE	3" X 5" X 90"
96" WHITE JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE	3" X 5" X 100"
84" WHITE JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE	3" X 5" X 90"
96" WHITE JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE	3" X 5" X 100"
99" WOOD JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE	3" X 5" X 100"
99" WOOD JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE	3" X 5" X 100"
96" WHITE WOOD JAMB KIT FOR 2X6 SINGLE	ECLISSE JAMB KIT SINGLE	4" X 7" X 100"
96" WHITE WOOD JAMB KIT FOR 2X6 DOUBLE	ECLISSE JAMB KIT DOUBLE	4" X 7" X 100"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ24	24"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ8	28"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ30	30"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ32	32"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ34	34"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ36	36"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ42	42"
HORIZONTAL KIT FOR 2X6 SPLIT KITS	EXQ48	48"
80" VERTICAL KIT 2X6 SPLIT KITS	EKQ80V	80"
84" VERTICAL KIT 2X6 SPLIT KITS	EKQ84V	84"
96" VERTICAL KIT 2X6 SPLIT KITS	EKQ96V	96"



TOTAL FRAME DEFENSE™

GUARD AGAINST DECAY

Decay damage is a major concern of everyone who owns property. And it’s no wonder! Estimates show that replacement materials required to repair decay damage consume up to 10% of the U.S. annual wood production. Although wood looks and feels solid, it’s actually made of millions of porous, thick-walled cells that are bound together.

Given the right conditions, decaying fungi can thrive, break down this cellular structure, and ultimately destroy wood. The greatest risk for decay is at exposed wood ends such as the sill ends of door frames where moisture is more readily absorbed than on the side surfaces. Once decay has begun, it offers a natural environment for wood-destroying insects, which can cause additional serious damage to the wood's integrity.

Total Frame Defense™ protects the entire opening, not just the bottom few inches.

Limited Lifetime Warranty for Exterior Door Frames
Frame replacement & up to \$250 labor cost.

Decay needs certain conditions to thrive, including:

- A moisture content of 25% or higher
- Oxygen
- Food
- A temperature of 45 to 100 dgrees F

TOTAL FRAME DEFENSE is treated with Woodlife® 111, a clear penetrating nonswelling, water repellent wood preservative. Woodlife® 111 helps control the growth of decay fungi, staining fungi, surface mold and mildew, meeting the Window & Door Manufacturer’s Industry Standard for a water repellent preservative. It stabilizes wood against the effects of moisture and reduces dimensional changes that can cause swelling, warping and splitting. For additional protection the frame parts are primed with a high quality acrylic primer.



www.cascadewood.com

Cascade Wood Products, Inc.
P.O Box 2429 White City, Oregon 97503

COMPONENTS

EXTERIOR FRAMES

Description	Primed	Duraframe	Hemlock	Okoume	Knotty Alder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
4-9/16"-6'0"	•	N/S	N/S	N/S	N/S
4-9/16"-14'0"	•	N/S	N/S	N/S	N/S
5-1/4"-6'8"	N/S	N/S	•	•	N/S
5-1/4"-3'0"	N/S	N/S	N/S	•	N/S
5-1/4"-8'0"	N/S	N/S	•	•	N/S
6-9/16"-6'8"	•	•	•	•	•
6-9/16"-8'0"	•	•	•	•	•
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'0"	•	N/S	N/S	N/S	N/S
6-9/16"-14'0"	•	N/S	N/S	N/S	N/S
7-1/4"-6'8"	N/S	N/S	•	•	N/S
7-1/4"-8'0"	N/S	N/S	•	•	N/S
7-1/4"-3'0"	N/S	N/S	•	•	N/S
11-1/4"-6'8"	N/S	•	N/S	N/S	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Hinge RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-9'0"	N/S	N/S	•	N/S	•
T-Astragal 1-3/8 (1-1/4"x2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•

COMPONENTS

EXTERIOR FRAMES (CONT.)

Description	Fingerjoint	Primed	Solid	Veneer	Knotty Alder
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S
S4S 11/16" X 3-1/2 -9'	N/S	N/S	•	•	N/S
S4S 11/16" X 3-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 5-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 7-1/4 -10'	N/S	N/S	N/S	N/S	•

INTERIOR JAMBS

Description	Fingerjoint	Primed	Solid	Knotty Alder (Double Rabbeted Only)
4-9/16"-6'8"	•	•	•	•
4-9/16"-8'0"	•	•	•	•
4-7/8"-6'8"	•	•	N/S	N/S
4-7/8"-8'0"	•	•	N/S	N/S
5-1/8"-6'8"	N/S	N/S	•	N/S
5-1/4"-6'8"	N/S	N/S	N/S	•
5-1/4"-8'0"	N/S	N/S	N/S	•
6-9/16"-6'8"	•	•	•	•
6-9/16"-8'0"	•	•	•	•
Mullpost 4-3/8" x 2-3/8" -9'	N/S	N/S	N/S	•



Standard Flat Jamb
with Applied Stop



Double Rabbeted Jamb




Flat Jamb


COMPONENTS

MOULDINGS

Description	Fingerjoint	Primed	Solid
WM324 Wedge Casing 5/8" x 2-1/8" 14'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"- 8'7"(103")	•	N/S	•
A-Colonial Casing 5/8" x 2-1/4" 14'	•	N/S	N/S
WM356 Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
C-195 Casing 9/16" x 2-1/2"-8'7"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-8'3"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-14'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
#9 B Base 1/2" x 3-1/4" 8'7"(103")	•	N/S	•
MC9E Casing 7/8" x 3-1/4" 8'6"(103")	N/S	•	N/S
C-295 Casing 9/16" x 3-1/2"-8'7"(103")	•	N/S	•
LC11 Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C-522 casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C347 Casing 9/16" x 3-7/16" 16'	•	N/S	N/S
A-Colonial Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
WM876 Door Stop 7/16" x 1-3/8"	•	N/S	•
1X4 S4S 8'6"(102")	N/S	•	•




WM 324




WM 356



MC-9 E Imperial



LC11



BARN DOOR HARDWARE

Description	Length	Item #
BARN DOOR BENT STRAP SET FLAT BLACK	6'	769059001
BARN DOOR BENT STRAP SET FLAT BLACK	8'	769059003
BARN DOOR BENT STRAP SET SATIN NICKEL	6'	769059005
BARN DOOR BENT STRAP SET SATIN NICKEL	8'	769059007
BARN DOOR CON PLATE FLAT BLACK		769059060
BARN DOOR SOFT CLOSE KIT FLAT BLACK		769059084

COMPONENTS

KWIKSET

Description	Item
58 SQT 11P SMT RCAL 5063	653000607
660 15 SMT RCAL RCS	653002638
660 11P SMT RCAL RCS K3	653002639
780 15 SMT RCAL 5063	653003135
780 11P SMT RCAL 5063	653003136
158 SQT 15 SMT RCAL 5063	653003137
913CNT 15 SMT RCALFD	653008704
913CNT 11P SMT RCALFD	653008705
913TRL 15 SMT RCALFD	653008708
913TRL 11P SMT RCALFD	653008709
85063- 11P	653009503
85063-15	653009504
604BL 15 LH	653040500
604BL 15 RH	653040501
604BL 11P LH	653040502
604BL 11P RH	653040503
400CV 11P SMT 6AL RCS K3	653041433
400CV 15 SMT 6AL RCS	653041434
604CV 15	653041474
604CV 11P V1	653041483
740H 15 SMT 6AL RCS K3	653042402
966H 15	653042404
966H 11P	653042410
740H 11P SMT 6AL RCS	653042411
405BL 15 SMT 6AL RCS K4	653060500
405BL 11P SMT 6AL RCS K4	653060501
156HFL SQT 11P SMT 6AL RCS	653062453
156HFL SQT 15 SMT 6AL RCS	653062454
966HFL SQT 11P	653062493
966HFL SQT 15	653062494
687AMD LIP 15 SMT RCAL RCS	653080005
687AMD LIP 11P SMT RCAL RCS	653080006
687DA LIP 15 SMT RCAL RCS	653081315
687DA LIP 11P SMT RCAL RCS	653081316
971HFL SQT 15	653082100
971HFL SQT 11P	653082104
800HE LIP 15 SMT RCAL 5063	653082404
800HE LIP 11P SMT RCAL 5063	653082405
818SCE LIP 15 SMT RCAL RCS	653086006
818SCE LIP 11P SMT RCAL RCS	53086007



COMPONENTS

COMPONENTS

BOISE CASCADE MILLWORK IN DALLAS

TRANSCEND THE THRESHOLD OF QUALITY

Customize projects with choices in decorative glass, PrismaGuard® finishes, handing, hinge locations, and mull options.

Transcend your expectations of quality with the best in millwork at the Dallas area's finest door shop, offering the full line of Therma-Tru® Doors, Steves & Sons Doors, and the Simpson Door Company.

Therma-Tru® Doors

- Classic Craft®
- Fiber-Classic®
- Smooth-Star®
- Pulse®
- Profiles™
- Veris™
- Boise Cascade Makeover Door Unit by Therma-Tru®
- Decorative Glass
- Transoms
- 10", 12", 14" Sidelites
- Direct Set Sidelite Options
- Flush-Glazed Glass
- Transoms
- Simulated Divided Lites (SDL) Bars
- PrismaGuard® Prefinish
- Symphony Collection® by Boise Cascade
- Composite Door Frames & Sills
- Advanta™
- Pet Door Cut Outs
- Multi-Point Locking Systems
- Multiple Mull Options & Size Modifications

Simpson Door Company®

- Wood Exterior Doors
- Wood Interior Doors
- Redi-Prime® Interior Doors
- Ultra Block®
- Barn Doors
- Custom Doors

Steves & Sons

- Flush and Molded Interior Doors
- Bifold Doors

More Than Doors

- Penrod Barn Door Hardware
- Marwin Pocket Door Frames and Attic Stairs



BOISE CASCADE MILLWORK IN DALLAS

SERVICE AREA



MILLWORK RESOURCES

Find stock books, warranty information, promotion information, and more by visiting Millwork.BC.com.



Millwork.BC.com

MORE THAN MILLWORK:

SEE WHAT ELSE BOISE CASCADE CAN DO FOR YOU.

We bring people, products, and services together to build strong homes, businesses, and communities that stand the test of time.

LET'S BUILD GREAT THINGS TOGETHER.



BuiltByBoiseCascade.com



Boise Cascade®
MILLWORK

BOISE CASCADE MILLWORK, DALLAS
3310 North Longhorn Drive, Suite 100
Lancaster, TX 75134

1-833-757-0138

MILLWORK.BC.COM



BOISE CASCADE

©2026 Boise Cascade Millwork. Edition 26.0