

**TRANSCEND THE
THRESHOLD OF
EXPECTATIONS**



**BOISE CASCADE MILLWORK
DALLAS**

3130 N LONGHORN DRIVE, STE. 100
LANCASTER, TX 75134
1-833-757-0138

millwork.bc.com

Edition 5

DALLAS STOCK CATALOG



Boise Cascade®
MILLWORK

SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it.. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

Our Service Offerings:

- Custom Lock Prep
- Custom Cutouts
- Custom SDLs
- Card Reader Prep
- Cut Down Services
- Custom Bore Prep
- Custom Hinge Prep
- Pet Doors
- Access Doors
- Prefinish - Custom Paint & Stain, Symphony, and PrismaGuard

DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the threshold of expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.






TABLE OF CONTENTS

Handing	2	Handlesets	68-69
Pre-Hung Features	3-4	Hardware	70-71
Hinge Locations	5	Door & Lite Divider Bars	71
Capabilities	6	Accessories	72
PrismaGuard® Prefinish	7-10	Simpson Doors	
PrismaGuard® Premium Paint	11-12	Mahogany Exterior	73-74
Therma-Tru Doors		Western Hemlock Exterior	75-76
Classic Craft® Door Construction	13-14	Knotty Alder Exterior	77
Classic Craft® Walnut	15	Redi-Prime® Interior	78-79
Classic Craft® Mahogany Common Arch	16	Western Hemlock Interior	79-80
Classic Craft®	17-22	Knotty Alder Interior	81-82
Fiber-Classic® and Smooth-Star®		Pine Interior	83
Options and Door Construction	23-24	Knotty Pine Interior	84
Fiber-Classic® Oak	25	Steve's	
Fiber-Classic® Mahogany/Oak	26	Molded and Flush Interior Doors	85-88
Smooth-Star®	27-30	Marwin Attic Stairs	89
Steel-Profiles™/Traditions	31-32	Marwin Pocket Door Frames	90
Advanta Lite Frames	33-35	Dura-Frame™	91-92
Glass		Eclipse Pocket Door Frames	93-94
Calix	35	Exterior Frames and Jambs	95-96
Echelon	36	Mouldings	97
Latitude	36	Penrod Barn Door Hardware	98
Homeward™	37	Kwikset	98
Augustine®	37		
Borrassa®	38		
Lucerna®	38		
Saratoga™	39		
Texas Star	40		
Riserva®	41		
Pembridge™	42		
Axis®	43		
Internal Blinds	44		
Reeded	45		
Satin Etch	46		
Chord	47		
Granite	48		
Clear	49		
Grilles	50		
Hinged Patio Door System	51-52		
Veris	53-44		
Frames	55		
Fasteners Setting Tool & Screw Plug Covers	55		
Cove Mould	56		
Brickmould	56		
Mullions	57		
Composite Mull Casing	58		
Sills	59-61		
Door Bottoms	62-63		
Astragals	63-64		
Endrail	65		
Weatherstrip	66		
Hinges	66-67		


HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.



F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand



PRE-HUNG FEATURES

Standard Boise Pre-hung Features:

- 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
- Therma-Tru® bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
- In-swing unit with corner seal pads.
- (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft® door systems have ball-bearing radius/radius hinges).
- Compression bronze weatherstrip.
- Adjustable strike plate. Transport clip.
- Double bore for lockset and deadbolt prep with double strike prep on frame.
- Sill cover (not included on fixed doors).
- (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
- Installation instructions.
- Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
- Inactive door is not bored.
- Door with sidelites feature continuous composite adjustable sill.

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

- For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
- 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
- For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"


Lock Preparation:

- 2-3/8" Backset
- 2-18" Face Bore
- 2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.



HINGE LOCATIONS



CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (10 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard 5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy 1. Back-to-Back

Mull Adders	
Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim) *Limitations will apply to different materials

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Thermo-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors
Boise can build smaller doors to accommodate access areas.



Doggy Doors
Boise can cut Doggy Doors to meet your exact needs.



Dutch Doors
Boise can build selected Fiberglass into Dutch style doors.





Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



10 YEAR
LIMITED WARRANTY

Classic Craft Finish
Transferable

10 YEAR
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish




Professional
Application



Durable
Topcoat



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (🌲) symbol.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn



Boise Cascade®
MILLWORK



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.


PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles




Durable Topcoat Professional Application

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



SYMPHONY COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.





Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.



TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



THERMA-TRU® DOOR FRAME

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.



TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹



CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²



¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

²Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



CLASSIC CRAFT WALNUT



CCW903
CCW8903
3/0 x 6/8
3/0 x 8/0



CCW906L
CCW8906L
3/0 x 6/8
3/0 x 8/0



CCW906R
CCW8906R
3/0 x 6/8
3/0 x 8/0



CLASSIC CRAFT MAHOGANY COMMON ARCH



CCM301CAL
CCM301CAR
Clear Glass
3/0 x 6/8



CCM8301CAL
CCM8301CAR
Clear Glass
3/0 x 8/0



CCM305CAL-SDLF6
CCM305CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8305CAL-SDLF6
CCM8305CAR-SDLF6
Clear Glass
3/0 x 8/0



CCM306CAL-SDLF6
CCM306CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8306CAL-SDLF6
CCM8306CAR-SDLF6
Clear Glass
3/0 x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

SDLF1 = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
SDLF6 = SIMULATED DIVIDED LITES



CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CCA2400-LE
CCA82400-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA2400-XE
CCA82400-XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCA4900-SDLF3LE
CCA84900-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4900XE-SDLF3
CCA84900XE-SDLF3
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCA4910L-SDLF3LE
CCA84910L-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0




CCA4910LXE-SDLF3
CCA84910LXE-SDLF3
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCA4910R-SDLF3LE
CCA84910R-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910RXE-SDLF3
CCA84910RXE-SDLF3
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCA3400SL-LE
CCA3500SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCA3450SL-SDLLE
CCA3560SL-SDLLE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCA2400XK
CCA82400XK
Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCA4900XK-SDLF3
CCA84900XK-SDLF3
Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCA4910LXK-SDLF3
CCA84910LXK-SDLF3
Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCA4910RXK-SDLF3
CCA84910RXK-SDLF3
Reeded Glass
3/0 x 6/8
3/0 x 8/0



SDLF1 = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
SDLF6 = SIMULATED DIVIDED LITES

SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES



CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



CCA211-1D
CCA8211-1D
Homeward Glass
3/0 x 6/8
3/0 x 8/0



CCA211-1C
CCA8211-1C
Homeward Glass
3/0 x 6/8
3/0 x 8/0



CCA210-LE
CCA8210-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA210XC
CCA8210XC
Chord Glass
3/0 x 6/8
3/0 x 8/0



CCA210XN
CCA8210XN
Granite Glass
3/0 x 6/8
3/0 x 8/0



CCA220-SDLLE
CCA8220-SDLLE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA220XC-SDL
CCA8220XC-SDL
Chord Glass
3/0 x 6/8
3/0 x 8/0



CCA220XN-SDL
CCA8220XN-SDL
Granite Glass
3/0 x 6/8
3/0 x 8/0



CCA230-SDLLE
CCA8230-SDLLE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA230XC-SDL
CCA8230XC-SDL
Chord Glass
3/0 x 6/8
3/0 x 8/0



CCA230XN-SDL
CCA8230XN-SDL
Granite Glass
3/0 x 6/8
3/0 x 8/0



CCA240-SDLLE
CCA8240-SDLLE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA240XC-SDL
CCA8240XC-SDL
Chord Glass
3/0 x 6/8
3/0 x 8/0



CCA240XN-SDL
CCA8240XN-SDL
Granite Glass
3/0 x 6/8
3/0 x 8/0



CCA260-SDLLE
CCA8260-SDLLE
Low-E Glass
3/0 x 6/8
3/0 x 8/0






Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS




CLASSIC CRAFT® (CONTINUED)



CLASSIC CRAFT® (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS



Grain Options



FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
²Comparison of fiberglass to wood doors (both without glass).

Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.




NEW Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.



FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



2000-LE
8000-LE
Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0

2000XE
8000XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0




FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



FCM4810 Clear Glass 3/0 x 6/8
FCM2000SL Clear Glass 12", 14" x 6/8
FCM4812-SDLF1 Clear Glass 3/0 x 6/8
FCM4813-SDLF1 Clear Glass 3/0 x 6/8
FCM4814-SDLF1 Clear Glass 3/0 x 6/8
FCM4816-SDLF1 Clear Glass 3/0 x 6/8
FCM2050SL-SDLF1 Clear Glass 3/0 x 6/8



FCM31 2/8, 3/0 x 6/8
FCM220 2/8, 3/0 x 6/8
FCM205 2/8, 3/0 x 6/8
FCM755 3/0 x 6/8
FCM600 2/8, 3/0 x 6/8
FCM60
FCM860 2/8, 3/0 x 6/8
2/8, 3/0 x 8/0
FCM1000
FCM81000 2/0, 2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



FC31 2/8, 3/0 x 6/8
FC809 2/8, 3/0 x 6/8
FC862 2/8, 3/0 x 8/0
FC755 3/0 x 6/8



FC60
FC860 2/6, 2/8, 2/10, 3/0 x 6/8
2/8, 3/0, 3/6 x 8/0
1000
81000 2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0





SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S2000XK
S8000XK
Reeded Glass
3/0 x 6/8
3/0 x 8/0



S2000
S8000
Clear Glass
2/0, 2/6, 2/8, 2/10, 3/0
x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



S2000-LE
S8000-LE
Low-E Glass
2/0, 2/6, 2/8, 2/10, 3/0
x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



S2000SL-LE
S8000SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



S2000XE
S8000XE
Satin Etch Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2000XESL
S8000XESL
Satin Etch Glass
12", 14" x 6/8
12", 14" x 8/0



S2600-LE
S82600-LE
Internal Blinds
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200
S82200
Clear Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200-LE
S82200-LE
Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S82200XE
Satin Etch Glass
2/6, 2/8, 3/0 x 8/0



S82200XC
Chord Glass
3/0 x 8/0



S82200XN
Granite Glass
3/0 x 8/0



S2100
Clear Glass
2/8, 3/0 x 6/8



S4810-LE
S84810-LE
Low-E Glass
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S4810XE
S84810XE
Satin Etch Glass
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S93
2/8, 3/0 x 6/8



S220
S82200
2/8, 2/10, 3/0 x 6/8
2/8, 3/0 x 8/0



S1100
S81100
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S120
S8120
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S200
S897
Shaker
2/6, 2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S205
S8201
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S31
S831
3/0 x 6/8
2/8 x 8/0



S960
2/8, 3/0 x 6/8



S755
3/0 x 6/8



S4800
S84800
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S600
S8600
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S210
S810
2/6, 2/8, 2/10, 3/0 x 6/8
2/6, 2/8, 2/10, 3/0 x 8/0



S100
S81000
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 6/8
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 8/0






SMOOTH-STAR®



SMOOTH-STAR®





Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹

20-Minute Fire-rated options available on 6'8" solid-panel doors.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		

Door Widths	Profiles	Traditions
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

Door Heights	Profiles	Traditions
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

Glass Options	Profiles	Traditions
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Frame Options	Profiles	Traditions
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

Additional Options	Profiles	Traditions
Finish	P	P

RETROFIT HINGED PATIO DOORS

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
²Decorative glass designs are shown in Profiles only.
³Brass caming not available for Impact.
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.



Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



ADVANTA
LITE FRAME

The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.



Advanta® Lite Frame1

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass¹	■	
Clear & Specialty Glass¹	■	■

¹See your Therma-Tru seller for details on product availability.

*Not available with Advanta lite frame.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey



ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



CALIX

Glass Privacy Rating 1 10


Calix includes an on-trend "x" design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



ECHELON

Glass Privacy Rating 1 10



Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.



LATITUDE

Glass Privacy Rating 1 2 10

Bending tradition. Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.






HOMEWARD™

Glass Privacy Rating 1 **4** 10

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray artique glass. An ideal complement for a Transitional home design.

Caming Options




BORRASSA®

Glass Privacy Rating 1 **10**

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Caming Options





AUGUSTINE®

Glass Privacy Rating 1 **10**

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.

Caming Options





LUCERNA®

Glass Privacy Rating 1 **7** 10

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.

Caming Options






SARATOGA™

Glass Privacy Rating 1 **7** 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and coming. The geometric pattern bridges both modern and traditional designs.

Caming Options





TEXAS STAR

Glass Privacy Rating 1 **5** 10

Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

Caming Options



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.




RISERVA®


Glass Privacy Rating 1 10

Riserva combines ocean glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

Caming Options



Wrought Iron




PEMBRIDGE™



Glass Privacy Rating 1 7 10

Simplistic in its design, Pembridge features a field of hammered glass framed by gray baroque glass and multifaceted bevels. A central diamond shape adds a decorative touch.

Caming Options



Black Nickel (1D)
Brushed Nickel (1C)



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



AXIS®



Glass Privacy Rating 1 7 10

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

Caming Options




Black Nickel (1D)



INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.



CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



REEDED


Glass Privacy Rating 1 7 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

SATIN ETCH



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.





CHORD

Glass Privacy Rating 1 10

A vertical flowing pattern reminiscent of waves on the water.

07 x 80
XCSSZ0780

22 x 64
XCSS2264

07 x 64
XCFCZ0764
XCSS0764
XCSSZ0764

22 x 47
XCSS2247

22 x 36
XCSS2236

21 x 15
XCSS2115
XCSSZ2115

8 x 6
XCFCZ0806
XCSS0806
XCSSZ0806
XCMBK0806



GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.

22 x 64
XNSS2264


07 x 64
XNFCZ0764 XNSS0764
XNSSZ0764

22 x 47
XNSS2247

22 x 36
XNSS2236

21 x 15
XNFCZ2115
XNSS2115
XNSSZ2115

8 x 6
XCFCZ0806
XNSS0806
XNSSZ0806




FC = BUFF
SS = SMOOTH
Z = FLAT FRAME


PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



CLEAR GLASS



GRILLES



CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



HINGED PATIO DOOR SYSTEMS

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.



Interior view of door.

- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components

VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
 - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
 - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Note: These are not in stock as custom items and have an extended lead time.
Left Page: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood



Boise Cascade®
MILLWORK

Veris™ COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors

Note: These are not in stock as custom items and have an extended lead time.



NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior.

Double-pane construction allows for an easy-to-clean surface.



Experience the Veris Collection.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at veriscollection.com.



FRAMES

Composite Frames



4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"

Description	Material	Part #	Size	Item
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK	Composite	JCGN590WMU1B	9/0 5-1/4 U1	803410270
FRAME COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B	3/0 4-9/16 U1	803410271
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B	9/0 4-9/16 U1	803410272
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG	6/8 4-9/16	803410254
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG	8/0 4-9/16	803410258
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG	6/8 4-9/16	803410255
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG	8/0 4-9/16	803410259
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN530U1B	3/0 5-1/4 U1	803410273
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN590WMU1B	9/0 5-1/4 U1	803410274
FRAME COMPOSITE SMOOTH RAW IS LH HB HD/SILL	Composite	JCSN5IL68HHSG	6/8 5-1/4	803410275
FRAME COMPOSITE SMOOTH RAW IS LH HB HD/SILL	Composite	JCSN5IL80HHSG	8/0 5-1/4	803410276
FRAME COMPOSITE SMOOTH RAW IS RH HB HD/SILL	Composite	JCSN5IR68HHSG	6/8 5-1/4	803410277
FRAME COMPOSITE SMOOTH RAW IS RH HB HD/SILL	Composite	JCSN5IR80HHSG	8/0 5-1/4	803410278
FRAME COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B	3/0 6-9/16 U1	803410279
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B	9/0 6-9/16 U1	803410280
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG	6/8 6-9/16	803410262
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG	8/0 6-9/16	803410266
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG	6/8 6-9/16	803410263
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG	8/0 6-9/16	803410267

Other Frames

Description	Material	Part #	Size	Item
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1	803470000
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1	803470002
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1	803470004
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1	803470006
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1	803470008
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1	803470014
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1	803470010
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1	803470012

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.



Description	Material	Part #	Item
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN	803560178
JAMB PLUG INSTALLATION SCREWS	JAMB	JPCREW	803560179
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL	803560180

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size	Item
CELLULAR PVC COVE MOLDING FOR OS BUFF	Outswing	PVC	CPCOVMLD68F	6/8	808980045
CELLULAR PVC COVE MOLDING FOR OS BUFF	Outswing	PVC	CPCOVMLD80F	8/0	808980065
CELLULAR PVC COVE MOLDING FOR OS WHITE	Outswing	PVC	CPCOVMLD80W	8/0	808980072
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8	801080327
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0	801080328
REPLACEMENT COVE MOULD PRIMED PINE		Primed Pine	RPCOVMLD	82"	806040051

BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size	Item
BRICKMOULD COMPOSITE SMOOTH RAW IS SKID	Inswing	Composite	BMCSNI30U1	3/0 U1	800700068
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8	800700057
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8	800700058
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1	800700067
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0	800700065
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0	800700061
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0	800700062

Additional Brickmould:

Description	Material	Part #	Size	Item
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1	800700013
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1	800700018
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1	800700014
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1	800700019

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS. SPECIAL ORDER ONLY.



COMPOSITE ENTRY MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HB HD/SILL	Composite	Inswing	MCSNENIB68HHSG	6/8	2"	804340032
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HB HD/SILL	Composite	Inswing	MCSNEWIB68HHSG	6/8	2.5"	804340033
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HB HD/SILL	Composite	Inswing	MCSNEWIB80HHSG	8/0	2.5"	804340034
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB80HHSG	8/0	2"	804340026

COMPOSITE PATIO MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HB HD/SILL	Composite	Inswing	MCSNPBIB68HHSG	6/8	2"	808980372
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPBIB80HHSG	8/0	2"	808980370
MULL COMPOSITE SMOOTH RAW PATIO WIDE IS BLANK HB HD/SILL	Composite	Inswing	MCSNPWIB80HHSG	8/0	2.5"	808980373
MULL COMPOSITE SMOOTH RAW PATIO WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNPWIB68HHSG	6/8 U4	2.5"	808980374
MULL COMPOSITE SMOOTH RAW PATIO WIDE OS BLANK HB HD/SILL	Composite	Outswing	MCSNPWOB68HHSG	6/8	2.5"	804340039
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HB HD/SILL	Composite	Outswing	MCSNPNOB68HHSG	6/8	2"	804340036
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HB HD/SILL	Composite	Outswing	MCSNPNOB80HHSG	8/0	2"	804340037

Additional Entry Mullions:

Description	Material	Application	Part #	Size	Item
MULLION PINE PATIO IS HEAD/SILL PRIMED	Primed Pine	Inswing	MNPPI79280HSGN	80" RO	804470002

COMPOSITE MULL CASING



Description	Material	Application	Part #	Size	Width	Item
FC COMPOSITE SMOOTH RAW IS BLANK BK	Composite	Inswing	FCCSNIB30BK	3/0	3.5"	801930003
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK	Composite	Inswing	FCCSNIB90WBK	9/0	3.5"	801930006
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK	Composite	Inswing	FCCSNIB68B	6/8	3.5"	801930004
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK	Composite	Inswing	FCCSNIB80B	8/0	3.5"	801930005
MULL CASING COMPOSITE SMOOTH RAW LARGE	Composite		MCCSNL80L	8/0	3.5"	804340030



PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS. SPECIAL ORDER ONLY.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Cap Colors



Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)
- Thick wood-grained composite cap and nosing.
 - U-shaped weather seal.
 - Adjustable flush stainless steel screws.
 - Continuous length with spread mullion capability to fill 49"-75" rough openings.*


Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES36UNBD	3/6 5-3/4 U1	803260263
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Bronze	Darkwood	ISL3AS5EN90UNBD	9/0 5-3/4 U1	803260224
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Mill	Darkwood	ISL3AS5EN90UNMD	9/0 5-3/4 U1	803260226
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES26UNMD	2/6 5-3/4 U1	803260241
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES36UNMD	3/6 5-3/4 U1	803260265
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES28UNBD	2/8 5-3/4 U1	803260247
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES28UNMD	2/8 5-3/4 U1	803260249
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES30UNBD	3/0 5-3/4 U1	803260255
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES30UNMD	3/0 5-3/4 U1	803260257
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS5EF607UNBD	6/0 5-3/4 U1	803260168
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS5EF607UNMD	6/0 5-3/4 U1	803260170
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES	Inswing	Bronze	Darkwood	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1	803260184
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES	Inswing	Mill	Darkwood	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1	803260186
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Bronze	Darkwood	ISL3AS5PD60ULNBD	6/0 5-3/4 U1	803260519
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Mill	Darkwood	ISL3AS5PD60ULNMD	6/0 5-3/4 U1	803260521
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Bronze	Darkwood	ISL3AS5PD60URNBD	6/0 5-3/4 U1	803260527
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Mill	Darkwood	ISL3AS5PD60URNMD	6/0 5-3/4 U1	803260529
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Bronze	Darkwood	ISL3AS5PN90UNBD	9/0 5-3/4 U1	803260551
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Mill	Darkwood	ISL3AS5PN90UNMD	9/0 5-3/4 U1	803260553
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS4EF607UNBD	6/0 4-9/16 U1	803260048
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS4EF607UNMD	6/0 4-9/16 U1	803260050
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES28UNBD	2/8 4-9/16 U1	803260096
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES28UNMD	2/8 4-9/16 U1	803260098
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES30UNBD	3/0 4-9/16 U1	803260104
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES30UNMD	3/0 4-9/16 U1	803260106

Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1	803261805
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1	803261804
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1	803261807
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1	803261808
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1	803261803
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1	803261798
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1	803261806
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1	803261799



Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE36USF5BDB	3/6 5-3/4 U1	805140272
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE36USF5MDB	3/6 5-3/4 U1	805140274
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE50USF5MDB	5/0 5-3/4 U1	805140352
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE54USF5MDB	5/4 5-3/4 U1	805140400
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE90USF5MDB	9/0 5-3/4 U1	805140688
OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U12SF5MDB	3/0 5-3/4 U1	805140210
OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U14SF5MDB	3/0 5-3/4 U1	805140218
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE28USF5BDB	2/8 5-3/4 U1	805140165
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE28USF5MDB	2/8 5-3/4 U1	805140167
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30USF5BDB	3/0 5-3/4 U1	805140224
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30USF5MDB	3/0 5-3/4 U1	805140226
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE26USF5BDB	2/6 5-3/4 U1	805140144
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE50USF5BDB	5/0 5-3/4 U1	805140350
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE54USF5BDB	5/4 5-3/4 U1	805140398
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE60USF5BDB	6/0 5-3/4 U1	805140526
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE90USF5BDB	9/0 5-3/4 U1	805140686
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE60USF5MDB	6/0 5-3/4 U1	805140528
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE26USF5MDB	2/6 5-3/4 U1	805140146
TRU-DEFENSE OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U12SF5BDB	3/0 5-3/4 U1	805140208
TRU-DEFENSE OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U14SF5BDB	3/0 5-3/4 U1	805140216
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE607USF5BDB	6/0 5-3/4 U1	805140510
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE607USF5MDB	6/0 5-3/4 U1	805140512

Outswing Aluminum Sill Without Thermal Break



- Aluminum Sill with Thermal Break
- All-aluminum construction.
 - Integrated weatherstrip.

Description	Application	Sill Finish	Part #	Size	Item
OS NTB SILL BRONZE	Outswing	Bronze	BS260ABU1	2/6 4-9/16 U1	800770003
OS NTB SILL BRONZE	Outswing	Bronze	BS280ABU1	2/8 4-9/16 U1	800770007
OS NTB SILL BRONZE	Outswing	Bronze	BS300ABU1	3/0 4-9/16 U1	800770011
OS NTB SILL BRONZE	Outswing	Bronze	BS600ABU1	6/0 4-9/16 U1	800770027
OS NTB SILL MILL	Outswing	Mill	BS26096U1	2/6 4-9/16 U1	800770001
OS NTB SILL MILL	Outswing	Mill	BS28096U1	2/8 4-9/16 U1	800770005
OS NTB SILL MILL	Outswing	Mill	BS30096U1	3/0 4-9/16 U1	800770009
OS NTB SILL MILL	Outswing	Mill	BS60096U1	6/0 4-9/16 U1	800770025



Public Access Sill With or Without Thermal Break (For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size	Item
PUBLIC ACCESS SILL - MILL FINISH	S430PAU1	3/0 4-9/16 U1	806180007
PUBLIC ACCESS SILL - MILL FINISH	S460PAU1	6/0 4-9/16 U1	806180015
PUBLIC ACCESS SILL - MILL FINISH	S630PAU1	3/0 6-9/16 U1	806190007
PUBLIC ACCESS SILL - MILL FINISH	S660PAU1	6/0 6-9/16 U1	806190015
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S430PABU1	3/0 4-9/16 U1	806180002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S460PABU1	6/0 4-9/16 U1	806180010
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S630PABU1	3/0 6-9/16 U1	806190002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S660PABU1	6/0 6-9/16 U1	806190010

Sill Covers (Recommended)



- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size	Item
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4	806800013
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4	806800002

Sill Extenders



Finishes:
Darkwood (Premium)

Sizes:
3/4"
2"

Description	Finish	Part #	Size	Item
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72	806800037
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN90D	2"X108	806800041
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0	806261173
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1	806261207
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0	806261174
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1	806261208
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1	806261239
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1	806261240

Sill End Seal Pads

Description	Part #	Size	Item
IS SILL PAD SLANTED END	ISL3FSEALPAD-24	1-3/8"	808980348
TRU-DEFENSE END SEAL SILL PAD	MSISSEAL-TD3		804520079
TRU-DEFENSE OS END SEAL SILL PAD	MSOSSEAL-TD		804520086

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1	801270086
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1	801270092
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1	801270088
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1	801270090
DOOR BOTTOM IS DP ACTIVE NOTCHED BRONZE	Inswing	DBDBU300NB	3/0 U1	801270091
DOOR BOTTOM SIDELITE IS DP ACTIVE NONOTCH BRONZE	Inswing	DBDB140B	14"	801270050

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0 U1	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6 U1	806040054

Kerf-Applied Door Bottoms for Composite Outswing Sills



Sills:
Composite Outswing
Aluminum
Coastal

Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB30OS99U	3/0 U1	801270034
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB36OS99U	3/6 U1	801270042

4 Fin Sweep Door Bottom for Public Access Sills



Sills:
Public Access

Color:
Bronze

Description	Part #	Size	Item
DOOR BOTTOM SWEEP	DB30USWP	3/0 U1	801270037
DOOR BOTTOM SWEEP	DB36USWP	3/6 U1	801270046

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.




Inactive Door Bottoms for Outswing Aluminum Sills



Sills:
Composite Outswing
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS INACTIVE BRONZE	Outswing	DBP30UTS	3/0	808980310


Inactive Door Bottoms for Composite Outswing Sills



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOS140B	14"	806040076
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOSU300B	3/0 U1	806040089

Inactive Door Bottoms for Composite Inswing Sills



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"	802090003
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0	802090007

Additional Door Bottoms Available:

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6	806040054

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Stainable Astragal



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"
Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
Grain Available:
Fir
Weatherstrip:
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS0SABFL	6/8	800460016
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS8SABFL	6/8	800460098
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS0SABFR	8/0	800460017
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS8SABFR	6/8	800460099
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS0SABFL	6/6	800460177
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS8SABFL	6/8	800460257
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS0SABFR	8/0	800460178
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS8SABFR	6/8	800460258

Aluminum Astragal



Coastal option also available.

Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"
Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
Grain Options:
Bronze
White
Weatherstrip:
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	6/8	800460010
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	7/0	800460052
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS8SAAL	8/0	800460092
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	6/6	800460137
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/8	800460012
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	7/0	800460053
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS8SAAR	8/0	800460094
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	6/6	800460138
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS0SAAL	6/8	800460172
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS8SAAL	8/0	800460253
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	6/6	800460293
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS0SAAR	6/8	800460173
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS8SAAR	8/0	800460254
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	6/6	800460294

Astragal Replacement Parts

Description	Part #	Size	Item
ASTRAGAL REPLACEMENT BOOT LH STANDARD	7ASTBOOTL450		800180000
ASTRAGAL REPLACEMENT BOOT RH STANDARD	7ASTBOOTR450		800180001
REPLACEMENT ALUMINUM ASTRAGAL HARDWARE PACKAGE	RPAHWB		806040006
REPLACEMENT ALUMINUM ASTRAGAL SPRING CLIP REP KIT	RSPREPKIT		806040160
REPLACEMENT ASTRAGAL ALUMINUM TOP & OUTSWING BOOT 2/PK	RPTOPBT		806040198
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTL	17"	806040024
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTS	2-5/8"	806040026
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTLB	17"	806040025
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTSB	2-5/8"	806040027
REPLACEMENT CLOSURE STRIP WHITE	RPATRMW		806040023
REPLACEMENT SCREW BOLT RETAINER	RPAST5136016		806040019
REPLACEMENT SNAP-IN TRIM STRIP BRONZE	RPATRMB		806040022



END RAIL

Description	Part #	Size	Item
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0	806040042
CC REPLACEMENT KERF END RAIL	RPCCER30SS	3/0	806040043
CC REPLACEMENT KERF END RAIL	RPFGERT36C	3/6	806040044
REPLACEMENT END RAIL	RPER36C	3/6	806040215
SS REPLACEMENT KERF END RAIL	RPFGERT30C	3/0	806040214
CC END RAIL FOR FULL PLANK REV V	CCER30SSPLKREV V	3/0	800920027



WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Description	Part #	Size	Color	Item
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze	807830001
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze	807830004
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze	807950015
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze	807950006
WEATHERSTRIP SIDE LONG REACH	WS8FW	8/0	White	807950012
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze	807950018
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze	807950008
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FW7	8/0	White	807950014

HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft Ball-Bearing Staggered Hole Pattern Hinge



Description	Finish	Part #	Size	Item
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8	802790079
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8	802790080
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8	802790081
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8	802790082
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8	802790083
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8	802790084
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8	802790085
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8	802790086

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

TRU-DEFENSE ELIGIBLE



Self-Aligning
Ball-Bearing Hinge



Description	Finish	Part #	Size	Item
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"	802790061
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"	802790060
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"	802790062
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"	802790067
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"	802790052
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"	802790051
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"	802790053
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"	802790058

Self-Aligning
Hinge



Description	Finish	Part #	Size	Item
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"	802790011
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"	802790010
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"	802790012
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"	802790015
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"	802790008
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"	802790009
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"	802790027
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"	802790028

Spring-Loaded
Hinge



Description	Finish	Part #	Size	Item
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"	802790017
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"	802790016
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"	802790018
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"	802790022

HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available
Handleset
Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active	804490291
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active	804490290
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active	804490273

Prospect



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active	804490274
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active	804490289
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active	804490288

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow	804490203
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide	804490210
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow	804490202
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide	804490209
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow	804490204
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide	804490211
HANDLESET HEIRLOOM	Black Nickel	DTS112374-1D	Inactive	Narrow	801480016
HANDLESET HEIRLOOM	Black Nickel	DTS1123965N-1D	Inactive	Wide	801480023
HANDLESET HEIRLOOM	Brushed Nickel	DTS112374-1C	Inactive	Narrow	801480015
HANDLESET HEIRLOOM	Brushed Nickel	DTS1123965N-1C	Inactive	Wide	801480022
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS112374-1H	Inactive	Narrow	801480017
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS1123965N-1H	Inactive	Wide	801480024

Note:

- Grip Style Handlesets and Lever Style Handlesets are not interchangeable.
- Grip style is for single door units or patio door units only.



Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow	804490217
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide	804490224
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow	804490216
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide	804490223
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow	804490218
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide	804490225
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow	801480030
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide	801480037
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow	801480029
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide	801480036
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow	801480031
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide	801480038

Venture



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow	804490189
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide	804490196
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow	804490188
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide	804490195
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow	804490190
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide	804490197
HANDLESET VENTURE	Black Nickel	DTS1020374-1D	Inactive	Narrow	801480002
HANDLESET VENTURE	Black Nickel	DTS10203965N-1D	Inactive	Wide	801480009
HANDLESET VENTURE	Brushed Nickel	DTS1020374-1C	Inactive	Narrow	801480001
HANDLESET VENTURE	Brushed Nickel	DTS10203965N-1C	Inactive	Wide	801480008
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS1020374-1H	Inactive	Narrow	801480003
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS10203965N-1H	Inactive	Wide	801480010

Note: Grip style is for single door units or patio door units only.

HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #	Item
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D	804520044
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C	804520043
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H	804520045
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ	804520050
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MS00SSPTD-1D	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MS00SSPTD-1C	804520013
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil-Rubbed Bronze	MS00SSPTD-1H	804520015
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MS00SSPTD-YZ	804520020
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D	804490098
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C	804490097
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil-Rubbed Bronze	MPMSBASIS3-1H	804490099
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D	804490115
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C	804490114
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil-Rubbed Bronze	MPMSBOSIS-1H	804490116
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel		804520044
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP	804520050
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C	804520043
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSP-1H	804520045
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Black Nickel	MPGSGTCS-1D	804490295
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Brushed Nickel	MPGSGTCS-1C	808980079
HANDLESET MPLS GRIP STYLE GEAR TONGUE CAPTURED STRIKE PACKAGE		Oil-Rubbed Bronze	MPGSGTCS-1H	804490294
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D	804490077
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C	804490076
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil-Rubbed Bronze	MPMARTS-1H	804490078

Strike Plate Screws

Description	Finish	Part #	Item
SCREW PACKAGE A	Yellow Zinc	MSSCRPA	804520088
SCREW PACKAGE A	Black Nickel	MSSCRPA-1D	804520090
SCREW PACKAGE A	Brushed Nickel	MSSCRPA-1C	804520089

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Storm Door Adaptor

6-9/16" Base Adaptor



Description	Part #	Size	Item
LONG STORM DOOR ADAPTOR	BACSN680L	8/0 6-9/16	800570009

Rain Protection

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Description	Part #	Size	Color	Item
OS RAIN GUARD HEAD BRONZE	RGPF30B	3/0	Bronze	805930000
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze	802900003
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White	802900005

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width	Item
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"	800920004
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"	800920014
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"	800920015
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"	80092011
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"	800920012
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"	800920016
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"	800920013
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"	800952277
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"	800952276
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDLH-20	1.6"	800960463

ACCESSORIES

Clavos & Strap Hinges


Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes Pyramid and round clavos as well as strap hinges.



Description	Part #	Size	Item
CLAVOS SQUARE BLACK	CLVSL100SAB20	1"	801070001
CLAVOS SQUARE BLACK	CLVSL125SAB20	1-1/4"	801070003
CLAVOS SQUARE BLACK	CLVSL150SAB20	1-1/2"	801070004
CLAVOS ROUND BLACK	CLVSL100RAB20	1"	801070000
CLAVOS ROUND BLACK	CLVSL125RAB20	1-1/4"	801070002
CLAVOS ROUND BLACK	CLVSL175RAB20	1-3/4"	801070005
STRAP HINGE BLACK	STRPHSD183	18"	806680005

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Description	Part #	Size	Item
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"	800920007
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"	800920002
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"	800960459


Description	Part #	Size	Item
FC DENTIL SHELF	DSB4BLK	26.2"	801460175
SS DENTIL SHELF	DSW4BLK	25.4"	801460176

Corner Seal Pads

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft[®] 7-Shape Pads

Colors:
Bronze
White
Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Fiber-Classic[®] / Smooth-Star[®] 7-Shape Pads

Colors:
Bronze
White
Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Description	Part #	Color	Item
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE LH BRONZE	CCPPKLB	Bronze	800920020
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE RH BRONZE	CCPPKRB	Bronze	800920023
FC/SS TRU-DEFENSE CORNER SEAL PAD PACKAGE BRONZE	CPPKB	Bronze	801120010

Transport Clips

Description	Part #	Item
TRANSPORT CLIP	MS00TPC	804520021

TRU-DEFENSE ELIGIBLE

* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.



MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

7002 Low-E Glass 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7403 Shaker Satin Etch IG 3/0 x 6/8	7404 Shaker Satin Etch IG 3/0 x 6/8	7405 Shaker Satin Etch IG 3/0, 3/6 x 8/0 Low-E 3/0 x 8/0	7501 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	7801 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	7501 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	7501 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	9541 Dentil Shelf for 3'0" doors
37504 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37802 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37504 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37504 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	37506 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37803 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37506 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37506 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	
7504 DHRP and Low-E Bevel 3/0 x 6/8 3/0 x 8/0	7802 DHRP and Low-E Bevel 12", 14" x 6/8 12", 14" x 8/0	7506 DHRP and Low-E Bevel 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7803 DHRP and Low-E Bevel 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37804 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0		

7506 Double Arch Top Unit DHRP and Low-E Bevel 5/0 x 8/0 5/4 x 8/0 6/0 x 8/0	37508 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	6801 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	6175 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	6801 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	6801 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED





WESTERN HEMLOCK EXTERIOR DOORS

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

								
7002 Clear IG 2/0, 2/6, 2/8, 3/0 x 6/8 2/0, 2/6, 2/8, 3/0 x 8/0	7701 Clear IG 12", 14" x 6/8 12", 14" x 8/0	7002 Shaker Clear IG 2/0, 2/6, 2/8, 3/0 x 6/8	7701 Shaker Clear IG 12", 14" x 6/8 12", 14" x 8/0	7002 Low-E 2/0, 2/6, 2/8, 3/0 x 6/8 2/0, 2/6, 2/8, 3/0 x 8/0	7701 Low-E 12", 14" x 6/8 12", 14" x 8/0	7002 Shaker Low-E 2/0, 2/6, 2/8, 3/0 x 6/8 2/0, 2/6, 2/8, 3/0 x 8/0	7701 Shaker Low-E 12", 14" x 6/8 12", 14" x 8/0	7002 ADA Compliant Low-E 3/0 x 6/8 3/0 x 7/0 3/0 x 8/0
								
7002 WaterBarrier® 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7037 Low-E 3/0 x 6/8	37010 Low-E 2/0, 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37010 Shaker Low-E 2/0, 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37010 WaterBarrier® with Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37010 Shaker WaterBarrier® with Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37015 Clear IG 2/6, 2/8, 3/0 x 6/8	7501 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	7801 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0

WESTERN HEMLOCK EXTERIOR DOORS (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

									
37506 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37803 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37506 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37506 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	37508 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37804 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	9541 Dentil Shelf for 3'0" and 3'6" doors		
									
37508 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	7031 DHRP and Low-E 2/8, 3/0 x 6/8	37435 DHRP and Low-E 2/8, 3/0 x 6/8	37035 DHRP and Low-E 2/8, 3/0 x 6/8	7044 DHRP and Low-E 2/8, 3/0 x 6/8	37444 DHRP and Low-E 2/8, 3/0 x 6/8	37944 DHRP and Low-E 2/8, 3/0 x 6/8			
									
6801 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	6175 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	6801 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	6175 Shaker FP and Low-E 12", 14" x 6/8 12", 14" x 8/0	6801 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	6801 Shaker FP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	6801 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	6801 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0		
									
37504 DHRP and Low-E 3/0 x 6/8 3/0, 3/6 x 8/0	37802 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37504 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37504 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	7132 DHRP and Low-E 2/8, 3/0 x 6/8	37134 DHRP and Low-E Laminate IG 2/8, 3/0 x 6/8	7344 DHRP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	7130 DHRP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	1510 Clear SG, No UltraBlock® 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	1515 Clear SG, No UltraBlock® 2/6, 2/8, 3/0 x 6/8



DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING



KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



37010
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8, 3/0
x 8/0



7501
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



7801
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



7501
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



7501
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37504
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37802
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37504
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37504
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37506
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37803
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37506
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37506
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37508
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37804
DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



37508
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37508
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



36806
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



36806 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0



36806
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



36806 Shaker
FP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



36806
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



36806 Shaker
FP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



9541
Dentil Shelf for 3'0" and
3'6" doors

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED

REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



8720 Shaker
3/8" FP
1/3, 1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8780 Shaker
Plantation Louver
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8781 Shaker
Plantation Louver
3/8" FP
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8760 Shaker
3/8" FP
1/3, 1/4, 1/6, 2/0, 2/4,
2/6, 2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8755 Shaker
3/8" FP
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/4, 1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



89801 Shaker Full Plank
Barn Door w/ V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89812 Shaker Z Pattern
Barn Door w/ V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89815 Shaker K Pattern
Barn Door w/ V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



8001
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8001 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8411
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8411 Shaker Quirk
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8475
V-Groove
2/0 x 6/8 = 10-lite layout
2/4, 2/6, 2/8, 3/0 x 6/8 =
15-lite layout



8490
Pantry
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8490
Pantry with
3/8" FP
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8010
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8





REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



8012
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8015
Clear SG
2/4, 2/6, 2/8, 3/0
x 6/8



8018
Clear SG
2/6, 2/8, 3/0 x 8/0



8733 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8733 Shaker
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8735 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8735 Shaker
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0

WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



55
3/4" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9255
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker Quirk
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1590
Pantry with
3/4" RP
2/0, 2/4, 2/6 x 8/0



1593
Laundry with
3/4" RP
2/8, 3/0 x 6/8

WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



720 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



782 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



730 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



1310
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1312
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1315
Clear SG
2/6, 2/8, 3/0 x 6/8



1318
Clear SG
2/6, 2/8, 3/0 x 8/0



1643 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1643 Shaker
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1645 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1645 Shaker
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL



KNOTTY ALDER INTERIOR DOORS

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove, 3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
V-Groove
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7282
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7282
1-3/4"
V-Groove
3/4" RP
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
V-Groove
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7465
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7465
1-3/4"
V-Groove
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



80801 Shaker Full Plank
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80812 Shaker Z Pattern
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80815 Shaker K Pattern
Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker Quirk
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1593
Laundry with
3/4" RP
2/8, 3/0 x 6/8



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL



PINE INTERIOR DOORS

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



720 Shaker 3/8" FP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	70720 Shaker 1-3/4" House-to -Garage 3/4" FP 2/8, 3/0 x 6/8	782 Shaker 3/8" FP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	70782 Shaker 1-3/4" House-to -Garage 3/4" FP 2/8, 3/0 x 6/8	760 Shaker 3/8" FP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	70760 Shaker 1-3/4" House-to -Garage 3/4" FP 2/8, 3/0 x 6/8	755 Shaker 3/8" FP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	70755 Shaker 1-3/4" House-to -Garage 3/4" FP 2/8, 3/0 x 6/8	82 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0
-----------------------------------------------------------------------	--------------------------------------------------------------------------------	-----------------------------------------------------------------------	--------------------------------------------------------------------------------	-----------------------------------------------------------------------	--------------------------------------------------------------------------------	-----------------------------------------------------------------------	--------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------



7282 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	82 V-Groove 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7282 V-Groove 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	465 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7465 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	465 V-Groove 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7465 V-Groove 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	44 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	7344 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8
---------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------	---------------------------------------------------------------------------



66 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7130 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	1501 Clear SG 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	1501 Shaker Clear SG 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	1501 White Laminate 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	1501 Shaker Quirk White Laminate 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	1590 Pantry 2/0, 2/4, 2/6 x 6/8
--------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------	--------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------	----------------------------------------------



1590 Pantry with 3/4" RP 2/0, 2/4, 2/6 x 8/0	1593 Laundry 2/8, 3/0 x 6/8	1593 Laundry with 3/4" RP 2/8, 3/0 x 8/0	1310 Clear SG 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8	1312 Clear SG 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	1315 Clear SG 2/6, 2/8, 3/0 x 6/8	1318 Clear SG 2/6, 2/8, 3/0 x 8/0
--------------------------------------------------------------	------------------------------------------	----------------------------------------------------------	-------------------------------------------------------------	-------------------------------------------------------------	------------------------------------------------	------------------------------------------------

KNOTTY PINE INTERIOR DOORS

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



1501 Clear SG 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	1501 White Laminate 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	1590 Pantry 2/0, 2/4, 2/6 x 6/8
-------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------	----------------------------------------------



82 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7282 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	82 V-Groove 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7282 V-Groove 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	465 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0
--------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------



7465 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	465 V-Groove 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7465 V-Groove 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	66 3/4" RP 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 6/8 1/6, 2/0, 2/4, 2/6, 2/8, 3/0 x 8/0	7130 1-3/4" House-to -Garage 1-7/16" RP 2/8, 3/0 x 6/8 2/8, 3/0 x 8/0	80801 Shaker Full Plank Barn Door w/ V-Groove 3/0, 3/6 x 7/0 3/0, 3/6 x 8/4	80812 Shaker Z Pattern Barn Door w/ V-Groove 3/0, 3/6 x 7/0 3/0, 3/6 x 8/4	80815 Shaker K Pattern Barn Door w/ V-Groove 3/0, 3/6 x 7/0 3/0, 3/6 x 8/4
---------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------




SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL



MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O

In Stock - •




Molded Hollow Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	•	•	•	•	•	•	•	•	•	S/O	•
Carrara	•	•	•	•	•	•	•	•	•	S/O	•
Classique	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	•	•	•	•	•	•	•	•	•	•	•
Madison	•	•	•	•	•	•	•	•	•	S/O	•
Monroe	•	•	•	•	•	•	•	•	•	S/O	•
Birkdale	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	•	•	•	•	•	•	•	•	•	S/O	•
Santa Fe	•	•	•	•	•	•	•	•	•	S/O	•

Molded Hollow Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O									
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Birkdale	S/O	S/O	S/O	•	S/O	•	•	S/O	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•



Molded Solid Core 6'8" 1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Classique	S/O	S/O									
Colonist	S/O	S/O									
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 6'8" 1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	2'-8"	3'-0"
Caiman	S/O	S/O	•	•									
Carrara	S/O	S/O	•	•									
Classique	S/O	S/O	•	•									
Colonist	S/O	S/O	•	•									
Madison	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Birkdale	S/O	S/O	•	•									
Rockport	S/O	S/O	•	•									
Santa Fe	S/O	S/O	•	•									

Molded Solid Core 8'0" 1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O									
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 8'0" 1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	2'-8"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Colonist	S/O	S/O	S/O	S/O									
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Birkdale	S/O	S/O	•	S/O									
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•



MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O

In Stock - •



Birch



Lauan



Primed Hardboard

Flush Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Dunnage Door Slabs 6'8" and 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Primed Hrdbd	S/O	•	S/O	•							

Flush Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O									
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O									
Lauan	S/O	S/O									
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 6'8"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•
Lauan	S/O	•	S/O	•							
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O									
Lauan	S/O	S/O									
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•





MARWIN ATTIC STAIRS

Item	Size	Description	Extended Description
0804212	25-1/2" X 54" X 10'4"	TITAN ALUM 375 DUTY FIRE TREATED	T-101FT
0804220	25-1/2" X 63" X 12'	T2512FT TITAN ALUM STAIR FIRE TREATED DR	T2512FT
0804285	22-1/2" X 54"	ATTIC STAIR UNIVERSAL 250# RATING	A2254 TRIMMABLE FROM 7'6" TO 10'4"
0804286	25-1/2" X 54"	ATLAS ATTIC STAIR UNIVERSAL 250# RATING	A2554 TRIMMABLE FROM 7'6" TO 10'4"
0804289	25-1/2" X 54"	ATLAS STAIR FIRE TREATED 250# RATING	A2554FT TRIMMABLE FROM 7'6" TO 10'4"
0804293	25-1/2" X 54"	SUPERIOR ATTIC STAIR UNIVERSAL 300#	S2554 TRIMMABLE FROM 7'6" TO 10'4"
0804297	25-1/2" X 54"	SUPERIOR STAIR FIRE TREATED 300# RATING	S2554FT TRIMMABLE 7'6" TO 10'4"
0804307	25-1/2" X 54"	ATLAS STAIR R3 250# RATING	
0804783	25-1/2" X 54"	SUPERIOR STAIR R3 300# RATING	S2554R3 TRIMMABLE FROM 7'6" TO 10'4"
0804791	25-1/2" X 54"	SUPERIOR PLUS STAIR R3 350#	
0804792	25-1/2" X 54"	SUPERIOR PLUS STAIR R3 FIRE TREATED 350#	
0804807	30" X 54"	SUPERIOR STAIR FIRE TREATED 300# RATING	S3054FT TRIMMABLE FROM 7'6" TO 10'4"



MARWIN POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712085		200LB BB 3 WHEEL POCKET DOOR HDW BAG	PDJ200BB
7712090		POCKET DOOR CONVERGING KIT 15555PPK3	PDFCKITJ
7712123		POCKET DOOR FRAME SOFT CLOSE HARDWARE	PD200SC
7712525	2068	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 6/8 BUILT UP PDF 4-5/8"
7712526	2468	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 6/8 BUILT UP PDF 4-5/8"
7712527	2668	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 6/8 BUILT UP PDF 4-5/8"
7712528	2868	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 6/8 BUILT UP PDF 4-5/8"
7712529	3068	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 6/8 BUILT UP PDF 4-5/8"
7712530	2080	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/0 x 8/0 BUILT UP PDF 4-5/8"
7712531	2480	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/4 x 8/0 BUILT UP PDF 4-5/8"
7712532	2680	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/6 x 8/0 BUILT UP PDF 4-5/8"
7712533	2880	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	2/8 x 8/0 BUILT UP PDF 4-5/8"
7712534	3080	W/T ALUM TRACK 200# BB HDWE FJ-JAMB	3/0 x 8/0 BUILT UP PDF 4-5/8"
7712580	2068	ALUM TRACK 200# BB HDWE A-JAMB	2/0 x 6/8 BUILT UP PDF 6-5/8"
7712581	2468	ALUM TRACK 200# BB HDWE A-JAMB	2/4 x 6/8 BUILT UP PDF 6-5/8"
7712582	2668	ALUM TRACK 200# BB HDWE A-JAMB	2/6 x 6/8 BUILT UP PDF 6-5/8"
7712583	2868	ALUM TRACK 200# BB HDWE A-JAMB	2/8 x 6/8 BUILT UP PDF 6-5/8"
7712584	3068	ALUM TRACK 200# BB HDWE A-JAMB	3/0 x 6/8 BUILT UP PDF 6-5/8"
7712585	2080	ALUM TRACK 200# BB HDW A-JAMB	2/0 x 8/0 BUILT UP PDF 6-5/8"
7712586	2480	ALUM TRACK 200# BB HDW A-JAMB	2/4 x 8/0 BUILT UP PDF 6-5/8"
7712587	2680	ALUM TRACK 200# BB HDW A-JAMB	2/6 x 8/0 BUILT UP PDF 6-5/8"
7712588	2880	ALUM TRACK 200# BB HDW A-JAMB	2/8 x 8/0 BUILT UP PDF 6-5/8"
7712589	3080	ALUM TRACK 200# BB HDW A-JAMB	3/0 x 8/0 BUILT UP PDF 6-5/8"
7712758	21068	ALUM TRACK 200# BB HDWE FJ-JAMB	ONLY FOR 1-3/8 DOORS
7712759	21080	ALUM TRACK 200# BB HDWE FJ-JAMB	ONLY FOR 1-3/8 DOORS



DURA-FRAME

The Natural Solution for rot-free door systems.




Complete product offering

- Door Jambs
- Brick Mould
- Mull Posts
- Mull Casing
- Custom Components


All covered by DURA-FRAME™'s limited lifetime warranty




Brickmould



Door Jambs



Mull Posts



Mull Casing

One of the planet's most durable woods:

Naturally resistant to rot & insect attack

- Unique natural compounds make it highly resistant to decay, molds, fungus, termite and insect attack
- Found in nature up to 1200 years old with over 60 growth rings per inch

Exceptional physical properties

- Incredible strength
- Resistance to wear, splitting, and impact
- Excellent nail and screw holding strength

Superior finishing qualities

- Great paint, stain and glue adhesion
- Superior machining and sanding ability



DURA-FRAME™ is:

Alaskan Yellow Cypress, one of the planet's most durable rot resistant woods, finger-jointed to the bottom of premium Russian Red Pine frame component. DURA-FRAME™ is end-sealed with DURA-SEAL™, and primer coated with DURA-PRIME™, G-M Wood Products' exclusive high-durability coatings, yielding exceptional value and rot-free performance. It's environmentally responsible, renewable, and naturally rot-resistant...no chemicals added!

Alaskan Yellow Cypress (also known as Alaskan Yellow Cedar) is found in nature up to 1200 years old, and is the wood of choice in many rot-proof and weather resistant applications such as Japanese temples (lasting over 500 years), docks, bridges, boat hulls, stadium seating and high-end outdoor furniture. Its unique natural compounds make it highly resistant to decay, molds, fungus, termite and insect attack.



ECLISSE POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712800	2068	ECLISSE FRAME KIT	EKC2480 CLASSIC COLLECTION KIT
7712801	2080	ECLISSE FRAME KIT	EKC2496 CLASSIC COLLECTION KIT
7712802	2468	ECLISSE FRAME KIT	EKC2880 CLASSIC COLLECTION KIT
7712803	2480	ECLISSE FRAME KIT	EKC2896 CLASSIC COLLECTION KIT
7712804	2668	ECLISSE FRAME KIT	EKC3080 CLASSIC COLLECTION KIT
7712805	2680	ECLISSE FRAME KIT	EKC3096 CLASSIC COLLECTION KIT
7712806	2868	ECLISSE FRAME KIT	EKC3280 CLASSIC COLLECTION KIT
7712807	2880	ECLISSE FRAME KIT	EKC3296 CLASSIC COLLECTION KIT
7712808	21068	ECLISSE FRAME KIT	EKC3480 CLASSIC COLLECTION KIT
7712809	21080	ECLISSE FRAME KIT	EKC3496 CLASSIC COLLECTION KIT
7712810	3068	ECLISSE FRAME KIT	EKC3680 CLASSIC COLLECTION KIT
7712811	3080	ECLISSE FRAME KIT	EKC3696 CLASSIC COLLECTION KIT
7712812	3668	ECLISSE FRAME KIT	EKC4280 CLASSIC COLLECTION KIT
7712813	3680	ECLISSE FRAME KIT	EKC4296 CLASSIC COLLECTION KIT
7712814		SOFT CLOSE ONE DIRECTION	BIAS3 ECLISSE ACCESSORIES
7712816		SOFT CLOSE BOTH DIRECTIONS	BIASDS3 ECLISSE ACCESSORIES
7712817		SOFT + BIAS CLOSE ONE DIRECTION	AUTSAPT3 ANTI WARP BAR ECLISSE ACCESSORIES
7712818		CO-ORINATION KIT DOUBLE	AUTDA5 ECLISSE ACCESSORIES
7712820		JOINING KIT FOR DOUBLE	OPC7 ECLISSE ACCESSORIES
7712822	3"X5"X90"	84" WHITE JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE
7712824	3"X5"X100"	96" WHITE JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE
7712826	3"X5"X90"	84" WHITE JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE
7712828	3"X5"X100"	96" WHITE JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE
7712830	3"X5"X100"	99" WOOD JAMB KIT FOR 2X4 SINGLE	ECLISSE JAMB KIT SINGLE
7712832	3"X5"X100"	99" WOOD JAMB KIT FOR 2X4 DOUBLE	ECLISSE JAMB KIT DOUBLE
7712834	4"X7"X100"	96" WHITE WOOD JAMB KIT FOR 2X6 SINGLE	ECLISSE JAMB KIT SINGLE
7712836	4"X7"X100"	96" WHITE WOOD JAMB KIT FOR 2X6 DOUBLE	ECLISSE JAMB KIT DOUBLE
7712859	24"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ24
7712860	28"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ28
7712861	30"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ30
7712862	32"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ32
7712863	34"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ34
7712864	36"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ36
7712865	42"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ42
7712871	48"	HORIZONTAL KIT FOR 2X6 SPLIT KITS	EKQ48
7712883	80"	80" VERTICAL KIT 2X6 SPLIT KITS	EKQ80V
7712884	84"	84" VERTICAL KIT 2X6 SPLIT KITS	EKQ84V
7712885	96"	96" VERTICAL KIT 2X6 SPLIT KITS	EKQ96V



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.






FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

Exterior Frames

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
4-9/16"-6'0"	•	N/S	N/S	N/S	N/S
4-9/16"-14'0"	•	N/S	N/S	N/S	N/S
5-1/4"-6'8"	N/S	N/S	•	•	N/S
5-1/4"-3'0"	N/S	N/S	N/S	•	N/S
5-1/4"-8'0"	N/S	N/S	•	•	N/S
6-9/16"-6'8"	•	•	•	•	•
6-9/16"-8'0"	•	•	•	•	•
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'0"	•	N/S	N/S	N/S	N/S
6-9/16"-14'0"	•	N/S	N/S	N/S	N/S
7-1/4"-6'8"	N/S	N/S	•	•	N/S
7-1/4"-8'0"	N/S	N/S	•	•	N/S
7-1/4"-3'0"	N/S	N/S	•	•	N/S
11-1/4"-6'8"	N/S	•	N/S	N/S	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Hinge RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Strike RH/LH	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	N/S	N/S
Mullpost 4-3/8" x 2-1/2"-9'0"	N/S	N/S	•	N/S	•
T-Astragal 1-3/8 (1-1/4"x2")100"	N/S	N/S	N/S	N/S	•



Exterior Frames (CONT.)

Description	Primed	Duraframe	Hemlock	Okume	Kalder
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S
S4S 11/16" X 3-1/2 -9'	N/S	N/S	•	•	N/S
S4S 11/16" X 3-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 5-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 7-1/4 -10'	N/S	N/S	N/S	N/S	•

Interior Jambs

Description	Fingerjoint	Primed	Solid	Veneer
4-9/16"-6'8"	•	•	•	•
4-9/16"-8'0"	•	•	•	•
4-9/16"-3'0"	•	N/S	•	N/S
4-9/16"-6'0"	•	N/S	•	N/S
4-7/8"-6'8"	•	N/S	N/S	N/S
4-7/8"-8'0"	•	N/S	N/S	N/S
4-7/8"-3'0"	•	N/S	N/S	N/S
4-7/8"-6'0"	•	N/S	N/S	N/S
5-1/8"-6'8"	N/S	N/S	•	N/S
5-1/8"-6'0"	N/S	N/S	•	N/S
5-1/8"-3'0"	N/S	N/S	•	N/S
6-9/16"-6'8"	•	N/S	•	N/S
6-9/16"-8'0"	•	N/S	•	N/S
6-9/16"-3'0"	•	N/S	•	N/S
6-9/16"-6'0"	•	N/S	•	N/S

Description	Knotty Alder
4-9/16"-6'8"	•
4-9/16"-8'0"	•
4-9/16"-3'0"	•
5-1/4"-6'8"	•
5-1/4"-8'0"	•
5-1/4"-3'0"	•
6-9/16"-6'8"	•
6-9/16"-8'0"	•
6-9/16"-3'0"	•
Mullpost 4-3/8" x 2-3/8" -9'	•



Standard Flat Jamb with Applied Stop



Rabbet Jamb



Flat Jamb





MOULDINGS

Non-Stock - N/S

In Stock - •

Description	Fingerjoint	Primed	Solid
WM324 Wedge Casing 5/8" x 2-1/8" 14'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"- 8'7"(103")	•	N/S	•
A-Colonial Casing 5/8" x 2-1/4" 14'	•	N/S	N/S
WM356 Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
C-195 Casing 9/16" x 2-1/2"-8'7"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-8'3"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-14'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
#9 B Base 1/2" x 3-1/4" 8'7"(103")	•	N/S	•
MC9E Casing 7/8" x 3-1/4" 8'6"(103")	N/S	•	N/S
C-295 Casing 9/16" x 3-1/2"-8'7"(103")	•	N/S	•
LC11 Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C-522 casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C347 Casing 9/16" x 3-7/16" 16'	•	N/S	N/S
A-Colonial Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
WM876 Door Stop 7/16" x 1-3/8"	•	N/S	•
1X4 S4S 8'6"(102")	N/S	•	•



WM 324



WM 356



MC-9 E IMPERIAL



LC11



A-Colonial 2.25



A-Colonial 2.5



A-Colonial 3.5



B-9



C-195



C-211



C-295



C-322



C-522



Int Flat Jamb Profile

PENROD BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK



KWIKSET

Item	Description
653000607	58 SQT 11P SMT RCAL 5063
653002638	660 15 SMT RCAL RCS
653002639	660 11P SMT RCAL RCS K3
653003135	780 15 SMT RCAL 5063
653003136	780 11P SMT RCAL 5063
653003137	158 SQT 15 SMT RCAL 5063
653008704	913CNT 15 SMT RCALFD
653008705	913CNT 11P SMT RCALFD
653008708	913TRL 15 SMT RCALFD
653008709	913TRL 11P SMT RCALFD
653009503	85063- 11P
653009504	85063-15
653040500	604BL 15 LH
653040501	604BL 15 RH
653040502	604BL 11P LH
653040503	604BL 11P RH
653041433	400CV 11P SMT 6AL RCS K3
653041434	400CV 15 SMT 6AL RCS
653041474	604CV 15
653041483	604CV 11P V1

Item	Description
653042402	740H 15 SMT 6AL RCS K3
653042404	966H 15
653042410	966H 11P
653042411	740H 11P SMT 6AL RCS
653060500	405BL 15 SMT 6AL RCS K4
653060501	405BL 11P SMT 6AL RCS K4
653062453	156HFL SQT 11P SMT 6AL RCS
653062454	156HFL SQT 15 SMT 6AL RCS
653062493	966HFL SQT 11P
653062494	966HFL SQT 15
653080005	687AMD LIP 15 SMT RCAL RCS
653080006	687AMD LIP 11P SMT RCAL RCS
653081315	687DA LIP 15 SMT RCAL RCS
653081316	687DA LIP 11P SMT RCAL RCS
653082100	971HFL SQT 15
653082104	971HFL SQT 11P
653082404	800HE LIP 15 SMT RCAL 5063
653082405	800HE LIP 11P SMT RCAL 5063
653086006	818SCE LIP 15 SMT RCAL RCS
53086007	818SCE LIP 11P SMT RCAL RCS



Kwikset



YOUR TRUSTED PARTNER IN MILLWORK

Boise Cascade Millwork is known for its efficient lead times, delivering quality products that exceed industry expectations. The millwork sector, noted for intricate craftsmanship, demands timely delivery for construction and renovation projects. Boise Cascade Millwork excels by streamlining production and logistics, ensuring their products, from doors to moldings, reach clients quickly. This reliability makes them a preferred partner in the competitive millwork market.

