



Boise Cascade®
MILLWORK



Boise Cascade®
MILLWORK



DENVER MILLWORK COMPONENTS BOOK

millwork.bc.com

11011 E 104th Ave, Suite 1000

Commerce City, CO 80640

720-653-3333

DenverMillwork@bc.com



WHY **BOISE CASCADE** **MILLWORK?**

Boise Cascade[®] Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With ten locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



Boise Cascade[®]
MILLWORK



TABLE OF CONTENTS

PAGE

PrismaGuard [®] Prefinish	1
PrismaGuard [®] Premium Paint	2
Frames	3
Fasteners Setting Tool & Screw Plug Covers	3
Composite Entry Mullion	4
Composite Patio Mullion	4
Cove Mould	4
Brickmould	4
Exterior Frames & Jambs	5-6
Sills	7-9
Door Bottoms	10
Astragals	11
End Rail	11
Weatherstrip	12
Exterior Hinges	13-14
Interior Hinges	15-16
Handlesets	17-18
Hardware	19
Door & Lite Divider Bars	19
Dentil Shelves	20
Mouldings	21
Barn Door Hardware	22
Eclisse Pocket Door Frames	23
On Site Door Shop Services	24




Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.



Durable Topcoat



Professional Application

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade®
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.



Durable Topcoat



Professional Application



Boise Cascade®
MILLWORK

millwork.bc.com

11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com

THERMA-TRU
DOORS



FRAMES

Composite Frames - Smooth



Description	Material	Part #	Size
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1

Composite Frames - Grained

Description	Material	Part #	Size
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG*	8/0 4-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG*	8/0 6-9/16
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK SKID JCGN490WMU1B JCGN490WMU1B-S	Composite	JCGN490WMU1B*	9/0 4-9/16 U1
FRAME COMPOSITE GRAINED RAW TRIPLE W/ MULL BK JCGN690WMU1B JCGN690WMU1B-S	Composite	JCGN690WMU1B*	9/0 6-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN430U1B JCGN430U1B-S	Composite	JCGN430U1B*	3/0 4-9/16 U1
HEADER COMPOSITE WOODGRAIN RAW BLANK JCGN630U1B JCGN630U1B-S	Composite	JCGN630U1B*	3/0 6-9/16 U1

Other Frames


Description	Material	Part #	Size
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME†	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



COMPOSITE ENTRY MULLION



2" Entry Narrow
 2-1/2" Entry Wide

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCGNENIB80HHSG*	8/0 X 2 1/2"

COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNI80HHSG*	8/0 X 2"
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNI80HHSG*	8/0 X 2 1/2"

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN68LN	6/8
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

BRICKMOULD



2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI30U1	3/0 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR68H	6/8
BRICKMOULD COMPOSITE SMOOTH RAW IS HEAD	Inswing	Composite	BMCSNI28U1	2/8 U1
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK U1	Inswing	Composite	BMCSNIB90WBK	9/0
BRICKMOULD COMPOSITE SMOOTH RAW IS LH U1	Inswing	Composite	BMCSNIL80H	8/0
BRICKMOULD COMPOSITE SMOOTH RAW IS RH U1	Inswing	Composite	BMCSNIR80H	8/0

Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH36U1R	3/6 U1

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

† - TWO WEEK LEAD TIME





EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

Exterior Frames

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-9/16" 2/8H	•	N/S	N/S
4-9/16" 3/0H	•	N/S	N/S
4-9/16" 6/0H	•	N/S	N/S
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-9/16" 2/8H	•	N/S	N/S
6-9/16" 3/0H	•	N/S	N/S
6-9/16" 6/0H	•	N/S	N/S
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
Mull Post 3-9/16" 6/8	•	•	•
Mull Post 3-9/16" 8/0	•	•	•
Mull Post 4-3/8" 6/8	•	•	•
Mull Post 4-3/8" 8/0	•	•	•
Mull Post 4-3/8" Wide 6/8	•	N/S	N/S
Mull Post 4-3/8" Wide 8/0	•	N/S	N/S
Radius Head 4-9/16" 5/4	N/S	N/S	N/S
Radius Head 4-9/16" 6/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/6	N/S	N/S	N/S
Radius Head 6-9/16" 5/4	N/S	N/S	N/S
Radius Head 6-9/16" 6/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/6	N/S	N/S	N/S
T-Astragal 1-3/4" W/S Kerf 6/8	N/S	•	•
T-Astragal 1-3/4" W/S Kerf 8/0	N/S	•	•
WM180 Brickmold 6/8	•	•	•
WM180 Brickmold 8/0	•	•	•
WM180 Brickmold 3/0H	•	N/S	N/S
WM180 Brickmold 2/8H	•	N/S	N/S



Interior Jambs

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
WM887 Stop 6/8	•	•	•
WM887 Stop 8/0	•	•	•
T-astragal 1-3/8" 6/8	•	N/S	N/S
T-astragal 1-3/8" 8/0	•	•	•
T-astragal 1-3/4" 8/0	N/S	•	•



Standard Flat Jamb
with Applied Stop



Rabbit Jamb



Flat Jamb



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com

Stock status is subject to availability, please contact your
Boise Cascade Millwork Representative with any questions.





SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood

Inswing Composite Adjustable Sill




Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush stainless steel screws.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Description	Application	Part #	Size
IS SILL TRU DEF ADJUSTABLE COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5EF587UNBD	5/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5EN90UNBD	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE LINEAL MILL FINISH LIGHT WOOD CAP NO SCREEN RAIL	Inswing	ISL3AS5EN90UNML	9/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE BRONZE DARK WOOD CAP NO SCREEN	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP	Inswing	ISL3AS5ES36UNBD	3/6 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50ULNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD50URNBD	5/0 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54ULNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD54URNBD	5/4 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58ULNBD	5/8 5-3/4 U1
IS SILL TRU DEF ADJUSTABLE COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD58URNBD	5/8 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL BRONZE DARK WOOD CAP	Inswing	ISL3AS5PN90UNBD	9/0 5-3/4 U1

Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Part #	Size
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE28USF5MLB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE30USF5MLB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE507USF5BDB	5/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP BRONZE WEATHERSTRIP	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP	Outswing	OSE607USF5MLB	6/0 5-3/4 U1
TRU-DEFENSE OS SILL COMPOSITE FIXED MILL FINISH LIGHT WOOD CAP BRNZ WEATHERSTRIP CONTINUOUS PATIO OS	Outswing	OSE60USF5MLB	6/0 5-3/4 U1

Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1



* TRU-DEFENSE ELIGIBLE

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com





Boise Cascade[®]
MILLWORK

Public Access Sill With or Without Thermal Break
(For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


Sill Pan
(Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN490	9/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN690	9/0 6-9/16

Sill Covers
(Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

Sill Extenders




Finishes:
Darkwood (Premium) Sizes:
3/4" 2"

Description	Finish	Part #	Size
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1


Single Bulb Kerf-Applied Door Bottom for Basic Fixed, Moderate Climate Sills



Sills:
Basic Fixed
Color:
Bronze

Description	Part #	Size
DOOR BOTTOM KERF	DB30316	35.81"

Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Color:
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

THERMA TRU[®]
DOORS



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com



ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a sustainable wood-grained vinyl wrap or aluminum.

Aluminum Astragal ✦

Coastal option also available.



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Bronze
White
Weatherstrip:
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	8/0
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/6
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	6/8
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS7SAAL	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	8/0
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS7SAAR	6/8
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	8/0

END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSFCER30C	3/0

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip ✦



Colors:
Bronze
White

Long-Reach Weatherstrip ✦



Colors:
Bronze
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze
WEATHERSTRIP SIDE SHORT REACH	WS8FB6	8/0	Bronze



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

✦ TRU-DEFENSE ELIGIBLE





Boise Cascade
MILLWORK

EXTERIOR HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft
Ball-Bearing Staggered
Hole Pattern Hinge




Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8"
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8"
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8"
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8"
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8"
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8"

Self-Aligning
Ball-Bearing Hinge




Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

Self-Aligning
Hinge



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

Spring-Loaded
Hinge



Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com

THERMA TRU
DOORS



INTERIOR HINGES

We can special order anything and in any color – need another color/size? Just ask!



3.5" Radius Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME SI 3.5x3.5 5/8	Satin Chrome		5/8

Ball Bearing

Description	Finish	Part #	Size
US15 SATIN NICKLE BALL BEARING HINGE SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS BALL BEARING SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME BALL BEARING SI 3.5x3.5 5/8	Satin Chrome		5/8

Radius 4.0" Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME SI 4X4 5/8	Satin Chrome		5/8"

Ball Bearing Radius 4.0" Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS BALL BEARING SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS BALL BEARING SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME BALL BEARING SI 4X4 5/8	Satin Chrome		5/8"

Self Closing Hinge

Description	Finish	Part #	Size
SELF CLOSING US15 SATIN NICKLE RADIUS SC 4X4 5/8	Satin Nickel		5/8"
SELF CLOSING US10B OIL RUBBED BRONZE RADIUS SC 4X4 5/8	Oil-Rubbed Bronze		5/8"
SELF CLOSING US1D BLACK RADIUS SC 4X4 5/8	Black Nickel		5/8"
SELF CLOSING US26D SATIN CHROME RADIUS SC 4X4 5/8	Satin Chrome		5/8"

NRP 4.0" Hinge

Description	Finish	Part #	Size
NRP US15 SATIN NICKLE RADIUS NRP 4X4 5/8	Satin Nickel		5/8"
NRP US10B OIL RUBBED BRONZE RADIUS NRP 4X4 5/8	Oil-Rubbed Bronze		5/8"
NRP US1D BLACK RADIUS NRP 4X4 5/8	Black Nickel		5/8"
NRP US26D SATIN CHROME RADIUS NRP 4X4 5/8	Satin Chrome		5/8"





HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available Handleset Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide

Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide



millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.






Boise Cascade
MILLWORK

HARDWARE

Security Strike Plate


Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Yellow Zinc	MS00SSPTD-1Z

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.




Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDSLH-20	1.6"

DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



❖ TRU-DEFENSE ELIGIBLE

* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.

THERMA TRU
DOORS




millwork.bc.com
11011 E 104th Ave, Suite 1000
Commerce City, CO 80640
720-653-3333
DenverMillwork@bc.com



MOULDINGS


CASING-BULLNOSE



413
11/16" X 3-1/4" X 17'



473
9/16" X 2-1/4" X 17'



494
1/2" X 3-1/4" X 17'

BASE-BULLNOSE



433
1/2" X 3-1/4" X 16'



603
1/2" X 5" X 16'



803
1/2" X 7-1/4" X 16'

ANDERSEN




346
9/16" X 2-1/4" X 17'

COLONIAL



623
1/2" X 3-1/4" X 16'

1X BOARDS



- | | |
|------------------------------|--------------------------------|
| 1X2
11/16" X 1-3/4" X 16' | 1X6
11/16" X 5-1/2" X 16' |
| 1X3
11/16" X 2-1/2" X 17' | 1X8
11/16" X 7-1/4" X 16' |
| 1X4
11/16" X 3-1/2" X 16' | 1X12
11/16" X 11-1/4" X 16' |

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL





ECLISSE POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712680**	1468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/4X6/8 BUILT UP PDF 4-5/8"
7712682	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/6X6/8 BUILT UP PDF 4-5/8"
7712684	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X6/8 BUILT UP PDF 4-5/8"
7712686	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X6/8 BUILT UP PDF 4-5/8"
7712688	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X6/8 BUILT UP PDF 4-5/8"
7712690	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X6/8 BUILT UP PDF 4-5/8"
7712692	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X6/8 BUILT UP PDF 4-5/8"
7712693**	4068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0 x 6/8 BUILT UP PDF 4-5/8"
7712694**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X8/0 BUILT UP PDF 4-5/8"
7712696**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X8/0 BUILT UP PDF 4-5/8"
7712698**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X8/0 BUILT UP PDF 4-5/8"
7712700**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X8/0 BUILT UP PDF 4-5/8"
7712702**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X8/0 BUILT UP PDF 4-5/8"
7712706**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0X8/0 BUILT UP PDF 4-5/8"
7712730**	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	1/6X6/8 BUILT UP PDF 6-5/8"
7712732**	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X6/8 BUILT UP PDF 6-5/8"
7712734**	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X6/8 BUILT UP PDF 6-5/8"
7712736**	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X6/8 BUILT UP PDF 6-5/8"
7712738**	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X6/8 BUILT UP PDF 6-5/8"
7712740**	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X6/8 BUILT UP PDF 6-5/8"
7712742**	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X8/0 BUILT UP PDF 6-5/8"
7712744**	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X8/0 BUILT UP PDF 6-5/8"
7712746**	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X8/0 BUILT UP PDF 6-5/8"
7712748**	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X8/0 BUILT UP PDF 6-5/8"
7712750**	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X8/0 BUILT UP PDF 6-5/8"
7712754**	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	4/0X8/0 BUILT UP PDF 6-5/8"

ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it.. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

Our Custom Service Offerings:

- Lock Prep
- Cutouts
- SDLs
- Card Reader Prep
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,

