


**TRANSCEND THE
THRESHOLD OF
EXPECTATIONS**



Boise Cascade®
MILLWORK



HOUSTON STOCK CATALOG



DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the threshold of expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.

TABLE OF CONTENTS


Handing	2	Sills	65-67
Pre-Hung Features	3-4	Door Bottoms	68-69
Hinge Locations	5	Astragals	69-70
Capabilities	6	Endrail	71
Impact Rated Products	7-8	Weatherstrip	72
PrismaGuard® Prefinish	9-12	Hinges	72-75
PrismaGuard® Premium Paint	13-14	Handlesets	76-77
Therma-Tru Doors		Speakeasy's	77
Classic Craft® Door Construction	15-16	Hardware	78-79
Classic Craft® Mahogany Common Arch	17	Door & Lite Divider Bars	79
Classic Craft® Mahogany	18	Accessories	80
Classic Craft®	19-22	Simpson Doors	
Fiber-Classic® and Smooth-Star®		Mahogany Exterior	81-82
Options and Door Construction	23-24	Western Hemlock Exterior	83-84
Fiber-Classic® Oak	25	Knotty Alder Exterior	85
Fiber-Classic® Mahogany/Oak	26	Redi-Prime® Interior	86-87
Smooth-Star®	27-30	Western Hemlock Interior	87-88
Steel-Profiles™/Traditions	31-32	Knotty Alder Interior	89-90
Hinged Patio Door System	33-34	Pine Interior	91
Veris Collection	35-36	Knotty Pine Interior	92
EnLiten™ Flush-Glazed Designs	37	Barn Doors	93
Lite Frames	38	Barn Door Hardware	94
Advanta Lite Frame	39	Steve's	
Glass		Molded and Flush Interior Doors	95-100
Privacy Satin	39	Marwin Stairs	101
Texas Star	40	Marwin Pocket Door Frames	102
Calix	41	Eclisse Pocket Door Frames	102
Echelon	42	Exterior Frames and Jambs	103-106
Latitude	42	Mouldings	107-108
Homeward™	43	Kwikset	108
Lucerna®	43	Composite Door Frame	109
Borrassa®	44	Frames	110
Augustine®	45	Dura-Frame™	111-112
Saratoga™	46	Boise Cascade Millwork Makeover	113
Riserva®	47	Multi-Point Locking Systems	114
Pembbridge™	48		
Axis®	49		
Internal Blinds	50		
Reeded	51		
Satin Etch	52		
Chord	53		
Granite	54		
Clear	55		
Grilles	56		
Impact Glass	57-58		
Divided Lites	59		
Frames	60-61		
Fasteners Setting Tool & Screw Plug Covers	61		
Cove Mould	62		
Brickmould	62		
Mullions	63		
Composite Mull Casing	64		




HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
2. Therma-Tru® bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
3. In-swing unit with corner seal pads.
4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft® door systems have ball-bearing radius/radius hinges).
5. Compression bronze weatherstrip.
6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.
8. Sill cover (not included on fixed doors).
9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
10. Installation instructions.
11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
12. Inactive door is not bored.
13. Door with sidelites feature continuous composite adjustable sill.

PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and PVC brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"



PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Lock Preparation:


2-3/8" Backset

2-18" Face Bore

2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.

HINGE LOCATIONS



Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.


Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.¹

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.¹

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

¹Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.
 Note: See your Therma-Tru seller or visit thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.




Boise Cascade®
MILLWORK




IMPACT OPTIONS

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.¹



Doors

Feature a built-in 24-gauge steel plate.



Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Glass

Features special laminated glass construction.



Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile.

OTHER CONSIDERATIONS



Fire Doors

See pages 232–235.



Noise Reduction Doors

See page 197.



Elevated 10" Bottom Rail


Look for the (**E**) symbol.



CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (12 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:

1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard
5. Spread



BACK:

5. Spread 4. Standard 3. Patio 2. Fat Boy
1. Back-to-Back

Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim) *Limitations will apply to different materials

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Thermo-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.





Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR
LIMITED WARRANTY

Classic Craft Finish
Transferable

10 YEAR
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish



Professional
Application



Durable
Topcoat



**YELLOWSTONE
FOREVER**

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn



Boise Cascade®
MILLWORK



Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley

PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





Boise Cascade®
MILLWORK

PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.


PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

10YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10YEAR
LIMITED
WARRANTY



Durable
Topcoat




Professional
Application

THERMA-TRU®
DOORS

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.





Boise Cascade®
MILLWORK

PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade®
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.
See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.
All trademarks are property of their respective owners.

THERMA-TRU®
DOORS

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.



TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



THERMA-TRU® DOOR FRAME

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

²Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



Boise Cascade®
MILLWORK



DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.



TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹



CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²



CLASSIC CRAFT MAHOGANY COMMON ARCH†



CCM301CAL
CCM301CAR

Clear Glass
3/0 x 6/8



CCM8301CAL
CCM8301CAR

Clear Glass
3/0 x 8/0



CCM305CAL-SDLF6
CCM305CAR-SDLF6

Clear Glass
3/0 x 6/8



CCM8305CAL-SDLF6
CCM8305CAR-SDLF6

Clear Glass
3/0 x 8/0



CCM306CAL-SDLF6
CCM306CAR-SDLF6

Clear Glass
3/0 x 6/8



CCM8306CAL-SDLF6
CCM8306CAR-SDLF6

Clear Glass
3/0 x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

† = THREE WEEK LEAD TIME
SDLF6 = SIMULATED DIVIDED LITES



Boise Cascade®
MILLWORK

CLASSIC CRAFT MAHOGANY



CCM2800
CCM82800

Clear Glass
3/0 x 6/8
3/0 x 8/0



CCM2804†
CCM82804†

Clear Glass
3/0 x 6/8
3/0 x 8/0



CCM2806†
CCM82806†

Clear Glass
3/0 x 6/8
3/0 x 8/0



CCM2812†

Clear Glass
3/0 x 6/8



CCM82815†

Clear Glass
3/0 x 8/0



CCM2800XK†
CCM82800XK

Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCM2804XK†
CCM82804XK†

Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCM2806XK†
CCM82806XK†

Reeded Glass
3/0 x 6/8
3/0 x 8/0



CCM2812XK†

Reeded Glass
3/0 x 6/8



CCM82815XK†

Reeded Glass
3/0 x 8/0



CCM2800XE
CCM82800XE†

Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCM2804XE†
CCM82804XE†

Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCM2806XE†
CCM82806XE†

Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



CCM2806XE†

Satin Etch Glass
3/0 x 6/8



CCM82815XE†

Satin Etch Glass
3/0 x 8/0



CCR3400SL
CCR8000SL

Clear Glass
12", 14" x 6/8
12", 14" x 8/0



CCR2025SL†
CCR82035SL†

Clear Glass
12", 14" x 6/8
12", 14" x 8/0

THERMA TRU®
DOORS

CLASSIC CRAFT[†]

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CCA2400-LE
CCA82400-LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4900-SDLF3LE
CCA84900-SDLF3LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0




CCA4910L-SDLF3LE
CCA84910L-SDLF3LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910R-SDLF3LE
CCA84910R-SDLF3LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA3400SL-LE
CCA3500SL-LE

Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCA3450SL-SDLLLE
CCA3560SL-SDLLLE

Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



† = APPLIED SDL BARS, TWO WEEK LEAD TIME

SDL = SIMULATED DIVIDED LITES
SDF3 = SIMULATED DIVIDED LITES



Boise Cascade®
MILLWORK

CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



CCA211-1D†
CCA8211-1D†

Homeward Glass
3/0 x 6/8
3/0 x 8/0



CCA210-LE
CCA8210-LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA220-SDLLE
CCA8220-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA230-SDLLE
CCA8230-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA240-SDLLE
CCA8240-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA260-SDLLE
CCA8260-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA87100-LE

Low-E Glass
3/6 x 8/0



CCA87200-SDLLE

Low-E Glass
3/6 x 8/0



CCA87300-SDLLE

Low-E Glass
3/6 x 8/0



CCA87400-SDLLE

Low-E Glass
3/6 x 8/0



CCA87600-SDLLE

Low-E Glass
3/6 x 8/0



CCA1100†
CCA81100†

3/0 x 6/8
3/0 x 8/0



CCA4905-DDBF3†
CCA84905-DDBF3†

3/0 x 6/8
3/0 x 8/0



CCA4915L-DDBF3†
CCA84915L-DDBF3†

3/0 x 6/8
3/0 x 8/0



CCA4915R-DDBF3†
CCA84915R-DDBF3†

3/0 x 6/8
3/0 x 8/0

† = APPLIED SDL BARS, TWO WEEK LEAD TIME
1D = BLACK NICKEL CAMING
1C = BRUSHED NICKEL CAMING
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES
DDBF3 = DOOR DIVIDER BARS

THERMA-TRU®
DOORS

CLASSIC CRAFT® (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



CCM60
3/0 x 6/8



CCM890
3/0 x 8/0



CCR205
CCR8205
3/0 x 6/8
3/0, 3/6 x 8/0



CCR8225
3/0, 3/6 x 8/0



CCR3400SL-LE
CCR8000SL-LE
12", 14" x 6/8
12", 14" x 8/0



CCR8005
3/0 x 8/0



CCR040
CCR8040
3/0 x 6/8
3/0, 3/6 x 8/0



CCR8222
3/0, 3/6 x 8/0



CCR200
CCR8200
3/0 x 6/8
3/0 x 8/0



CCR100
CCR8100
3/0, 3/6 x 6/8
3/0, 3/6 x 8/0



CCV205
3/0 x 6/8



CCV220
3/0 x 6/8



CCV050
3/0 x 6/8





Boise Cascade®
MILLWORK



THERMA TRU®
DOORS

Grain Options




FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.

²Comparison of fiberglass to wood doors (both without glass).



Boise Cascade®
MILLWORK

Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.



NEW Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



2000-LE
8000-LE
Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



2000XE
8000XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0





Boise Cascade®
MILLWORK

FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



FCM4810-LE
Low-E Glass
3/0 x 6/8



FCM4812-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4813-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4814-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4816-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM31
2/8, 3/0 x 6/8



FCM220
2/8, 3/0 x 6/8



FCM205
2/8, 3/0 x 6/8



FCM600
2/8, 3/0 x 6/8



FCM60
FCM860
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



FCM1000
FCM81000
2/0, 2/6, 2/8, 3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



FCM12101SL
12" x 6/8



FCM32SL
12" x 6/8



FCM62SL
12" x 6/8



FC31
2/8, 3/0 x 6/8



FC809
2/8, 3/0 x 6/8



FC862
2/8, 3/0 x 8/0



FC755
3/0 x 6/8



FC60
FC860
2/6, 2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



1000
81000
2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



THERMA-TRU®
DOORS

SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S2000
S8000

Clear Glass
2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



S2000-LE
S8000-LE

Low-E Glass
2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



S2000SL-LE
S8000SL-LE

Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



S2000XE
S8000XE

Satin Etch Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2600-LE
S82600-LE

Internal Blinds
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200
S82200

Clear Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200-LE
S82200-LE

Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S82200XE

Satin Etch Glass
2/6, 2/8, 3/0 x 8/0



S82200XC

Chord Glass
3/0 x 8/0



S82200XN

Granite Glass
3/0 x 8/0



S82200XR

Rain Glass
3/0 x 8/0



S2100

Clear Glass
2/8, 3/0 x 6/8



S4810-LE
S84810-LE

Low-E Glass
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S4810XE
S84810XE

Satin Etch Glass
Shaker
3/0 x 6/8
3/0 x 8/0



S4810XR

Rain Glass
Shaker
3/0 x 6/8



S2610XC

Chord Glass
Shaker
3/0 x 6/8



S86240

Saratoga Glass
Shaker
3/0 x 8/0



S3200

Clear Glass
Shaker
2/8, 3/0 x 6/8



S3200XE

Satin Etch Glass
Shaker
3/0 x 6/8



S4200

Clear Glass
Shaker
2/8, 3/0 x 6/8



S4200XE

Satin Etch Glass
Shaker
3/0 x 6/8



S6200

Clear Glass
Shaker
2/8, 3/0 x 6/8



S6200XE

Satin Etch Glass
Shaker
3/0 x 6/8



S9200

Clear Glass
Shaker
2/8, 3/0 x 6/8



S9200XE

Satin Etch Glass
Shaker
3/0 x 6/8



Boise Cascade®
MILLWORK

SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S93
2/8, 3/0 x 6/8



**S220
S8200**
2/8, 2/10, 3/0 x 6/8
2/8, 3/0 x 8/0



**S1100
S81100**
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S120
S8120**
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S200
S897**
Shaker
2/6, 2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S205
S8201**
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S31
S831**
3/0 x 6/8
2/8, 3/0 x 8/0



**S4800
S84800**
Shaker
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S600
S8600**
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



**S210
S810**
2/6, 2/10, 3/0 x 6/8
2/6, 2/8, 2/10, 3/0 x 8/0



S960
2/8, 3/0 x 6/8



S755
3/0 x 6/8



S11
3/0 x 6/8



**S100
S81000**
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 6/8
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 8/0



THERMA-TRU®
DOORS

SMOOTH-STAR[†]



S3300
S83300
Clear Glass
6/8, 8/0



S3400
S83400
Clear Glass
6/8, 8/0



S3500
S83500
Clear Glass
6/8, 8/0



S3600
S83600
Clear Glass
6/8, 8/0



S3301
S83301
6/8, 8/0



S3401
S83401
6/8, 8/0



S3501
S83501
6/8, 8/0



S3601
S83601
6/8, 8/0



S5701
S85701
6/8, 8/0




S5721
S85721
6/8, 8/0



[†] = APPLIED SDL BARS, TWO WEEK LEAD TIME
Stock status is subject to availability, please contact your Boise
Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK



THERMA-TRU®
DOORS

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available		
• = Not Applicable		
P = Paint		

Door Widths

2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

Door Heights

6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

Glass Options

Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

Frame Options

Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■

Additional Options

Finish	P	P
--------	---	---

RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

5'0" Patio Opening = (2) 2'4" Doors
6'0" Patio Opening = (2) 2'10" Doors

¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

²Decorative glass designs are shown in Profiles only.

³Brass coming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.



Boise Cascade®
MILLWORK

STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



978HD
2/8, 3/0 x 6/8



1005HD
2/8, 3/0 x 6/8



205HD
2/8, 3/0 x 6/8



210HD
3/0 x 6/8



100
3/6 x 6/8



**TS210
810**
2/6, 2/8, 2/10, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



**TS100
800**
2/0, 2/4, 2/6, 2/8, 2/10,
3/0 x 6/8
2/0, 2/6, 2/8, 3/0 x 8/0



THERMA-TRU®
DOORS

HINGED PATIO DOOR SYSTEMS

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.





VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.

- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
 - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
 - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with
Vented Sidelites
(Inswing Only)




Double Doors with
Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

Veris™

COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS™ COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors





Boise Cascade®
MILLWORK

NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior.

Double-pane construction allows for an easy-to-clean surface.



Experience the
Veris Collection.




Scan the QR code to
view the complete Veris
Collection catalog.

Explore options and see it in your home
with our visualizer at veriscollection.com.

EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%² — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass
with Detailed Sticking
Look for the (🔸) symbol.



Flush-Glazed Glass
with Square Sticking
Look for the (🔲) symbol.



Lip-Lite Frame

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.





Lite Frames

Therma-Tru® doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



Advanta® Lite Frame¹

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass¹	■	
Clear & Specialty Glass¹	■	■

¹See your Therma-Tru seller for details on product availability.

^{*}Not available with Advanta lite frame.

Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey


ADVANTA LITE FRAME

A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



PRIVACY SATIN

Glass Privacy Rating 1 10





Boise Cascade®
MILLWORK

TEXAS STAR

Glass Privacy Rating 1 5 10

Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.

Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)

22 x 64



TXMBK22641C

22 x 64



TXMBK22641D

22 x 47



TXMBK22471C

22 x 47



TXMBK22471D

22 x 36



TXMBK22361C

22 x 36



TXMBK22361D

7 x 64



TXMBK07641C

7 x 64



TXMBK07641D

8 x 47




TXMBK08471C

8 x 47



TXMBK08471C



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.


THERMA-TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |

CALIX

Glass Privacy Rating **1** 10

Calix includes an on-trend “x” design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.






Boise Cascade®
MILLWORK

ECHELON

Glass Privacy Rating **1** 10


Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.



LATITUDE

Glass Privacy Rating **2** 10

Bending tradition. Latitude showcases 1 seedy glass and simple curved details in a half-moon geometric design.



THERMA TRU®
DOORS

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.


thermatru.com | 1-800-THERMA-TRU |    

HOMeward™

Glass Privacy Rating 1 **4** 10

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray artique glass. An ideal complement for a Transitional home design.

25 x 51




HWCCR2551-1D

25 x 42



HWCCR2542-1D
HWCCR2542-1C



Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)




LUCERNA®

Glass Privacy Rating 1 **7** 10


Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.

25 x 51




LCCCR2551-1C
LCCCR2551-1D

25 x 42



LCCCR2542-1C
LCCCR2542-1D



Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)





Boise Cascade®
MILLWORK

BORRASSA®

Glass Privacy Rating 1  10


A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Caming Options




Wrought Iron

25 x 51



BACCW2551-KC-1W†

25 x 51 Arched



BACCW2551A-KC-1W†

25 x 42





BACCW2542-KC-1W†

25 x 42 Arched



BACCW2542A-KC-1W



THERMA TRU®
DOORS

† = THREE WEEK LEAD TIME
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

thermatru.com | 1-800-THERMA-TRU |    

AUGUSTINE®

Glass Privacy Rating 1 10

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.

Caming Options



Wrought Iron

25 x 51	25 x 51 Arched	25 x 42	25 x 42 Arched
AGCCW2551-NC-1W	AG2551A-1W†	AGCCW2542-NC-1W	AG2542A-1W†



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

SARATOGA™

Glass Privacy Rating 1 7 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and coming. The geometric pattern bridges both modern and traditional designs.

22 x 64



SGFC2264-1C
SGFC2264-1D

22 x 47



SGFC2247-1C
SGFC2247-1D

Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |    

RISERVA®

Glass Privacy Rating 1 10


Riserva combines oceana glass with linear and curved wrought iron elements to create a simple yet elegant design. A perfect way to let natural light in while achieving ultimate privacy.

Caming Options



Wrought Iron

22 x 64



RSFC2264-PC-1W

22 x 47




RSFC2247-PC-1W

22 x 36



RSMBK2236-PC-1W






Boise Cascade®
MILLWORK

PEMBRIDGE™

Glass Privacy Rating 1 7 10


Simplistic in its design, Pembridge features a field of hammered glass framed by gray baroque glass and multifaceted bevels. A central diamond shape adds a decorative touch.

22 x 64




PBFC2264-1C
PBFC2264-1D

22 x 47



PBFC2247-1C
PBFC2247-1D

Caming Options



Black Nickel
(1D)



Brushed Nickel
(1C)



PBMBK1640V-1D



FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA TRU®
DOORS


thermatru.com | 1-800-THERMA-TRU |    

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create stunning contrast and modest privacy. A vertical band of clear glass bevels completes this linear design, ideal for Modern home styles.

Caming Options



Black Nickel
(1D)





INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.

22 x 80



VBRFC-2280
VBRFC-2280-CE
VBRSS-2280
VBRSS-2280-CE



20 x 80



VBRFC-2080
VBRFC-2080-CE
VBRSS-2080
VBRSS-2080-CE



22 x 64




VBRFC-2264
VBRFC-2264-CE
VBRSS-2264
VBRSS-2264-CE



20 x 64



VBRFC-2064
VBRFC-2064-CE
VBRSS-2064
VBRSS-2064-CE




16 x 64



VBRSS-1664
VBRSS-1664-CE



07 x 64




VBRSS-0764
VBRSS-0764-CE



22 x 47




VBRFC-2247
VBRFC-2247-CE
VBRSS-2247
VBRSS-2247-CE



22 x 36




VBRFC-2236
VBRFC-2236-CE
VBRSS-2236
VBRSS-CE



20 x 36



VBRSS-2036



CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA-TRU®
DOORS

REEDED

Glass Privacy Rating 1 7 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.

21 x 15



XKSSZ2115-A

8 x 6



XKFCZ0806-X
XKSSZ0806-X XKFC0764



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



Boise Cascade®
MILLWORK

SATIN ETCH

22 x 80



XESS2280



07 x 80



XESSZ0780



22 x 64



XESS2264



07 x 64




XEFCZ0764
XESS0764
XESSZ0764



22 x 47




XESS2247



22 x 36



XESS2236



21 x 15



XEFCZ2115
XESS2115
XESSZ2115



21 x 15



XEMBK2115-A



8 x 6



XEFCZ0806
XESS0806
XESSZ0806



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA-TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |    

CHORD

Glass Privacy Rating 1 10



A vertical flowing pattern reminiscent of waves on the water.



XCSSZ0780




XCSS2264




XCFCZ0764
XCSS0764
XCSSZ0764



XCSS2247



XCSS2236



XCSS2115
XCSSZ2115



XCFCZ0806
XCSS0806
XCSSZ0806






Boise Cascade®
MILLWORK

GRANITE

Glass Privacy Rating 1  10

A coarse-grained arrangement with surface detail over the entirety of the glass.

22 x 64



XNSS2264

07 x 64





XNSS0764 XNSSZ0764

22 x 47



XNSS2247



22 x 36



XNSS2236

21 x 15




XNSS2115
XNSSZ2115

8 x 6



XNSS0806
XNSSZ0806




FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.

THERMA-TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |    



CLEAR GLASS



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



GRILLES



CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

IMPACT GLASS



Let in more coastal light.

Enjoy the clean style and increased daylight opening of full-lite EnLiten_{TM} flush-glazed glass, now engineered to withstand extreme weather conditions.* Available with privacy and textured, energy-efficient Low-E and a wide selection of simulated divided lite styles.


*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Top: Smooth-Star, Clear Glass with SDLs, Doors – S1205, Finish – Arctic Ice




Boise Cascade®
MILLWORK


AVAILABLE SDL PATTERNS†



DL104H
VBRH-2236-XEH-1
VBRH-2236-XCH-1



DL2247H
VBRH-2247-XCH-1
VBRH-2247-XEH-1



DL118NH
DL118ENH
VBRH-2064-XCH-1
VBRH-2064-XEH-1



DL118H
DL118EH
VBRH-2264-XCH-1
VBRH-2264-XEH-1



DL818NH
DL818ENH
VBRH-2080-XCH-1
VBRH-2080-XEH-1



DL818H
DL818EH
VBRH-2280-XCH-1
VBRH-2280-XEH-1

† = TWO WEEK LEAD TIME

THERMA TRU®
DOORS

DIVIDED LITES

Simulated Divided Lites (SDL)




Grilles Between Glass (GBG)




Fixed Grilles (FXG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.





Boise Cascade®
MILLWORK

FRAMES

Composite Frames

4-1/8"
4-9/16"
5-1/4"
6-9/16"
7-1/4"



Description	Material	Part #	Size	Item
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN430U1B	3/0 4-9/16 U1	803410271
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN490WMU1B	9/0 4-9/16 U1	803410272
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG	6/8 4-9/16	803410254
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG	6/8 4-9/16	803410255
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG	8/0 4-9/16	803410258
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG	8/0 4-9/16	803410259
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN530U1B	3/0 5-1/4 U1	803410273
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN590WMU1B	9/0 5-1/4 U1	803410274
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN5IL68HHSG	6/8 5-1/4	803410275
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN5IR68HHSG	6/8 5-1/4	803410277
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN5IL80HHSG	8/0 5-1/4	803410276
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN5IR80HHSG	8/0 5-1/4	803410278
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN630U1B	3/0 6-9/16 U1	803410279
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN690WMU1B	9/0 6-9/16 U1	803410280
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG	6/8 6-9/16	803410262
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG	6/8 6-9/16	803410263
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG	8/0 6-9/16	803410266
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG	8/0 6-9/16	803410267
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN730U1B	3/0 7-1/4 U1	803410307
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN790WMU1B	9/0 7-1/4 U1	803410308
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN7IL68HHSG	6/8 7-1/4	803410309
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN7IR68HHSG	6/8 7-1/4	803410311
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN7IL80HHSG	8/0 7-1/4	803410310
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN7IR80HHSG	8/0 7-1/4	803410312
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN430U1B	3/0 4-9/16 U1	803410249
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN490WMU1B	9/0 4-9/16 U1	803410294
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL68HHSG	6/8 4-9/16	803410256
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR68HHSG	6/8 4-9/16	803410257
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN4IL80HHSG	8/0 4-9/16	803410260
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN4IR80HHSG	8/0 4-9/16	803410261
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN530U1B	3/0 5-1/4 U1	803410315
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN590WMU1B	9/0 5-1/4 U1	803410270
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN5IL80HHSG	8/0 5-1/4	803410316
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN5IR80HHSG	8/0 5-1/4	803410317
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN630U1B	3/0 6-9/16 U1	803410297
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN690WMU1B	9/0 6-9/16 U1	803410295
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN6IL80HHSG	8/0 6-9/16	803410268
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN6IR80HHSG	8/0 6-9/16	803410269

THERMA TRU®
DOORS

FRAMES

Composite Frames (cont.)

FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN730U1B	3/0 7-1/4 U1	803410313
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN790WMU1B	9/0 7-1/4 U1	803410314
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN7IL68HHSG	6/8 7-1/4	803410324
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN7IR68HHSG	6/8 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN7IL80HHSG	8/0 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN7IR80HHSG	8/0 7-1/4	803410327

Other Frames

Description	Material	Part #	Size	Item
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1	803470000
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1	803470002
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1	803470004
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1	803470006
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1	803470008
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1	803470014
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1	803470010
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1	803470012

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.



Description	Material	Part #	Item
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB PLUG	JPCSN	803560178
JAMB PLUG COMPOSITE GRAINED RAW	JAMB PLUG	JPCGN	803560177
JAMB PLUG INSTALLATION SCREWS	JAMB SCREWS	JPSCREW	803560179
JAMB PLUG INSTALLATION TOOL	JAMB TOOL	JPTOOL	803560180



COVE MOULD

7/16" x 5/16" Cove Mould



Description	Application	Material	Part #	Size	Item
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN68LN	6/8	801080327
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN80LN	8/0	801080328
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCGN80LN	8/0	801080326

BRICKMOULD

2" Brickmould WM180



Description	Application	Material	Part #	Size	Item
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1	800700067
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI30U1	3/0 U1	800700068
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0	800700065
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8	800700057
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8	800700058
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0	800700061
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0	800700062
BRICKMOULD COMPOSITE GRAINED RAW IS	Inswing	Composite	BMCGNI30U1	3/0 U1	800700094
BRICKMOULD COMPOSITE GRAINED RAW IS TPL W/MULL	Inswing	Composite	BMCGNIB90WBK	9/0	800700091
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL68H	6/8	800700059
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR68H	6/8	800700060
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL80H	8/0	800700063
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR80H	8/0	800700064

Additional Brickmould:

Description	Material	Part #	Size	Item
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1	800700013
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1	800700018
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1	800700014
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1	800700019

COMPOSITE ENTRY MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB68HHSG	6/8	2"	804340032
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB80HHSG	8/0	2"	804340026
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB68HHSG	6/8	2.5"	804340033
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB80HHSG	8/0	2.5"	804340034
MULL COMPOSITE GRAINED RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCGNENIB80HHSG	8/0	2"	804340027
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCGNEWIB80HHSG	8/0	2.5"	804340044

COMPOSITE PATIO MULLION



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPBIB68HHSG	6/8	2"	808980372
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPBIB80HHSG	8/0	2"	808980370
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB68HHSG	6/8	2"	804340036
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB80HHSG	8/0	2"	804340037
MULL COMPOSITE GRAINED RAW PATIO WIDE OS BLANK HD/SILL	Composite	Outswing	MCGNEWIB80HHSG	8/0	2.5"	804340048

Additional Entry Mullions:

Description	Material	Application	Part #	Size	Item
MULLION PINE PATIO IS HEAD/SILL PRIMED	Primed Pine	Inswing	MNPPI79280HSGN	80" RO	804470002

 PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.



COMPOSITE MULL CASING



Description	Material	Application	Part #	Size	Width	Item
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FCCSNIB30BK	3/4" X 3/0	3.5"	801930003
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FCCSNIB90WBK	3/4" X 9/0	3.5"	801930006
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB68B	3/4" X 6/8	3.5"	801930004
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB680B	3/4" X 8/0	3.5"	801930005
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB30BK	1" X 3/0	3.5"	801920042
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FC1CSNIB90WBK	1" X 9/0	3.5"	808980328
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB68B	1" X 6/8	3.5"	801920043
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB680B	1" X 8/0	3.5"	801920044
FLAT CASING COMPOSITE GRAINED RAW IS BLANK TRIPLE WIDE MULL	Composite	Inswing	FC1CGNIB90WBK	1" X 9/0	3.5"	808980329
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB68B	1" X 6/8	3.5"	801920046
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB80B	1" X 8/0	3.5"	801920048



SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood
(Premium)



Darkwood
(Economy)

Inswing Composite Adjustable Sill



Composite Adjustable Sill (Premium)

- Thick wood-grained composite cap and nosing.
 - U-shaped weather seal.
 - Adjustable flush stainless steel screws.
- Continuous length with spread mullion capability to fill 49"-75" rough openings.*

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES36UNBD	3/6 5-3/4 U1	803260263
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Bronze	Darkwood	ISL3AS5EN90UNBD	9/0 5-3/4 U1	803260224
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Mill	Darkwood	ISL3AS5EN90UNMD	9/0 5-3/4 U1	803260226
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES26UNMD	2/6 5-3/4 U1	803260241
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES36UNMD	3/6 5-3/4 U1	803260265
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES28UNBD	2/8 5-3/4 U1	803260247
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES28UNMD	2/8 5-3/4 U1	803260249
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES30UNBD	3/0 5-3/4 U1	803260255
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES30UNMD	3/0 5-3/4 U1	803260257
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS5EF607UNBD	6/0 5-3/4 U1	803260168
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS5EF607UNMD	6/0 5-3/4 U1	803260170
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Bronze	Darkwood	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1	803260184
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Mill	Darkwood	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1	803260186
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Bronze	Darkwood	ISL3AS5PD60ULNBD	6/0 5-3/4 U1	803260519
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Mill	Darkwood	ISL3AS5PD60ULNMD	6/0 5-3/4 U1	803260521
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Bronze	Darkwood	ISL3AS5PD60URNBD	6/0 5-3/4 U1	803260527
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Mill	Darkwood	ISL3AS5PD60URNMD	6/0 5-3/4 U1	803260529
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Bronze	Darkwood	ISL3AS5PN90UNBD	9/0 5-3/4 U1	803260551
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Mill	Darkwood	ISL3AS5PN90UNMD	9/0 5-3/4 U1	803260553
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS4EF607UNBD	6/0 4-9/16 U1	803260048
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS4EF607UNMD	6/0 4-9/16 U1	803260050
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES28UNBD	2/8 4-9/16 U1	803260096
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES28UNMD	2/8 4-9/16 U1	803260098
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES30UNBD	3/0 4-9/16 U1	803260104
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES30UNMD	3/0 4-9/16 U1	803260106

Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1	803261805
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1	803261804
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1	803261807
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1	803261808
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1	803261803
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1	803261798
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1	803261806
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1	803261799

- Wood-grained composite cap and nosing.
- Zinc dichromate screws with removable screw caps.





Outswing Composite Outswing Sill ❖



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE36USF5BDB	3/6 5-3/4 U1	805140272
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE36USF5MDB	3/6 5-3/4 U1	805140274
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE50USF5MDB	5/0 5-3/4 U1	805140352
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE54USF5MDB	5/4 5-3/4 U1	805140400
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE90USF5MDB	9/0 5-3/4 U1	805140688
OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U12SF5MDB	3/0 5-3/4 U1	805140210
OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U14SF5MDB	3/0 5-3/4 U1	805140218
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE28USF5BDB	2/8 5-3/4 U1	805140165
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE28USF5MDB	2/8 5-3/4 U1	805140167
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30USF5BDB	3/0 5-3/4 U1	805140224
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30USF5MDB	3/0 5-3/4 U1	805140226
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE26USF5BDB	2/6 5-3/4 U1	805140144
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE50USF5BDB	5/0 5-3/4 U1	805140350
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE54USF5BDB	5/4 5-3/4 U1	805140398
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE60USF5BDB	6/0 5-3/4 U1	805140526
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE90USF5BDB	9/0 5-3/4 U1	805140686
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE60USF5MDB	6/0 5-3/4 U1	805140528
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE26USF5MDB	2/6 5-3/4 U1	805140146
TRU-DEFENSE OS SILL W/ 2 12" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U12SF5BDB	3/0 5-3/4 U1	805140208
TRU-DEFENSE OS SILL W/ 2 14" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U14SF5BDB	3/0 5-3/4 U1	805140216
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE607USF5BDB	6/0 5-3/4 U1	805140510
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE607USF5MDB	6/0 5-3/4 U1	805140512

Outswing Aluminum Sill Without Thermal Break




Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.

Description	Application	Sill Finish	Part #	Size	Item
OS NTB SILL BRONZE	Outswing	Bronze	BS260ABU1	2/6 4-9/16 U1	800770003
OS NTB SILL BRONZE	Outswing	Bronze	BS280ABU1	2/8 4-9/16 U1	800770007
OS NTB SILL BRONZE	Outswing	Bronze	BS300ABU1	3/0 4-9/16 U1	800770011
OS NTB SILL BRONZE	Outswing	Bronze	BS600ABU1	6/0 4-9/16 U1	800770027
OS NTB SILL MILL	Outswing	Mill	BS26096U1	2/6 4-9/16 U1	800770001
OS NTB SILL MILL	Outswing	Mill	BS28096U1	2/8 4-9/16 U1	800770005
OS NTB SILL MILL	Outswing	Mill	BS30096U1	3/0 4-9/16 U1	800770009
OS NTB SILL MILL	Outswing	Mill	BS60096U1	6/0 4-9/16 U1	800770025

Public Access Sill With or Without Thermal Break (For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size	Item
PUBLIC ACCESS SILL - MILL FINISH	S430PAU1	3/0 4-9/16 U1	806180007
PUBLIC ACCESS SILL - MILL FINISH	S460PAU1	6/0 4-9/16 U1	806180015
PUBLIC ACCESS SILL - MILL FINISH	S630PAU1	3/0 6-9/16 U1	806190007
PUBLIC ACCESS SILL - MILL FINISH	S660PAU1	6/0 6-9/16 U1	806190015
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S430PABU1	3/0 4-9/16 U1	806180002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S460PABU1	6/0 4-9/16 U1	806180010
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S630PABU1	3/0 6-9/16 U1	806190002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S660PABU1	6/0 6-9/16 U1	806190010

Sill Covers (Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size	Item
TRU-DEFENSE OS SILL COVER BULK	TD0COV530B	3/0 5-3/4	806800013
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4	806800002

Sill Extenders

Shown in 2"



Finishes:
Darkwood (Premium)

Sizes:
3/4"
2"

Description	Finish	Part #	Size	Item
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TD0SSN60D	2"X72	806800037
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TD0SSN90D	2"X108	806800041
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0	806261173
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1	806261207
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0	806261174
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1	806261208
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1	806261239
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1	806261240

Sill End Seal Pads

Description	Part #	Size	Item
IS SILL PAD SLANTED END	ISL3FSEALPAD-24	1-3/8"	808980348
TRU-DEFENSE END SEAL SILL PAD	MSISSEAL-TD3		804520079
TRU-DEFENSE OS END SEAL SILL PAD	MSOSSEAL-TD		804520086

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1	801270086
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1	801270092
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1	801270088
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1	801270090
DOOR BOTTOM IS DP ACTIVE NOTCHED BRONZE	Inswing	DBDBU300NB	3/0 U1	801270091
DOOR BOTTOM SIDELITE IS DP ACTIVE NONOTCH BRONZE	Inswing	DBDB140B	14"	801270050

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0 U1	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6 U1	806040054

Kerf-Applied Door Bottoms for Composite Outswing Sills



Sills:
Composite Outswing
Aluminum
Coastal

Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB30OS99U	3/0 U1	801270034
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB36OS99U	3/6 U1	801270042

4 Fin Sweep Door Bottom for Public Access Sills



Sills:
Public Access

Color:
Bronze

Description	Part #	Size	Item
DOOR BOTTOM SWEEP	DB30USWP	3/0 U1	801270037
DOOR BOTTOM SWEEP	DB36USWP	3/6 U1	801270046

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.


Inactive Door Bottoms for Outswing Aluminum Sills



Sills:
Composite Outswing
Color:
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS INACTIVE BRONZE	Outswing	DBP30UTS	3/0	808980310

Inactive Door Bottoms for Composite Outswing Sills ❖




Sills:
Composite Adjustable
Hardwood Adjustable

Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOS140B	14"	806040076
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOSU300B	3/0 U1	806040089

Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable

Color:
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"	802090003
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0	802090007

Additional Door Bottoms Available:

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6	806040054

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

Stainable Astragal ❖



Heights:
6'6"
6'8"
7'0"
8'0"
Width:
7'8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Available:
Fir
Weatherstrip:
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS0SABFL	6/8	800460016
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS8SABFL	6/8	800460098
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS0SABFR	8/0	800460017
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS8SABFR	6/8	800460099
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS0SABFL	6/6	800460177
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS8SABFL	6/8	800460257
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS0SABFR	8/0	800460178
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS8SABFR	6/8	800460258



Boise Cascade®
MILLWORK

Aluminum Astragal ✦

Coastal option
also available.



Heights:

6'6"
6'8"
7'0"
8'0"

Width:

7/8"

Configurations:

Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:

Bronze
White

Weatherstrip:

Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	6/8	800460010
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	7/0	800460052
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS8SAAL	8/0	800460092
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	6/6	800460137
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/8	800460012
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	7/0	800460053
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS8SAAR	8/0	800460094
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	6/6	800460138
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS0SAAL	6/8	800460172
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS8SAAL	8/0	800460253
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	6/6	800460293
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS0SAAR	6/8	800460173
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS8SAAR	8/0	800460254
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	6/6	800460294

Astragal Replacement Parts

Description	Part #	Size	Item
ASTRAGAL REPLACEMENT BOOT LH STANDARD	7ASTBOOTL450		800180000
ASTRAGAL REPLACEMENT BOOT RH STANDARD	7ASTBOOTR450		800180001
REPLACEMENT ALUMINUM ASTRAGAL HARDWARE PACKAGE	RPAHWB		806040006
REPLACEMENT ALUMINUM ASTRAGAL SPRING CLIP REP KIT	RPSPREPKIT		806040160
REPLACEMENT ASTRAGAL ALUMINUM TOP & OUTSWING BOOT 2/PK	RPTOPBT		806040198
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTL	17"	806040024
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTS	2-5/8"	806040026
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTLB	17"	806040025
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTSB	2-5/8"	806040027
REPLACEMENT CLOSURE STRIP WHITE	RPATRMW		806040023
REPLACEMENT SCREW BOLT RETAINER	RPAST5136016		806040019
REPLACEMENT SNAP-IN TRIM STRIP BRONZE	RPATRMB		806040022

THERMA TRU®
DOORS

END RAIL

Description	Part #	Size	Item
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0	806040042
CC REPLACEMENT KERF END RAIL	RPCCER30SS	3/0	806040043
CC REPLACEMENT KERF END RAIL	RPFGERT36C	3/6	806040044
REPLACEMENT END RAIL	RPER36C	3/6	806040215
SS REPLACEMENT KERF END RAIL	RPFGERT30C	3/0	806040214
CC END RAIL FOR FULL PLANK REV V	CCER30SSPLKREVV	3/0	800920027





Boise Cascade®
MILLWORK

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame.
Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip ❖



Colors:
Bronze
White

Long-Reach Weatherstrip ❖



Colors:
Bronze
White

Description	Part #	Size	Color	Item
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze	807830001
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze	807830004
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze	807950015
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze	807950006
WEATHERSTRIP SIDE LONG REACH	WS8FW	8/0	White	807950012
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze	807950018
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze	807950008
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FW7	8/0	White	807950014

EXTERNAL HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft Ball-Bearing Staggered Hole Pattern Hinge ❖



Description	Finish	Part #	Size	Item
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8	802790079
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8	802790080
CC NRP HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCSR5NRP-1H	5/8	802790081
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8	802790082
CC NRP HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCSR5NRP-PC	5/8	802790112
CC NRP HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCSR5NRP-SS	5/8	802790113
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8	802790083
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8	802790084
CC HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCR5S-1H	5/8	802790085
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-1C	5/8	802790086
CC HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCR5S-PC	5/8	802790098
CC HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCR5S-SS	5/8	802790099

Stock status is subject to availability, please contact your Boise
Cascade Millwork Representative with any questions.

❖ TRU-DEFENSE ELIGIBLE

THERMA TRU®
DOORS

thermatru.com | 1-800-THERMA-TRU |    

Self-Aligning Ball-Bearing Hinge ❖



Description	Finish	Part #	Size	Item
HINGE BALL BEARING RH	Brass Plated	HGBBR5-1A	5/8"	802790059
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"	802790060
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"	802790061
HINGE BALL BEARING RH	Oil Rubbed Bronze	HGBBR5-1H	5/8"	802790062
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"	802790067
HINGE BALL BEARING RH	Polished Chrome	HGBBR5-PC	5/8"	802790065
HINGE BALL BEARING RH	Stainless Steel	HGBBR5-SS	5/8"	802790066
HINGE BALL BEARING LH	Brass Plated	HGBBL5-1A	5/8"	802790050
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"	802790051
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"	802790052
HINGE BALL BEARING LH	Oil Rubbed Bronze	HGBBL5-1H	5/8"	802790053
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"	802790058
HINGE BALL BEARING LH	Polished Chrome	HGBBL5-PC	5/8"	802790056
HINGE BALL BEARING LH	Stainless Steel	HGBBL5-SS	5/8"	802790057

Self-Aligning Hinge ❖



Description	Finish	Part #	Size	Item
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"	802790010
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"	802790011
HINGE NRP BULK PACK	Oil Rubbed Bronze	HG58RP-1H-S	5/8"	802790012
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"	802790015
HINGE NRP BULK PACK	Polished Chrome	HG58RP-PC-S	5/8"	802790013
HINGE NRP BULK PACK	Stainless Steel	HG58RPSS-S	5/8"	802790014
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"	802790008
HINGE SELF-ALIGNING BULK PACK	Oil Rubbed Bronze	HG58-1H-S	5/8"	802790009
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"	802790027
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"	802790028
HINGE SELF-ALIGNING W/SECURITY TAB BULK PACK	Stainless Steel	HG58STSS-S	5/8"	802790028



Boise Cascade®
MILLWORK

Spring-Loaded Hinge



Description	Finish	Part #	Size	Item
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"	802790016
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"	802790017
HINGE SPRING LOADED	Oil Rubbed Bronze	HG58SL-1H	5/8"	802790018
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"	802790022
HINGE SPRING LOADED	Polished Chrome	HG58SL-PC	5/8"	802790020
HINGE SPRING LOADED	Stainless Steel	HG58SL55	5/8"	802790021

INTERIOR HINGES



3.5" X 3.5" X 2.2MM 5/8" RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 3.5" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG35I583	5/8	769050007
SI 5/8" RAD 3.5" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG35I5815	5/8	769050003
SI 5/8" RAD 3.5" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG35I5810C	5/8	769050001
SI 5/8" RAD 3.5" US26D STN/BRSH CHROME RESIDENTIAL	Stn/Brsh Chrome	HG35I5826D	5/8	769050325
SI 5/8" RAD 3.5" US1D BLACK RESIDENTIAL	Black Nickel	HG35I581D	5/8	769050002
SI 5/8" RAD 3.5" USP PRIMED RESIDENTIAL	Primed	HG35I58P	5/8	769050033
SI 5/8" RAD 3.5" US2 ZINC DICHROMATE RES	Zinc	HG35I582	5/8	769050004

4" X 4" X 2.5MM 5/8" RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG4I583	5/8	769050350
SI 5/8" RAD 4" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG4I5815	5/8	769050354
SI 5/8" RAD 4" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG4I5810C	5/8	769050358
SI 5/8" RAD 4" US26D STN/BRSH CHROME RESIDENTIAL	Stn/Brsh Chrome	HG4I5826D	5/8	769050360
SI 5/8" RAD 4" US1D BLACK RESIDENTIAL	Black Nickel	HG4I581D	5/8	769050362
SI 5/8" RAD 4" USP PRIMED RESIDENTIAL	Primed	HG4I58P	5/8	769050363

THERMA TRU®
DOORS

4" X 4" X 2.5MM 5/8"
RADIUS NRP RESIDENTIAL ✦

Description	Finish	Part #	Size	Item
SO 5/8" RAD 4" US3 NRP POLISHED BRASS RES	Polished Brass	HG4O583	5/8	769050401
SO 5/8" RAD 4" US15 NRP SATIN NICKEL RES	Satin Nickel	HG4O5815	5/8	769050405
SO 5/8" RAD 4" US10C NRP COLONIAL BRONZE RES	Colonial Bronze	HG4O5810C	5/8	769050409
SO 5/8" RAD 4" US26D NRP STN/BRSH CHROME RES	Stn/Brsh Chrome	HG4O5826D	5/8	769050411
SO 5/8" RAD 4" US1D NRP BLACK RES	Black Nickel	HG4O581D	5/8	769050413
SO 5/8" RAD 4" USP NRP PRIMED RES	Primed	HG4O58P	5/8	769050414

4" X 4" X 2.7MM 5/8" RADIUS
SELF-CLOSING (SPRING) HINGES ✦

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS SPRING	Polished Brass	HG4C583	5/8	769050497
SI 5/8" RAD 4" US15 SATIN NICKEL SPRING	Satin Nickel	HG4C5815	5/8	769050501
SI 5/8" RAD 4" US10C COLONIAL BRONZE SPRING	Colonial Bronze	HG4C5810C	5/8	769050505
SI 5/8" RAD 4" US26D STN/BRSH CHROME SPRING	Stn/Brsh Chrome	HG4C5826D	5/8	769050507
SI 5/8" RAD 4" US1D BLACK SPRING	Black Nickel	HG4C581D	5/8	769050509
SI 5/8" RAD 4" USP PRIMED	Primed	HG4C58P	5/8	769050510





Boise Cascade®
MILLWORK

HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available Handleset Finishes



Brushed
Nickel

Black Nickel
Oil-Rubbed

Bronze

Grip Style Handlesets

Forte



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active	804490291
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active	804490290
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active	804490273

Prospect



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active	804490274
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active	804490289
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active	804490288

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow	804490203
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide	804490210
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow	804490202
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide	804490209
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow	804490204
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide	804490211
HANDLESET HEIRLOOM	Black Nickel	DTS112374-1D	Inactive	Narrow	801480016
HANDLESET HEIRLOOM	Black Nickel	DTS1123965N-1D	Inactive	Wide	801480023
HANDLESET HEIRLOOM	Brushed Nickel	DTS112374-1C	Inactive	Narrow	801480015
HANDLESET HEIRLOOM	Brushed Nickel	DTS1123965N-1C	Inactive	Wide	801480022
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS112374-1H	Inactive	Narrow	801480017
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS1123965N-1H	Inactive	Wide	801480024

Note: Grip Style Handlesets and Lever Style Handlesets are not interchangeable.

THERMA-TRU®
DOORS

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow	804490217
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide	804490224
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow	804490216
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide	804490223
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow	804490218
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide	804490225
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow	801480030
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide	801480037
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow	801480029
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide	801480036
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow	801480031
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide	801480038

Venture



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow	804490189
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide	804490196
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow	804490188
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide	804490195
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow	804490190
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide	804490197
HANDLESET VENTURE	Black Nickel	DTS1020374-1D	Inactive	Narrow	801480002
HANDLESET VENTURE	Black Nickel	DTS10203965N-1D	Inactive	Wide	801480009
HANDLESET VENTURE	Brushed Nickel	DTS1020374-1C	Inactive	Narrow	801480001
HANDLESET VENTURE	Brushed Nickel	DTS10203965N-1C	Inactive	Wide	801480008
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS1020374-1H	Inactive	Narrow	801480003
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS10203965N-1H	Inactive	Wide	801480010


SPEAKEASY'S

Mahogany & Grilles

Item	Description
809027821	Mahogany Speakeasy Clear IG
809027817	Standard Grille
809027815	Balfour Grille



Mahogany Speakeasy
Clear IG



Standard
Grille



Balfour
Grille

Iron

Item	Description
809029008	Standard Grille w/ Seedy Glass
809029011	Decorative Grille w/ Seedy Glass



Standard Grille
w/ Seedy Glass



Decorative Grille
w/ Seedy Glass



HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #	Item
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D	804520044
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C	804520043
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H	804520045
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ	804520050
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainless Steel	MSAJSSPTD-SS	804520049
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MSOOSPTD-1D	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MSOOSPTD-1C	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil Rubbed Bronze	MSOOSPTD-1H	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MSOOSPTD-YZ	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Polished Chrome	MSOOSPTD-PC	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Stainless Steel	MSOOSPTD-SS	804520014
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D	804490098
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C	804490097
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil Rubbed Bronze	MPMSBASIS3-1H	804490099
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brass	MPMSBOSIS-1A	804490113
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D	804490115
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C	804490114
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil Rubbed Bronze	MPMSBOSIS-1H	804490116
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP	804420035
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSP1D	804420037
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C	804420036
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil Rubbed Bronze	MSAJSSP-1H	804420038
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainelss Steel	MSAJSSPSS	804420042
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Black Nickel	MPGSGTCS21-1D	804490295
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Brushed Nickel	MPGSGTCS21-1C	804490296
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Oil Rubbed Bronze	MPGSGTCS21-1H	804490294
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D	804490077
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C	804490076
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil Rubbed Bronze	MPMARTS-1H	804490078

Strike Plate Screws

Description	Finish	Part #	Item
SCREW PACKAGE A	Yellow Zinc	MSSCRPA	804520088
SCREW PACKAGE A	Black Nickel	MSSCRPA-1D	804520090
SCREW PACKAGE A	Brushed Nickel	MSSCRPA-1C	804520089

Rain Protection

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.



Rain Deflector
(Inswing):
Colors:
Bronze
White

Description	Part #	Size	Color	Item
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze	802900003
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White	802900005

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width	Item
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"	800920004
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"	80092011
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"	800920012
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"	800920016
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"	800920013
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"	800952277
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"	800952276



ACCESSORIES

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes Pyramid and round clavos as well as strap hinges.



Description	Part #	Size	Item
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"	801070001
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"	801070003
CLAVOS SQUARE BLACK	CLVSBL150SAB20	1-1/2"	801070004
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"	801070000
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"	801070002
CLAVOS ROUND BLACK	CLVSBL175RAB20	1-3/4"	801070005
STRAP HINGE BLACK	STRPHSD183	18"	806680005

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf
(Pairs with 3'6" wide doors.)



Classic Craft® Canvas 4-Block Dentil Shelf



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*

Description	Part #	Size	Item
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"	800920007
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"	800920002
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"	800960459

Description	Part #	Size	Item
FC DENTIL SHELF	DSB4BLK	26.2"	801460175
SS DENTIL SHELF	DSW4BLK	25.4"	801460176

Corner Seal Pads

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft® 7-Shape Pads

Colors:

Bronze
White

Sills:

Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Fiber-Classic® / Smooth-Star® 7-Shape Pads

Colors:

Bronze
White

Sills:

Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access



Description	Part #	Color	Item
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE LH	CCCPPKLB	Bronze	800920020
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE RH	CCCPPKRB	Bronze	800920023
FC/SS TRU-DEFENSE CORNER SEAL PAD PACKAGE	CPPKB	Bronze	802120010

Transport Clips

Description	Part #	Item
TRANSPORT CLIP	MS00TPC	804520021

MAHOGANY EXTERIOR DOORS


All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

								
7002 Low-E Glass 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7403 Shaker Satin Etch IG 3/0 x 6/8	7404 Shaker Satin Etch IG 3/0 x 6/8	7405 Shaker Satin Etch IG 3/0 x 8/0	7501 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	7801 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	7501 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	7501 DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	9541 Dentil Shelf for 3'0" doors
								
37504† DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	37802† DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37504† DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37504† DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	37506† DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	37803† DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37506† DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	37506† DHRP and White Laminate IG 3/0 x 6/8 3/0 x 8/0	
								
7504 DHRP and Low-E Bevel 3/0 x 6/8 3/0 x 8/0	7802 DHRP and Low-E Bevel 12", 14" x 6/8 12", 14" x 8/0	7506 DHRP and Low-E Bevel 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7803 DHRP and Low-E Bevel 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	37804 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0		

† = TWO WEEK LEAD TIME



Boise Cascade®
MILLWORK



7506 Double Arch Top Unit
DHRP and Low-E Bevel
5/0 x 8/0
5/4 x 8/0
6/0 x 8/0



37508†
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



6801
DHRP and
Low-E
3/0 x 6/8
3/0 x 8/0



6175
DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



6801†
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



6801
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



† = THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL

FP = 3/4" FLAT PANEL

IG = 3/4" INSULATED GLAZING

SG = 1/8" SINGLE GLAZED

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

WESTERN HEMLOCK EXTERIOR DOORS[†]

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002
Clear IG
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



7701
Clear IG
12", 14" x 6/8
12", 14" x 8/0



7002 Shaker
Clear IG
2/0, 2/6, 2/8,
3/0 x 6/8



7701 Shaker
Clear IG
12", 14" x 6/8
12", 14" x 8/0



7002
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



7701
Low-E
12", 14" x 6/8
12", 14" x 8/0



7002 Shaker
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



7701 Shaker
Low-E
12", 14" x 6/8
12", 14" x 8/0



7002
ADA Compliant
Low-E
3/0 x 6/8
3/0 x 7/0
3/0 x 8/0



7002
WaterBarrier®
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



7037
Low-E
3/0 x 6/8



37010
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8,
3/0 x 8/0



37010 Shaker
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8,
3/0 x 8/0



37010
WaterBarrier®
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



37010 Shaker
WaterBarrier®
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



37015
Clear IG
2/6, 2/8, 3/0 x 6/8



7501
DHRP and
Low-E
3/0, 3/6 x 8/0



7801
DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



7501
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



7501
DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37598
DHRP and
Low-E
3/0 x 6/8
3/0 x 8/0



7403
Clear Glass
3/0 x 6/8
3/0 x 8/0



7404
Clear Glass
3/0 x 6/8
3/0 x 8/0



7405
Clear Glass
3/0 x 6/8
3/0 x 8/0



Boise Cascade®
MILLWORK

WESTERN HEMLOCK EXTERIOR DOORS† (CONTINUED)

All Western Hemlock exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



37506
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37803
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37506
DHRP and Seedy Baroque IG
3/0 x 6/8
3/0 x 8/0



37506
DHRP and White Laminate IG
3/0 x 6/8
3/0 x 8/0



37508
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37804
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37508
DHRP and Seedy Baroque IG
3/0 x 6/8
3/0 x 8/0



9541
Dentil Shelf for 3'0" and 3'6" doors



37508
DHRP and White Laminate IG
3/0 x 6/8
3/0 x 8/0



7031
DHRP and Low-E
2/8, 3/0 x 6/8



37435
DHRP and Low-E
2/8, 3/0 x 6/8



37035
DHRP and Low-E
2/8, 3/0 x 6/8



7044
DHRP and Low-E
2/8, 3/0 x 6/8



37444
DHRP and Low-E
2/8, 3/0 x 6/8



37944
DHRP and Low-E
2/8, 3/0 x 6/8



6801
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



6175
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



6801 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0



6175 Shaker
FP and Low-E
12", 14" x 6/8
12", 14" x 8/0



6801
DHRP and White Laminate IG
3/0 x 6/8
3/0 x 8/0



6801 Shaker
FP and White Laminate IG
3/0 x 6/8
3/0 x 8/0



6801
DHRP and Seedy Baroque IG
3/0 x 6/8
3/0 x 8/0



6801 Shaker
FP and Seedy Baroque IG
3/0 x 6/8
3/0 x 8/0



7132
DHRP and Low-E
2/8, 3/0 x 6/8



37134
DHRP and Low-E
2/8, 3/0 x 6/8



7344
DHRP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7130
DHRP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



1510
Clear SG,
No UltraBlock®
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1515
Clear SG,
No UltraBlock®
2/6, 2/8, 3/0 x 6/8

† = THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

Simpson®
Door Company

KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



7002

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0



37010

Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/6, 2/8, 3/0
x 8/0



7501

DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



7801

DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



7501

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



7501

DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37504

DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37802

DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37504

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37504

DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37506

DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37803

DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37506

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37506

DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



37508

DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37804

DHRP and
Low-E
12", 14" x 6/8
12", 14" x 8/0



37508

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37508

DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



36806

DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and Low-E
3/0 x 6/8
3/0 x 8/0



36806

DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



36806

DHRP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



36806 Shaker

FP and White
Laminate IG
3/0 x 6/8
3/0 x 8/0



9541

Dentil Shelf for 3'0" and
3'6" doors

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL

FP = 3/4" FLAT PANEL

IG = 3/4" INSULATED GLAZING

SG = 1/8" SINGLE GLAZED



Boise Cascade®
MILLWORK

REDI-PRIME® INTERIOR DOORS

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Redi-Prime fire-rated doors are stocked 1-3/4" thick.



8720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8780 Shaker†
Plantation Louver
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



8781 Shaker
Plantation Louver
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



8730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8001
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8001 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8411
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8411 Shaker Quirk†
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8475
V-Groove
2/0 x 6/8 = 10-lite layout
2/4, 2/6, 2/8, 3/0 x 6/8 =
15-lite layout



8490†
Pantry
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8490
Pantry with
3/8" FP
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8010
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



† = THREE WEEK LEAD TIME

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

REDI-PRIME® INTERIOR DOORS (CONTINUED)

All Redi-Prime® interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



© Cynthia Brown Studio



8012
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8015
Clear SG
2/4, 2/6, 2/8, 3/0
x 6/8



8018
Clear SG
2/6, 2/8, 3/0 x 8/0



8733 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8733 Shaker
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8735 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8735 Shaker
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0

WESTERN HEMLOCK INTERIOR DOORS

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



720 Shaker†
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9320 Shaker†
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



782 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



730 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker†
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 8/0



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



Boise Cascade®
MILLWORK

WESTERN HEMLOCK INTERIOR DOORS (CONTINUED)

All Western Hemlock interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



55†
3/4" FP
1/6, 2/0, 2/4,
2/6, 2/8, 3/0
x 6/8



9255†
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8



1501†
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker†
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501†
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker Quirk†
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1590†
Pantry with
3/4" RP
2/0, 2/4, 2/6 x 8/0



1593†
Laundry with
3/4" RP
2/8, 3/0 x 6/8



1310†
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1312†
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1315†
Clear SG
2/6, 2/8, 3/0 x 6/8



1318†
Clear SG
2/6, 2/8, 3/0 x 8/0



1643 Shaker†
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1643 Shaker†
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1645 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1645 Shaker
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

† = THREE WEEK LEAD TIME
SG = SINGLE GLAZED
FP = FLAT PANEL
RP = RAISED PANEL

Simpson®
Door Company

KNOTTY ALDER INTERIOR DOORS†

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted.
Fire-rated doors are stocked 1-3/4" thick.



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove, 3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
V-Groove
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7282
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7282
1-3/4"
V-Groove
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
V-Groove
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



7465
1-3/4"
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



7465
1-3/4"
V-Groove
1-7/16" RP
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0, 3/6 x 8/0



Boise Cascade®
MILLWORK

KNOTTY ALDER INTERIOR DOORS† (CONTINUED)

All Knotty Alder interior doors are 1-3/8" thick and are stocked in the sizes noted. Fire-rated doors are stocked 1-3/4" thick.



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker Quirk
White Laminate
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1593
Laundry with
3/4" RP
2/8, 3/0 x 6/8



@ Great NW Homes

† = THREE WEEK LEAD TIME

SG = SINGLE GLAZED

FP = FLAT PANEL

RP = RAISED PANEL

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

PINE INTERIOR DOORS[†]

Southern Yellow Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70720 Shaker
1-3/4" House-to
-Garage
Non-fire rated
3/4" FP
2/8, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70782 Shaker
1-3/4" House-to
-Garage
Non-fire rated
3/4" FP
2/8, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70760 Shaker
1-3/4" House-to
-Garage
Non-fire rated
3/4" FP
2/8, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



70755 Shaker
1-3/4" House-to
-Garage
Non-fire rated
3/4" FP
2/8, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
V-Groove
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
V-Groove
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



44
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



7344
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8



66
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7130
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501 Shaker Quirk
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1590
Pantry
2/0, 2/4, 2/6 x 6/8



1590
Pantry with
3/4" RP
2/0, 2/4, 2/6 x 8/0



1593
Laundry
2/8, 3/0 x 6/8



1593
Laundry with
3/4" RP
2/8, 3/0 x 8/0



1310
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



1312
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1315
Clear SG
2/6, 2/8, 3/0 x 6/8



1318
Clear SG
2/6, 2/8, 3/0 x 8/0



Boise Cascade®
MILLWORK

KNOTTY PINE INTERIOR DOORS†

Knotty Pine interior doors are stocked 1-3/8" with panel door designs also stocked 1-3/4" for your house-to-garage application. Stock sizes are also noted.



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1501
White Laminate
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



1590
Pantry
2/0, 2/4, 2/6 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



82
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7282
V-Groove
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



465
V-Groove
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7465
V-Groove
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



66
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



7130
1-3/4" House-to
-Garage
Non-fire rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

† = THREE WEEK LEAD TIME

SG = SINGLE GLAZED

FP = FLAT PANEL

RP = RAISED PANEL

Simpson®
Door Company

SIMPSONDOOR.COM | 800 SIMPSON | #SIMPSONDOOR

BARN DOORS†

Redi-Prime



89801 Shaker
Full Plank

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89812 Shaker
Z Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89815 Shaker
K Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4

Knotty Alder



80801 Shaker
Full Plank

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80812 Shaker
Z Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80815 Shaker
K Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4

Knotty Pine



80801 Shaker
Full Plank

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80812 Shaker
Z Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80815 Shaker
K Pattern

Barn Door w/
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4




† = THREE WEEK LEAD TIME



Boise Cascade®
MILLWORK

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK



Simpson®
Door Company

MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O
In Stock - •



Caiman



Carrara



Classique



Textured 6 Pnl
Colonist



Rockport



Coventry

Bead & Cove



Madison



Monroe



Birkdale



Santa Fe



Conmore







Shaker

Ovolo

Step



STICKING PROFILES



Molded Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	•	•	•	•	•	•	•	•	•	•	•
Carrara	•	•	•	•	•	•	•	•	•	•	•
Classique	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	•	•	•	•	•	•	•	•	•	•	•
Madison	•	•	•	•	•	•	•	•	•	•	•
Monroe	•	•	•	•	•	•	•	•	•	•	•
Rockport	•	•	•	•	•	•	•	•	•	•	•
Santa Fe	•	•	•	•	•	•	•	•	•	•	•
Conmore	S/O	S/O	•	•	S/O	•	•	•	•	•	•
Birkdale	S/O	S/O	•	•	S/O	•	•	•	•	S/O	•
Coventry	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Hollow Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Conmore	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Birkdale	S/O	S/O	•	•	S/O	•	•	•	•	S/O	•

MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O

In Stock - •



Molded Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	•	•
Classique	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Conmore	S/O	S/O	•	•	S/O	•	•	•	•	•	•

Molded Solid Core 6'8"

1-3/4"

20 min 20 min

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	2'-8"	3'-0"
Caiman	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Carrara	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Classique	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Madison	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•	•	•
Rockport	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Santa Fe	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•
Conmore	S/O	S/O	•	•	S/O	•	•	•	•	•	•	S/O	S/O
Birkdale	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•



Boise Cascade®
MILLWORK



Molded Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Conmore	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Molded Solid Core 8'0"

1-3/4"

20 min 20 min

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"	2'-8"	3'-0"
Caiman	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Carrara	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Colonist	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Madison	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Monroe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Rockport	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Santa Fe	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	•	•
Conmore	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•	S/O	S/O
Birkdale	S/O	S/O	•	•	S/O	•	•	•	•	S/O	•	•	•



MOLDED AND FLUSH INTERIOR DOORS

Special Order - S/O
In Stock - •



Birch



Lauan



Primed Hardboard



Textured Primed

Flush Hollow Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Textured Primed	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

Dunnage Door Slabs 6'8" and 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'4"	1'6"	1'8"	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	•	S/O	•



Flush Solid Core 6'8"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/8"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

Flush Solid Core 6'8"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	•	S/O	•
Primed Hrdbd	S/O	S/O	S/O	S/O	S/O	•	•	•	•	S/O	•

Flush Solid Core 8'0"

1-3/4"

Description	1'-0"	1'-3"	1'-4"	1'-6"	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	2'-10"	3'-0"
Birch	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Lauan	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O	S/O
Primed Hrdbd	S/O	S/O	S/O	•	S/O	•	•	•	•	S/O	•

MARWIN STAIRS

Item	Size	Description	Extended Description
0804285	22-1/2"X54"	ATTIC STAIR UNIVERSAL 250# RATING	A2254 TRIMMABLE FROM 7'6" TO 10'4"
0804286	25-1/2"X54"	ATLAS ATTIC STAIR UNIVERSAL 250# RATING	A2554 TRIMMABLE FROM 7'6" TO 10'4"
0804289	25-1/2"X54"	ATLAS STAIR FIRE TREATED 250# RATING	A2554FT TRIMMABLE FROM 7'6" TO 10'4"
0804300	36"	ATTIC PULL DOWN ROD W/EYE HOOK	36ROD
0804311	25-1/2"X54"	ATLAS STAIR R10 250# RATING	A2554R10 TRIMMABLE FROM 7'6" TO 10'4"
0804321	30"X63"X12'	TITAN ALUM STAIR 375LB	R10 ES
0804367	25-1/2X54X8-9	SUP PLUS STAIR 350 LB E/S FIRE RATED	SP100ESFT ENERGY SAVER PACKAGE W/S AND INSULATED PANEL
0804368	25-1/2X54X10	SUP PLUS STAIR 350 LB E/S FIRE RATED	SP101ESFT ENERGY SAVER PACKAGE W/S AND INSULATED PANEL
0804402	25-1/2X54X10-4	TITAN ALUM ATTICSTAIR W/ENRGY SVR R5	350 LB T101ESR5
0804433	30X54X10-4	TITAN ALUM STAIR 375# ES FIRE TREATED	T201ESFT
0804435	25-1/2X63X12	TITAN ALUM STAIR E/S FIRE RATED	T2512ESFT 375 LBS ENERGY SAVER PACKAGE W/S AND INSULATED PANEL
0804792	25-1/2"X54"	SUPERIOR PLUS STAIR R3 FIRE TREATED 350#	SP2554R3FT TRIMMABLE FROM 7'6" TO 10'4"
0804816	30"X54"	SUPERIOR PLUS STAIR R3 350#	SP3054R3 TRIMMABLE FROM 7'6" TO 10'4"
0804817	30"X54"	SUPERIOR PLUS STAIR R3 FIRE TREATED 350#	SP3054R3FT TRIMMABLE FROM 7'6" TO 10'4"
0804820	30"X54"	SUPERIOR PLUS STAIR R10 350#	SP3054R10 TRIMMABLE FROM 7'6" TO 10'4"
0804821	30"X54"	SUPERIOR PLUS STAIR R10 FIRE TRTD 350#	SP3054R10FT TRIMMABLE FROM 7'6" TO 10'4"





MARWIN POCKET DOOR FRAMES

Item	Size	Description	Extended Description
7712680	1468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/4X6/8 BUILT UP PDF 4-5/8"
7712682	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	1/6X6/8 BUILT UP PDF 4-5/8"
7712684	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X6/8 BUILT UP PDF 4-5/8"
7712686	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X6/8 BUILT UP PDF 4-5/8"
7712688	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X6/8 BUILT UP PDF 4-5/8"
7712690	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X6/8 BUILT UP PDF 4-5/8"
7712692	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X6/8 BUILT UP PDF 4-5/8"
7712693	4068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0 x 6/8 BUILT UP PDF 4-5/8"
7712694	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/0X8/0 BUILT UP PDF 4-5/8"
7712696	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/4X8/0 BUILT UP PDF 4-5/8"
7712698	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/6X8/0 BUILT UP PDF 4-5/8"
7712700	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	2/8X8/0 BUILT UP PDF 4-5/8"
7712702	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	3/0X8/0 BUILT UP PDF 4-5/8"
7712706	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X4	4/0X8/0 BUILT UP PDF 4-5/8"
7712730	1668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	1/6X6/8 BUILT UP PDF 6-5/8"
7712732	2068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X6/8 BUILT UP PDF 6-5/8"
7712734	2468	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X6/8 BUILT UP PDF 6-5/8"
7712736	2668	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X6/8 BUILT UP PDF 6-5/8"
7712738	2868	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X6/8 BUILT UP PDF 6-5/8"
7712740	3068	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X6/8 BUILT UP PDF 6-5/8"
7712742	2080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/0X8/0 BUILT UP PDF 6-5/8"
7712744	2480	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/4X8/0 BUILT UP PDF 6-5/8"
7712746	2680	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/6X8/0 BUILT UP PDF 6-5/8"
7712748	2880	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	2/8X8/0 BUILT UP PDF 6-5/8"
7712750	3080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	3/0X8/0 BUILT UP PDF 6-5/8"
7712754	4080	ALUM TRACK 200# BB HDWE NO JAMB LEG 2X6	4/0X8/0 BUILT UP PDF 6-5/8"

ECLISSE CLASSIC POCKET DOOR FRAMES



EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

Exterior Frames

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-7/8"-6'8"	•	N/S	N/S	N/S	N/S
4-7/8"-3'0"	•	N/S	N/S	N/S	N/S
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
4-9/16"-6'0"	•	N/S	N/S	N/S	N/S
4-9/16"-10'0"	•	N/S	N/S	N/S	N/S
4-9/16"-14'0"	•	N/S	N/S	N/S	N/S
5-1/4"-6'8"	N/S	N/S	•	•	N/S
5-1/4"-3'0"	N/S	N/S	N/S	•	N/S
5-1/4"-8'0"	N/S	N/S	•	•	N/S
6-9/16"-6'8"	•	•	•	•	•
6-9/16"-8'0"	•	•	•	•	•
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'0"	•	N/S	N/S	N/S	N/S
6-9/16"-14'0"	•	N/S	N/S	N/S	N/S
7-1/4"-6'8"	•	•	•	•	N/S
7-1/4"-8'0"	•	•	•	•	N/S
7-1/4"-3'0"	•	N/S	•	•	N/S
7-1/4"-6'0"	•	N/S	N/S	N/S	N/S
11-1/4"-6'8"	N/S	•	N/S	N/S	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	N/S	N/S
Mullpost 4-3/8" x 2-1/2"-9'0"	N/S	N/S	•	N/S	•
4-9/16" 5'0" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S



Boise Cascade®
MILLWORK



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





Exterior Frames (CONT.)

Description	Primed	Duraframe	Hemlock	Okume	Kalder
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S
T-Astragal 1-3/8 (1-1/4"x2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/8 (1-1/4"x2")84"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17"	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0	•	N/S	N/S	N/S	N/S
S4S 11/16" X 3-1/2 -9'	N/S	N/S	•	•	N/S
S4S 11/16" X 3-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 5-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 7-1/4 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 3-1/2 -8'	N/S	•	N/S	N/S	N/S

Interior Jambs

Description	Fingerjoint	Primed	Solid
4-9/16"-6'8"	•	•	•
4-9/16"-8'0"	•	•	•
4-9/16"-3'0"	•	•	•
4-9/16"-6'0"	•	•	•
4-7/8"-6'8"	•	•	N/S
4-7/8"-7'0"	N/S	•	N/S
4-7/8"-8'0"	•	•	N/S
4-7/8"-3'0"	•	•	N/S
4-7/8"-6'0"	•	•	N/S
6-9/16"-6'8"	•	•	•
6-9/16"-8'0"	•	•	•
6-9/16"-3'0"	•	N/S	•
6-9/16"-6'0"	•	N/S	•

Description	Knotty Alder
4-9/16"-6'8"	•
4-9/16"-8'0"	•
4-9/16"-3'0"	•
5-1/4"-6'8"	•
5-1/4"-8'0"	•
5-1/4"-3'0"	•
6-9/16"-6'8"	•
6-9/16"-8'0"	•
6-9/16"-3'0"	•
Multipost 4-3/8" x 2-3/8" -9'	•

Sheetrock Return Jambs

Description	Fingerjoint
3-1/2" -8'0"	•
5-1/2" -8'0"	•



Standard Flat Jamb with Applied Stop



Rabbet Jamb



Sheetrock Return Jamb



Flat Jamb



MOULDINGS

Non-Stock - N/S

In Stock - •

Description	Fingerjoint	Primed	Solid
WM324 Wedge Casing 5/8" x 2-1/8" 14'	N/S	•	N/S
A-Colonial Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"- 8'7"(103")	•	•	•
WM356 Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
WM356 6/8	N/S	•	N/S
WM356 8/0	•	•	N/S
A-Colonial Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-211 Casing 5/8" x 2-1/2"-8'3"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-14'	N/S	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
#9 B Base 1/2" x 3-1/4" 8'7"(103")	•	N/S	N/S
MC9E Casing 7/8" x 3-1/4" 8'6"(103")	N/S	•	N/S
C-295 Casing 9/16" x 3-1/2"-8'7"(103")	N/S	N/S	•
LC11 Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C-522 casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	N/S
C347 Casing 9/16" x 3-7/16" 16'	•	N/S	N/S
A-Colonial Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
WM876 Door Stop 7/16" x 1-3/8"	N/S	N/S	•
1X4 S4S 8'6"(102")	N/S	•	•
1X4 S4S 7'4"(88")	N/S	•	N/S
WM876 80-1/2" DBL Mitered	•	•	N/S
WM876 96-1/2" DBL Mitered	•	•	N/S



A-Colonial 2.25




A-Colonial 2.5



A-Colonial 3.5



B-9



C-211



C-295




C-322



C-522



Int Flat Jamb Profile



LC11



WM 324



WM 356



MC-9 E IMPERIAL



MDF 1X BOARDS

Item	Size	Description	In Stock
1704002	1X2-16	11/16 MDF RAW BOARDS (18mm)	•
1704004	1X4-16	11/16 MDF RAW BOARDS (18mm)	•
1704006	1X6-16	11/16 MDF RAW BOARDS (18mm)	•
1704008	1X8-16	11/16 MDF RAW BOARDS (18mm)	•
1704010	1X10-16	11/16 MDF RAW BOARDS (18mm)	•
1700598	1X12-16	11/16 MDF RAW BOARDS (18mm)	•
1704016	1X16-16	11/16 MDF RAW BOARDS (18mm)	•
1704018	1X18-16	11/16 MDF RAW BOARDS (18mm)	S/O
1704024	1X24-16	11/16 MDF RAW BOARDS (18mm)	S/O

Item	Size	Description	In Stock
0028303	1X3-17	21/32 RADIATA PINE KD FJEG S4S PRIMED	•
0028305	1X4-17	21/32 RADIATA PINE KD FJEG S4S PRIMED	•
0028306	1X6-16	21/32 RADIATA PINE KD FJEG S4S PRIMED	•
0028308	1X8-16	21/32 RADIATA PINE KD FJEG S4S PRIMED	•
0028312	1X12-16	21/32 RADIATA PINE KD FJEG S4S PRIMED	•



KWIKSET

Item	Description
653000607	158 SQT 11P SMT RCAL 5063
653001003	158 SQT 514 SMT RCAL 5303
653002638	660 15 SMT RCAL RCS
653002639	660 11P SMT RCAL RCS K3
653002642	660 514 SMT RCAL 5303 K3 V1
653003135	780 15 SMT RCAL 5063
653003136	780 11P SMT RCAL 5063
653003137	158 SQT 15 SMT RCAL 5063
653003160	780 514 SMT 6AL STRKP K3
653003907	9260 CNT 15 SMT RBP RCALFD
653003908	9260 CNT 514 SMT RBP RCALFD
653003913	9260 TRL 11P SMT RBP RCALFD
653003917	9260 TRL 15 SMT RBP RCALFD
653004000	9270 CNT 514 SMT RBP RCALFD
653008707	913CNT 514 SMT RCALFD
653040500	604BL 15 LH
653040501	604BL 15 RH
653040502	604BL 11P LH
653040503	604BL 11P RH
653041433	400CV 11P SMT 6AL RCS K3
653041434	400CV 15 SMT 6AL RCS
653041474	604CV 15
653041878	400CV 514 SMT 6AL RCS K3 BOX PACK

Item	Description
653042402	740H 15 SMT 6AL RCS K3
653042404	966H 15
653042410	966H 11P
653042411	740H 11P SMT 6AL RCS
653060500	405BL 15 SMT 6AL RCS K4
653060501	405BL 11P SMT 6AL RCS K4
653060502	405BL 3 SMT RCAL RCS POLISHED BRASS
653060504	405BL 514 SMT 6AL RCS K4
653061404	405DL 15 6AL RCS
653061434	200 DL 15 6AL RCS V1
653062493	966HFL SQT 11P
653062494	966HFL SQT 15
653062553	740HFL SQT 11P SMT 6AL RCS K3
653062554	740HFL SQT 15 SMT 6AL RCS K3
653062558	740HFL SQT 514 SMT 6AL RCS K3
653080005	687AMD LIP 15 SMT RCAL RCS
653081315	687DA LIP 15 SMT RCAL RCS
653081316	687DA LIP 11P SMT RCAL RCS
653082100	971HFL SQT 15
653082104	971HFL SQT 11P
653082404	800HE LIP 15 SMT RCAL 5063
653082405	800HE LIP 11P SMT RCAL 5063
653086006	818SCE LIP 15 SMT RCAL RCS
653086007	818SCE LIP 11P SMT RCAL RCS



* Non-Stock

Kwikset

COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology




1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

TRU GUARD
COMPOSITE TECHNOLOGY




Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Available Textures

Buff Grained



- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.

White Smooth



- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

Therma-Tru Products & Applications

Composite Door Frame
+ Classic Craft® Door
+ Components

Composite Door Frame
+ Fiber-Classic® Smooth-Star®
Pulse® Fiberglass Door + Components

Warranty For First Homeowner



Frame + Door + Components



Frame + Door + Components

Warranty Riders Transferable 1x to Second Homeowner

**Lifetime 1x Transferable
Full-System Rider**

Frame + Door + Components

**10-Year Transferable
Full-System Rider**

Frame + Door + Components

*See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.



Boise Cascade®
MILLWORK

FRAMES

Boise offers a wide variety of frames to choose from.



Primed Finger-Joint Pine for your Builder Grade needs.



DuraFrame...the Boise standard. A primed Finger-Joint Pine with Alaskan Yellow Cypress and Dura-Seal at the bottom to offer a durable rot resistant frame.
(Limited lifetime warranty)



DURA-FRAME

The Natural Solution for rot-free door systems.



DURA-FRAME™ is:

Alaskan Yellow Cypress, one of the planet's most durable rot resistant woods, finger-jointed to the bottom of premium Russian Red Pine frame component. DURA-FRAME™ is end-sealed with DURA-SEAL™, and primer coated with DURA-PRIME™, G-M Wood Products' exclusive high-durability coatings, yielding exceptional value and rot-free performance. It's environmentally responsible, renewable, and naturally rot-resistant...no chemicals added!

Alaskan Yellow Cypress (also known as Alaskan Yellow Cedar) is found in nature up to 1200 years old, and is the wood of choice in many rot-proof and weather resistant applications such as Japanese temples (lasting over 500 years), docks, bridges, boat hulls, stadium seating and high-end outdoor furniture. Its unique natural compounds make it highly resistant to decay, molds, fungus, termite and insect attack.




Boise Cascade®
MILLWORK


Complete product offering

- Door Jambs
- Brick Mould
- Mull Posts
- Mull Casing
- Custom Components


All covered by DURA-FRAME™'s limited lifetime warranty




Brickmould



Door Jambs



Mull Posts



Mull Casing

One of the planet's most durable woods:

Naturally resistant to rot & insect attack

- Unique natural compounds make it highly resistant to decay, molds, fungus, termite and insect attack
- Found in nature up to 1200 years old with over 60 growth rings per inch

Exceptional physical properties


- Incredible strength
- Resistance to wear, splitting, and impact
- Excellent nail and screw holding strength

Superior finishing qualities

- Great paint, stain and glue adhesion
- Superior machining and sanding ability




BOISE CASCADE MILLWORK MAKEOVER DOOR UNIT FROM THERMA-TRU®.



Create a grand entrance by updating your home with Therma-Tru® double doors featuring EnLiten™ flush-glazed designs.

- Available for outside jamb units measuring 60-½" x 82" or larger or for units with a 10" transom, 60-½" x 93-½" or larger.
- Transform a single door and sidelites (10" + 36" + 10") to a double door entry (30" + 30"). Available in standard height or with a 10" transom.
- Features EnLiten flush-glazed designs with glass built directly into the door for a seamless look.



See your Boise Cascade representative for style options and pricing information.



Boise Cascade®
MILLWORK

MULTI-POINT LOCKING SYSTEMS (MPLS)

Lever-Style MPLS

Exterior Handlesets



Heirloom

Venture

Millennium

Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)


Standard Door Options



Tongue
(For single door systems.)



Shootbolt
(For double door systems.)



Exterior view of door with lever-style MPLS.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.


Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze

Grip-Style MPLS

Handlesets



Interior

Interior


Forte

Prospect

Standard Door Options



Tongue
(For single door systems.)
Heights: 6'8" 7'0" 8'0"
Configurations: Inswing Outswing



Interior view of door.

- ① Self-lubricating locks.
- ② 1" premium stainless steel deadbolt.
- ③ Integrated mishandling device.

Finish Options




Brushed Nickel Black Nickel Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double french doors.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





YOUR TRUSTED PARTNER IN MILLWORK

Boise Cascade Millwork is known for its efficient lead times, delivering quality products that exceed industry expectations. The millwork sector, noted for intricate craftsmanship, demands timely delivery for construction and renovation projects. Boise Cascade Millwork excels by streamlining production and logistics, ensuring their products, from doors to moldings, reach clients quickly. This reliability makes them a preferred partner in the competitive millwork market.



Boise Cascade®
MILLWORK

BOISE CASCADE MILLWORK **HOUSTON**

500 INDUSTRIAL BLVD. SUITE 100
SUGAR LAND, TX 77478
1-833-504-1606

millwork.bc.com

Edition 2