



Boise Cascade®  
MILLWORK



Boise Cascade®  
MILLWORK



# HOUSTON MILLWORK COMPONENTS BOOK

[millwork.bc.com](http://millwork.bc.com)

500 Industrial Blvd  
Suite 100  
Sugar Land, TX 77478  
833-504-1606



# WHY BOISE CASCADE MILLWORK?

Boise Cascade® Millwork is a division of Boise Cascade, one of the nation's largest manufacturers and distributors of building materials for the residential and commercial construction industry. For more than 60 years, Boise Cascade has served homebuilders, contractors, developers, and homeowners – and now we're bringing that expertise to millwork. With locations in some of the country's fastest growing markets, Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. At Boise Cascade Millwork we take pride in meeting the demands of our customers. Only Boise Cascade Millwork can leverage the buying power and reach of Boise Cascade Building Materials Distribution to get the best value and the toughest-to-access inventory. We understand that it's more than a just a door, it's a partnership you can count on with the brands your customers can rely on.



**Boise Cascade®**  
MILLWORK



## TABLE OF CONTENTS

## PAGE #

Frames	1-2
Fasteners Setting Tool & Screw Plug Covers	2
Cove Mould	3
Brickmould	3
Mullions	4
Composite Mull Casing	4
Sills	5-7
Door Bottoms	8-9
Astragals	9-10
Endrail	11
Weatherstrip	12
Hinges	12-15
Handlesets	16-17
Speakeasy's	17
Hardware	18-19
Door & Lite Divider Bars	19
Accessories	20
Exterior Frames and Jambs	21-22
Mouldings	23
Barn Door Hardware	24
Kwikset	24
Composite Door Frame	25
Capabilities	26
Multi-Point Locking Systems	27
Handing	28
Pre-Hung Features	29-30
Hinge Locations	31
On Site Door Shop Service	32



**Boise Cascade**  
MILLWORK

## FRAMES

Composite Frames



4-1/8"  
4-9/16"  
5-1/4"  
6-9/16"  
7-1/4"

Description	Material	Part #	Size	Item
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN430U1B	3/0 4-9/16 U1	803410271
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN490WMU1B	9/0 4-9/16 U1	803410272
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN41L68HHSG	6/8 4-9/16	803410254
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN41R68HHSG	6/8 4-9/16	803410255
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN41L80HHSG	8/0 4-9/16	803410258
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN41R80HHSG	8/0 4-9/16	803410259
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN530U1B	3/0 5-1/4 U1	803410273
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN590WMU1B	9/0 5-1/4 U1	803410274
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN51L68HHSG	6/8 5-1/4	803410275
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN51R68HHSG	6/8 5-1/4	803410277
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN51L80HHSG	8/0 5-1/4	803410276
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN51R80HHSG	8/0 5-1/4	803410278
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN630U1B	3/0 6-9/16 U1	803410279
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN690WMU1B	9/0 6-9/16 U1	803410280
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN61L68HHSG	6/8 6-9/16	803410262
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN61R68HHSG	6/8 6-9/16	803410263
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN61L80HHSG	8/0 6-9/16	803410266
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN61R80HHSG	8/0 6-9/16	803410267
FRAME COMPOSITE SMOOTH RAW BK	Composite	JCSN730U1B	3/0 7-1/4 U1	803410307
FRAME COMPOSITE SMOOTH RAW TRIPLE W/MULL BK	Composite	JCSN790WMU1B	9/0 7-1/4 U1	803410308
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN71L68HHSG	6/8 7-1/4	803410309
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN71R68HHSG	6/8 7-1/4	803410311
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN71L80HHSG	8/0 7-1/4	803410310
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN71R80HHSG	8/0 7-1/4	803410312
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN430U1B	3/0 4-9/16 U1	803410249
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN490WMU1B	9/0 4-9/16 U1	803410294
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN41L68HHSG	6/8 4-9/16	803410256
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN41R68HHSG	6/8 4-9/16	803410257
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN41L80HHSG	8/0 4-9/16	803410260
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN41R80HHSG	8/0 4-9/16	803410261
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN530U1B	3/0 5-1/4 U1	803410315
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN590WMU1B	9/0 5-1/4 U1	803410270
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN51L80HHSG	8/0 5-1/4	803410316
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN51R80HHSG	8/0 5-1/4	803410317
FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN630U1B	3/0 6-9/16 U1	803410297
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN690WMU1B	9/0 6-9/16 U1	803410295
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN61L68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN61R68HHSG	6/8 6-9/16	803410264
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN61L80HHSG	8/0 6-9/16	803410268
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN61R80HHSG	8/0 6-9/16	803410269

## FRAMES

Composite Frames (cont.)

FRAME COMPOSITE GRAINED RAW BK	Composite	JCGN730U1B	3/0 7-1/4 U1	803410313
FRAME COMPOSITE GRAINED RAW TRIPLE W/MULL BK	Composite	JCGN790WMU1B	9/0 7-1/4 U1	803410314
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN71L68HHSG	6/8 7-1/4	803410324
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN71R68HHSG	6/8 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS LH HD/SILL	Composite	JCGN71L80HHSG	8/0 7-1/4	803410326
FRAME COMPOSITE GRAINED RAW IS RH HD/SILL	Composite	JCGN71R80HHSG	8/0 7-1/4	803410327

## Other Frames

Description	Material	Part #	Size	Item
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1	803470000
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1	803470002
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1	803470004
JAMB HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1	803470006
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1	803470008
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1	803470014
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1	803470010
JAMB HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1	803470012

## FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.



Description	Material	Part #	Item
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB PLUG	JPCSN	803560178
JAMB PLUG COMPOSITE GRAINED RAW	JAMB PLUG	JPCGN	803560177
JAMB PLUG INSTALLATION SCREWS	JAMB SCREWS	JPSCREW	803560179
JAMB PLUG INSTALLATION TOOL	JAMB TOOL	JPTOOL	803560180

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.



**Boise Cascade**  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA TRU**  
DOORS



## COVE MOULD

7/16" x 5/16" Cove Mould



Description	Application	Material	Part #	Size	Item
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN68LN	6/8	801080327
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCSN80LN	8/0	801080328
COVE MOULD COMPOSITE SMOOTH RAW	Outswing	COMPOSITE	CMCGN80LN	8/0	801080326

## BRICKMOULD

2" Brickmould WM180



Description	Application	Material	Part #	Size	Item
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI28U1	2/8 U1	800700067
BRICKMOULD COMPOSITE SMOOTH RAW IS	Inswing	Composite	BMCSNI30U1	3/0 U1	800700068
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK HYBRID	Inswing	Composite	BMCSNIB90WBK	9/0	800700065
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL68H	6/8	800700057
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR68H	6/8	800700058
BRICKMOULD COMPOSITE SMOOTH RAW IS LH HYBRID	Inswing	Composite	BMCSNIL80H	8/0	800700061
BRICKMOULD COMPOSITE SMOOTH RAW IS RH HYBRID	Inswing	Composite	BMCSNIR80H	8/0	800700062
BRICKMOULD COMPOSITE GRAINED RAW IS	Inswing	Composite	BMCGNI30U1	3/0 U1	800700094
BRICKMOULD COMPOSITE GRAINED RAW IS TPL W/MULL	Inswing	Composite	BMCGNIB90WBK	9/0	800700091
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL68H	6/8	800700059
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR68H	6/8	800700060
BRICKMOULD COMPOSITE GRAINED RAW IS LH HYBRID	Inswing	Composite	BMCGNIL80H	8/0	800700063
BRICKMOULD COMPOSITE GRAINED RAW IS RH HYBRID	Inswing	Composite	BMCGNIR80H	8/0	800700064

### Additional Brickmould:

Description	Material	Part #	Size	Item
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH30U1A	3/0 U1	800700013
BRICKMOULD RUSTIC ARCH TOP	Primed Pine	BMH36U1A	3/6 U1	800700018
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH30U1R	3/0 U1	800700014
BRICKMOULD RUSTIC RADIUS TOP	Primed Pine	BMH36U1R	3/6 U1	800700019

## COMPOSITE ENTRY MULLION

2" Entry Narrow  
2-1/2" Entry Wide



2" Patio Narrow  
2-1/2" Patio Wide



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB68HHSG	6/8	2"	804340032
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNENIB80HHSG	8/0	2"	804340026
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB68HHSG	6/8	2.5"	804340033
MULL COMPOSITE SMOOTH RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCSNEWIB80HHSG	8/0	2.5"	804340034
MULL COMPOSITE GRAINED RAW ENTRY WIDE IS BLANK HD/SILL	Composite	Inswing	MCGNENIB80HHSG	8/0	2"	804340027
MULL COMPOSITE GRAINED RAW ENTRY NARROW IS BLANK HD/SILL	Composite	Inswing	MCGNEWIB80HHSG	8/0	2.5"	804340044

## COMPOSITE PATIO MULLION

2" Patio Narrow  
2-1/2" Patio Wide



Description	Material	Application	Part #	Size	Width	Item
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPINIB68HHSG	6/8	2"	808980372
MULL COMPOSITE SMOOTH RAW PATIO NARROW IS BLANK HD/SILL	Composite	Inswing	MCSNPINIB80HHSG	8/0	2"	808980370
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB68HHSG	6/8	2"	804340036
MULL COMPOSITE SMOOTH RAW PATIO NARROW OS BLANK HD/SILL	Composite	Outswing	MCSNPNOB80HHSG	8/0	2"	804340037
MULL COMPOSITE GRAINED RAW PATIO WIDE OS BLANK HD/SILL	Composite	Outswing	MCGNEWIB80HHSG	8/0	2.5"	804340048

### Additional Entry Mullions:

Description	Material	Application	Part #	Size	Item
MULLION PINE PATIO IS HEAD/SILL PRIMED	Primed Pine	Inswing	MNPP179280HSGN	80" RO	804470002

## COMPOSITE MULL CASING

3-1/2" x 3/4" Flat Casing



4-9/16" Base Adaptor  
(Use 1-15/32" x 1-1/16" Mull Casing)



Description	Material	Application	Part #	Size	Width	Item
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FCCSNIB30BK	3/4" X 3/0	3.5"	801930003
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FCCSNIB90WBK	3/4" X 9/0	3.5"	801930006
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB68B	3/4" X 6/8	3.5"	801930004
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FCCSNIB680B	3/4" X 8/0	3.5"	801930005
FC COMPOSITE SMOOTH RAW IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB30BK	1" X 3/0	3.5"	801920042
FC COMPOSITE SMOOTH RAW IS BLANK TPL W/ MULL BK 1X4	Composite	Inswing	FC1CSNIB90WBK	1" X 9/0	3.5"	808980328
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB68B	1" X 6/8	3.5"	801920043
FC COMPOSITE SMOOTH RAW STANDARD IS BLANK BK 1X4	Composite	Inswing	FC1CSNIB680B	1" X 8/0	3.5"	801920044
FLAT CASING COMPOSITE GRAINED RAW IS BLANK TRIPLE WIDE MULL	Composite	Inswing	FC1CGNIB90WBK	1" X 9/0	3.5"	808980329
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB68B	1" X 6/8	3.5"	801920046
FLAT CASING COMPOSITE GRAINED RAW STANDARD IS BLANK BK	Composite	Inswing	FC1CGNIB80B	1" X 8/0	3.5"	801920048

PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.






**Boise Cascade**<sup>®</sup>  
MILLWORK


## SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

### Sill Finishes



### Cap Colors



### Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)
- Thick wood-grained composite cap and nosing.
  - U-shaped weather seal.
  - Adjustable flush stainless steel screws.
- Continuous length with spread mullion capability to fill 49"-75" rough openings.\*

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES36UNBD	3/6 5-3/4 U1	803260263
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Bronze	Darkwood	ISL3AS5EN90UNBD	9/0 5-3/4 U1	803260224
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE LINEAL	Inswing	Mill	Darkwood	ISL3AS5EN90UNMD	9/0 5-3/4 U1	803260226
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES26UNMD	2/6 5-3/4 U1	803260241
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES36UNMD	3/6 5-3/4 U1	803260265
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES28UNBD	2/8 5-3/4 U1	803260247
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES28UNMD	2/8 5-3/4 U1	803260249
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS5ES30UNBD	3/0 5-3/4 U1	803260255
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS5ES30UNMD	3/0 5-3/4 U1	803260257
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS5EF607UNBD	6/0 5-3/4 U1	803260168
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS5EF607UNMD	6/0 5-3/4 U1	803260170
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Bronze	Darkwood	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1	803260184
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 1/4" SIDELITES	Inswing	Mill	Darkwood	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1	803260186
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Bronze	Darkwood	ISL3AS5PD60ULNBD	6/0 5-3/4 U1	803260519
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH	Inswing	Mill	Darkwood	ISL3AS5PD60ULNMD	6/0 5-3/4 U1	803260521
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Bronze	Darkwood	ISL3AS5PD60URNBD	6/0 5-3/4 U1	803260527
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH	Inswing	Mill	Darkwood	ISL3AS5PD60URNMD	6/0 5-3/4 U1	803260529
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Bronze	Darkwood	ISL3AS5PN90UNBD	9/0 5-3/4 U1	803260551
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO LINEAL	Inswing	Mill	Darkwood	ISL3AS5PN90UNMD	9/0 5-3/4 U1	803260553
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Bronze	Darkwood	ISL3AS4EF607UNBD	6/0 4-9/16 U1	803260048
IS SILL ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL	Inswing	Mill	Darkwood	ISL3AS4EF607UNMD	6/0 4-9/16 U1	803260050
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES28UNBD	2/8 4-9/16 U1	803260096
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES28UNMD	2/8 4-9/16 U1	803260098
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Bronze	Darkwood	ISL3AS4ES30UNBD	3/0 4-9/16 U1	803260104
IS SILL ADJUSTABLE STANDARD COMPOSITE	Inswing	Mill	Darkwood	ISL3AS4ES30UNMD	3/0 4-9/16 U1	803260106


### Value Composite Adjustable Sill

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES28UNMD	2/8 4-9/16 U1	803261805
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP4ES30UNMD	3/0 4-9/16 U1	803261804
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES28UNBD	2/8 4-9/16 U1	803261807
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP4ES30UNBD	3/0 4-9/16 U1	803261808
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES28UNMD	2/8 5-3/4 U1	803261803
INSWING MILL DARKWOOD	Inswing	Mill	Darkwood	ISIL3AP5ES30UNMD	3/0 5-3/4 U1	803261798
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES28UNBD	2/8 5-3/4 U1	803261806
INSWING BRONZE DARKWOOD	Inswing	Bronze	Darkwood	ISIL3AP5ES30UNBD	3/0 5-3/4 U1	803261799

- Wood-grained composite cap and nosing.
- Zinc dichromate screws with removable screw caps.



### Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.

Description	Application	Sill Finish	Sill Cap Color	Part #	Size	Item
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE36USF5BDB	3/6 5-3/4 U1	805140272
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE36USF5MDB	3/6 5-3/4 U1	805140274
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE50USF5MDB	5/0 5-3/4 U1	805140352
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE54USF5MDB	5/4 5-3/4 U1	805140400
OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE90USF5MDB	9/0 5-3/4 U1	805140688
OS SILL W/ 2 1/2" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U12SF5MDB	3/0 5-3/4 U1	805140210
OS SILL W/ 2 1/4" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30U14SF5MDB	3/0 5-3/4 U1	805140218
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE28USF5BDB	2/8 5-3/4 U1	805140165
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE28USF5MDB	2/8 5-3/4 U1	805140167
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30USF5BDB	3/0 5-3/4 U1	805140224
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE30USF5MDB	3/0 5-3/4 U1	805140226
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE26USF5BDB	2/6 5-3/4 U1	805140144
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE50USF5BDB	5/0 5-3/4 U1	805140350
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE54USF5BDB	5/4 5-3/4 U1	805140398
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE60USF5BDB	6/0 5-3/4 U1	805140526
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE90USF5BDB	9/0 5-3/4 U1	805140686
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE60USF5MDB	6/0 5-3/4 U1	805140528
TRU-DEFENSE OS SILL W/ 2 1/2" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U12SF5BDB	3/0 5-3/4 U1	805140208
TRU-DEFENSE OS SILL W/ 2 1/4" SIDELITES STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE30U14SF5BDB	3/0 5-3/4 U1	805140216
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Bronze	Darkwood	OSE607USF5BDB	6/0 5-3/4 U1	805140510
TRU-DEFENSE OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE WEATHERSTRIP	Outswing	Mill	Darkwood	OSE607USF5MDB	6/0 5-3/4 U1	805140512

### Outswing Aluminum Sill Without Thermal Break



- Aluminum Sill with Thermal Break
- All-aluminum construction.
  - Integrated weatherstrip.

Description	Application	Sill Finish	Part #	Size	Item
OS NTB SILL BRONZE	Outswing	Bronze	BS260ABU1	2/6 4-9/16 U1	800770003
OS NTB SILL BRONZE	Outswing	Bronze	BS280ABU1	2/8 4-9/16 U1	800770007
OS NTB SILL BRONZE	Outswing	Bronze	BS300ABU1	3/0 4-9/16 U1	800770011
OS NTB SILL BRONZE	Outswing	Bronze	BS600ABU1	6/0 4-9/16 U1	800770027
OS NTB SILL MILL	Outswing	Mill	BS26096U1	2/6 4-9/16 U1	800770001
OS NTB SILL MILL	Outswing	Mill	BS28096U1	2/8 4-9/16 U1	800770005
OS NTB SILL MILL	Outswing	Mill	BS30096U1	3/0 4-9/16 U1	800770009
OS NTB SILL MILL	Outswing	Mill	BS60096U1	6/0 4-9/16 U1	800770025

TRU-DEFENSE ELIGIBLE

\*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.



**Boise Cascade**<sup>®</sup>  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA-TRU**<sup>®</sup>  
DOORS



**Boise Cascade**<sup>®</sup>  
MILLWORK


**Public Access Sill With or Without Thermal Break**  
(For ADA Applications\*\*)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size	Item
PUBLIC ACCESS SILL - MILL FINISH	S430PAU1	3/0 4-9/16 U1	806180007
PUBLIC ACCESS SILL - MILL FINISH	S460PAU1	6/0 4-9/16 U1	806180015
PUBLIC ACCESS SILL - MILL FINISH	S630PAU1	3/0 6-9/16 U1	806190007
PUBLIC ACCESS SILL - MILL FINISH	S660PAU1	6/0 6-9/16 U1	806190015
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S430PABU1	3/0 4-9/16 U1	806180002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S460PABU1	6/0 4-9/16 U1	806180010
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S630PABU1	3/0 6-9/16 U1	806190002
PUBLIC ACCESS SILL NO THERMAL BREAK BRONZE	S660PABU1	6/0 6-9/16 U1	806190010

**Sill Covers**  
(Recommended)




- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

Shown over composite adjustable sill.

Description	Part #	Size	Item
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4	806800013
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4	806800002

**Sill Extenders**



Finishes:  
Darkwood (Premium)      Sizes:  
3/4"  
2"

Description	Finish	Part #	Size	Item
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN60D	2"X72	806800037
TRU-DEFENSE OS SILL EXTENDER DARK WOOD	Darkwood	TDOSSN90D	2"X108	806800041
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	2"X13/0	806261173
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	2"X3/0 U1	806261207
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	2"X13/0	806261174
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	2"X3/0 U1	806261208
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	2"X6/0 U1	806261239
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	2"X6/0 U1	806261240

**Sill End Seal Pads**

Description	Part #	Size	Item
IS SILL PAD SLANTED END	ISL3FSEALPAD-24	1-3/8"	808980348
TRU-DEFENSE END SEAL SILL PAD	MSISSEAL-TD3		804520079
TRU-DEFENSE OS END SEAL SILL PAD	MSOSSEAL-TD		804520086

**DOOR BOTTOMS**

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

**Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills**



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Color:  
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1	801270086
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1	801270092
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1	801270088
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1	801270090
DOOR BOTTOM IS DP ACTIVE NOTCHED BRONZE	Inswing	DBDBU300NB	3/0 U1	801270091
DOOR BOTTOM SIDELITE IS DP ACTIVE NONOTCH BRONZE	Inswing	DBDB140B	14"	801270050

**Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills**



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0 U1	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6 U1	806040054


**Kerf-Applied Door Bottoms for Composite Outswing Sills**



Sills:  
Composite Outswing  
Aluminum  
Coastal  
Color:  
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB30OS99U	3/0 U1	801270034
DOOR BOTTOM OS ACTIVE NOHAND BRONZE	Outswing	DB36OS99U	3/6 U1	801270042

**4 Fin Sweep Door Bottom for Public Access Sills**



Sills:  
Public Access  
Color:  
Bronze

Description	Part #	Size	Item
DOOR BOTTOM SWEEP	DB30USWP	3/0 U1	801270037
DOOR BOTTOM SWEEP	DB36USWP	3/6 U1	801270046

TRU-DEFENSE ELIGIBLE

\*\*DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

**THERMA TRU**  
DOORS



millwork.bc.com  
500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



**Boise Cascade**  
MILLWORK


### Inactive Door Bottoms for Outswing Aluminum Sills



Sills:  
Composite Outswing  
Color:  
Bronze

Description	Application	Part #	Size	Item
DOOR BOTTOM OS INACTIVE BRONZE	Outswing	DBP30UTS	3/0	808980310

### Inactive Door Bottoms for Composite Outswing Sills



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Color:  
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOS140B	14"	806040076
TRU-DEFENSE REPLACEMENT OS INACTIVE DOOR BOTTOM BRONZE	Outswing	RPOSU300B	3/0 U1	806040089

### Inactive Door Bottoms for Composite Inswing Sills



Sills:  
Composite Adjustable  
Hardwood Adjustable  
Color:  
Bronze

Description	Application	Part #	Size	Item
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"	802090003
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0	802090007

### Additional Door Bottoms Available:

Description	Application	Part #	Size	Item
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB300B	3/0	806040053
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6	806040054

## ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.

### Stainable Astragal



Heights:  
6'6"  
6'8"  
7'0"  
8'0"  
Width:  
7/8"

Configurations:  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

Grain Available:  
Fir  
Weatherstrip:  
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS0SABFL	6/8	800460016
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP BRONZE LH	Inswing	ASIS8SABFL	6/8	800460098
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS0SABFR	8/0	800460017
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP BRONZE RH	Inswing	ASIS8SABFR	6/8	800460099
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS0SABFL	6/6	800460177
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP BRONZE LH	Outswing	ASOS8SABFL	6/8	800460257
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS0SABFR	8/0	800460178
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP BRONZE RH	Outswing	ASOS8SABFR	6/8	800460258

### Aluminum Astragal



Coastal option also available.

Heights:  
6'6"  
6'8"  
7'0"  
8'0"  
Width:  
7/8"

Configurations:  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed

Grain Options:  
Bronze  
White  
Weatherstrip:  
Bronze

Description	Application	Part #	Size	Item
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS0SAAL	6/8	800460010
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS7SAAL	7/0	800460052
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASIS8SAAL	8/0	800460092
ASTRAGAL ALUMINUM IS STANDARD WHITE LH	Inswing	ASISPSAAL	6/6	800460137
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS0SAAR	6/8	800460012
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS7SAAR	7/0	800460053
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASIS8SAAR	8/0	800460094
ASTRAGAL ALUMINUM IS STANDARD WHITE RH	Inswing	ASISPSAAR	6/6	800460138
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS0SAAL	6/8	800460172
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOS8SAAL	8/0	800460253
ASTRAGAL ALUMINUM OS STANDARD WHITE LH	Outswing	ASOSPSAAL	6/6	800460293
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS0SAAR	6/8	800460173
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOS8SAAR	8/0	800460254
ASTRAGAL ALUMINUM OS STANDARD WHITE RH	Outswing	ASOSPSAAR	6/6	800460294

### Astragal Replacement Parts

Description	Part #	Size	Item
ASTRAGAL REPLACEMENT BOOT LH STANDARD	7ASTBOOTL450		800180000
ASTRAGAL REPLACEMENT BOOT RH STANDARD	7ASTBOOTR450		800180001
REPLACEMENT ALUMINUM ASTRAGAL HARDWARE PACKAGE	RPAHWB		806040006
REPLACEMENT ALUMINUM ASTRAGAL SPRING CLIP REP KIT	RPSPREPKIT		806040160
REPLACEMENT ASTRAGAL ALUMINUM TOP & OUTSWING BOOT 2/PK	RPTOPBT		806040198
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTL	17"	806040024
REPLACEMENT BOLT GRIP ASSEMBLY	RPBOLTS	2-5/8"	806040026
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTLB	17"	806040025
REPLACEMENT BOLT GRIP ASSEMBLY BRONZE	RPBOLTSB	2-5/8"	806040027
REPLACEMENT CLOSURE STRIP WHITE	RPATRMW		806040023
REPLACEMENT SCREW BOLT RETAINER	RPAST5136016		806040019
REPLACEMENT SNAP-IN TRIM STRIP BRONZE	RPATRMB		806040022



**Boise Cascade**  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA TRU**  
DOORS



**Boise Cascade**<sup>®</sup>  
MILLWORK

## END RAIL

Description	Part #	Size	Item
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0	806040042
CC REPLACEMENT KERF END RAIL	RPCCER30SS	3/0	806040043
CC REPLACEMENT KERF END RAIL	RPFGERT36C	3/6	806040044
REPLACEMENT END RAIL	RPER36C	3/6	806040215
SS REPLACEMENT KERF END RAIL	RPFGERT30C	3/0	806040214
CC END RAIL FOR FULL PLANK REV V	CCER30SSPLKREVV	3/0	800920027



## WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

### Medium-Reach Weatherstrip ❖



Colors:  
Bronze  
White

### Long-Reach Weatherstrip ❖



Colors:  
Bronze  
White

Description	Part #	Size	Color	Item
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze	807830001
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze	807830004
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze	807950015
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze	807950006
WEATHERSTRIP SIDE LONG REACH	WS8FW	8/0	White	807950012
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze	807950018
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze	807950008
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FW7	8/0	White	807950014

## EXTERNAL HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft  
Ball-Bearing Staggered  
Hole Pattern Hinge ❖



Description	Finish	Part #	Size	Item
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8	802790079
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8	802790080
CC NRP HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCSR5NRP-1H	5/8	802790081
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-1Y	5/8	802790082
CC NRP HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCSR5NRP-1P	5/8	802790112
CC NRP HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCSR5NRP-1S	5/8	802790113
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8	802790083
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8	802790084
CC HINGE BALL BEARING STAGGERED	Oil Rubbed Bronze	HGBCCR5S-1H	5/8	802790085
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-1Y	5/8	802790086
CC HINGE BALL BEARING STAGGERED	Polished Chrome	HGBCCR5S-1P	5/8	802790098
CC HINGE BALL BEARING STAGGERED	Stainless Steel	HGBCCR5S-1S	5/8	802790099



**Boise Cascade**<sup>®</sup>  
MILLWORK

[millwork.bc.com](http://millwork.bc.com)

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

❖ TRU-DEFENSE ELIGIBLE

**THERMA TRU**<sup>®</sup>  
DOORS

thermatru.com | 1-800-THERMA-TRU | 12





**Boise Cascade**  
MILLWORK

Self-Aligning Ball-Bearing Hinge



Description	Finish	Part #	Size	Item
HINGE BALL BEARING RH	Brass Plated	HGBBR5-1A	5/8"	802790059
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"	802790060
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"	802790061
HINGE BALL BEARING RH	Oil Rubbed Bronze	HGBBR5-1H	5/8"	802790062
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"	802790067
HINGE BALL BEARING RH	Polished Chrome	HGBBR5-PC	5/8"	802790065
HINGE BALL BEARING RH	Stainless Steel	HGBBR5-SS	5/8"	802790066
HINGE BALL BEARING LH	Brass Plated	HGBBL5-1A	5/8"	802790050
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"	802790051
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"	802790052
HINGE BALL BEARING LH	Oil Rubbed Bronze	HGBBL5-1H	5/8"	802790053
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"	802790058
HINGE BALL BEARING LH	Polished Chrome	HGBBL5-PC	5/8"	802790056
HINGE BALL BEARING LH	Stainless Steel	HGBBL5-SS	5/8"	802790057

Self-Aligning Hinge



Description	Finish	Part #	Size	Item
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"	802790010
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"	802790011
HINGE NRP BULK PACK	Oil Rubbed Bronze	HG58RP-1H-S	5/8"	802790012
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"	802790015
HINGE NRP BULK PACK	Polished Chrome	HG58RP-PC-S	5/8"	802790013
HINGE NRP BULK PACK	Stainless Steel	HG58RPSS-S	5/8"	802790014
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"	802790008
HINGE SELF-ALIGNING BULK PACK	Oil Rubbed Bronze	HG58-1H-S	5/8"	802790009
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"	802790027
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"	802790028
HINGE SELF-ALIGNING W/SECURITY TAB BULK PACK	Stainless Steel	HG58STSS-S	5/8"	802790028

Spring-Loaded Hinge



Description	Finish	Part #	Size	Item
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"	802790016
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"	802790017
HINGE SPRING LOADED	Oil Rubbed Bronze	HG58SL-1H	5/8"	802790018
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"	802790022
HINGE SPRING LOADED	Polished Chrome	HG58SL-PC	5/8"	802790020
HINGE SPRING LOADED	Stainless Steel	HG58SL55	5/8"	802790021



**Boise Cascade**  
MILLWORK

[millwork.bc.com](http://millwork.bc.com)  
500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA TRU**  
DOORS



**Boise Cascade**  
MILLWORK

## INTERIOR HINGES



### 3.5" X 3.5" X 2.2MM 5/8" RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 3.5" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG35I583	5/8	769050007
SI 5/8" RAD 3.5" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG35I5815	5/8	769050003
SI 5/8" RAD 3.5" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG35I5810C	5/8	769050001
SI 5/8" RAD 3.5" US26D STN/BRSH CHROME RESIDENTIAL	Strn/Brsh Chrome	HG35I5826D	5/8	769050325
SI 5/8" RAD 3.5" US1D BLACK RESIDENTIAL	Black Nickel	HG35I581D	5/8	769050002
SI 5/8" RAD 3.5" USP PRIMED RESIDENTIAL	Primed	HG35I58P	5/8	769050033
SI 5/8" RAD 3.5" US2 ZINC DICHROMATE RES	Zinc	HG35I582	5/8	769050004

### 4" X 4" X 2.5MM 5/8" RADIUS RESIDENTIAL

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS RESIDENTIAL	Polished Brass	HG4I583	5/8	769050350
SI 5/8" RAD 4" US15 SATIN NICKEL RESIDENTIAL	Satin Nickel	HG4I5815	5/8	769050354
SI 5/8" RAD 4" US10C COLONIAL BRONZE RESIDENTIAL	Colonial Bronze	HG4I5810C	5/8	769050358
SI 5/8" RAD 4" US26D STN/BRSH CHROME RESIDENTIAL	Strn/Brsh Chrome	HG4I5826D	5/8	769050360
SI 5/8" RAD 4" US1D BLACK RESIDENTIAL	Black Nickel	HG4I581D	5/8	769050362
SI 5/8" RAD 4" USP PRIMED RESIDENTIAL	Primed	HG4I58P	5/8	769050363

### 4" X 4" X 2.5MM 5/8" RADIUS NRP RESIDENTIAL

Description	Finish	Part #	Size	Item
SO 5/8" RAD 4" US3 NRP POLISHED BRASS RES	Polished Brass	HG4O583	5/8	769050401
SO 5/8" RAD 4" US15 NRP SATIN NICKEL RES	Satin Nickel	HG4O5815	5/8	769050405
SO 5/8" RAD 4" US10C NRP COLONIAL BRONZE RES	Colonial Bronze	HG4O5810C	5/8	769050409
SO 5/8" RAD 4" US26D NRP STN/BRSH CHROME RES	Strn/Brsh Chrome	HG4O5826D	5/8	769050411
SO 5/8" RAD 4" US1D NRP BLACK RES	Black Nickel	HG4O581D	5/8	769050413
SO 5/8" RAD 4" USP NRP PRIMED RES	Primed	HG4O58P	5/8	769050414

### 4" X 4" X 2.7MM 5/8" RADIUS SELF-CLOSING (SPRING) HINGES

Description	Finish	Part #	Size	Item
SI 5/8" RAD 4" US3 POLISHED BRASS SPRING	Polished Brass	HG4C583	5/8	769050497
SI 5/8" RAD 4" US15 SATIN NICKEL SPRING	Satin Nickel	HG4C5815	5/8	769050501
SI 5/8" RAD 4" US10C COLONIAL BRONZE SPRING	Colonial Bronze	HG4C5810C	5/8	769050505
SI 5/8" RAD 4" US26D STN/BRSH CHROME SPRING	Strn/Brsh Chrome	HG4C5826D	5/8	769050507
SI 5/8" RAD 4" US1D BLACK SPRING	Black Nickel	HG4C581D	5/8	769050509
SI 5/8" RAD 4" USP PRIMED	Primed	HG4C58P	5/8	769050510

## HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available  
Handleset  
Finishes



### Grip Style Handlesets

#### Forte



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active	804490291
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active	804490290
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active	804490273

#### Prospect



Description	Finish	Part #	Locking	Item
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active	804490274
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active	804490289
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active	804490288

### Lever Style Handlesets

#### Heirloom



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow	804490203
HANDLESET HEIRLOOM	Black Nickel	MPTS1123965N-1D	Active	Wide	804490210
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow	804490202
HANDLESET HEIRLOOM	Brushed Nickel	MPTS1123965N-1C	Active	Wide	804490209
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow	804490204
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS1123965N-1H	Active	Wide	804490211
HANDLESET HEIRLOOM	Black Nickel	DTS112374-1D	Inactive	Narrow	801480016
HANDLESET HEIRLOOM	Black Nickel	DTS1123965N-1D	Inactive	Wide	801480023
HANDLESET HEIRLOOM	Brushed Nickel	DTS112374-1C	Inactive	Narrow	801480015
HANDLESET HEIRLOOM	Brushed Nickel	DTS1123965N-1C	Inactive	Wide	801480022
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS112374-1H	Inactive	Narrow	801480017
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	DTS1123965N-1H	Inactive	Wide	801480024

Note: Grip Style Handlesets and Lever Style Handlesets are not interchangeable.



**Boise Cascade**  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA TRU**  
DOORS



**Millennium**



Backplates:  
Wide  
Narrow  
Locking:  
Active  
Inactive

Description	Finish	Part #	Locking	Backplate	Item
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow	804490217
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide	804490224
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow	804490216
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide	804490223
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow	804490218
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide	804490225
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow	801480030
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide	801480037
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow	801480029
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide	801480036
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow	801480031
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide	801480038

**Venture**



Description	Finish	Part #	Locking	Backplate	Item
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow	804490189
HANDLESET VENTURE	Black Nickel	MPTS10203965N-1D	Active	Wide	804490196
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow	804490188
HANDLESET VENTURE	Brushed Nickel	MPTS10203965N-1C	Active	Wide	804490195
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow	804490190
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS10203965N-1H	Active	Wide	804490197
HANDLESET VENTURE	Black Nickel	DTS1020374-1D	Inactive	Narrow	801480002
HANDLESET VENTURE	Black Nickel	DTS10203965N-1D	Inactive	Wide	801480009
HANDLESET VENTURE	Brushed Nickel	DTS1020374-1C	Inactive	Narrow	801480001
HANDLESET VENTURE	Brushed Nickel	DTS10203965N-1C	Inactive	Wide	801480008
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS1020374-1H	Inactive	Narrow	801480003
HANDLESET VENTURE	Oil-Rubbed Bronze	DTS10203965N-1H	Inactive	Wide	801480010


**SPEAKEASY'S**

**Mahogany & Grilles**

Item	Description
809027821	Mahogany Speakeasy Clear IG
809027817	Standard Grille
809027815	Balfour Grille



Mahogany Speakeasy  
Clear IG



Standard  
Grille



Balfour  
Grille

**Iron**

Item	Description
809029008	Standard Grille w/ Seedy Glass
809029011	Decorative Grille w/ Seedy Glass



Standard Grille  
w/ Seedy Glass



Decorative Grille  
w/ Seedy Glass

**HARDWARE**

**Security Strike Plate**

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Application	Finish	Part #	Item
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPTD-1D	804520044
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSPTD-1C	804520043
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil-Rubbed Bronze	MSAJSSPTD-1H	804520045
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Yellow Zinc	MSAJSSPTD-YZ	804520050
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainless Steel	MSAJSSPTD-SS	804520049
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Black Nickel	MSOOSPTD-1D	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Brushed Nickel	MSOOSPTD-1C	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Oil Rubbed Bronze	MSOOSPTD-1H	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Yellow Zinc	MSOOSPTD-YZ	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Polished Chrome	MSOOSPTD-PC	804520014
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB		Stainless Steel	MSOOSPTD-SS	804520014
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Black Nickel	MPMSBASIS3-1D	804490098
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Brushed Nickel	MPMSBASIS3-1C	804490097
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT IS	Inswing	Oil Rubbed Bronze	MPMSBASIS3-1H	804490099
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brass	MPMSBOSIS-1A	804490113
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Black Nickel	MPMSBOSIS-1D	804490115
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Brushed Nickel	MPMSBOSIS-1C	804490114
TRU-DEFENSE ASTRAGAL STRIKE PACKAGE SHOOTBOLT OS	Outswing	Oil Rubbed Bronze	MPMSBOSIS-1H	804490116
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brass	MSAJSSP	804420035
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Black Nickel	MSAJSSPID	804420037
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Brushed Nickel	MSAJSSP-1C	804420036
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Oil Rubbed Bronze	MSAJSSP-1H	804420038
ADJUSTABLE SECURITY STRIKE PLATE ASTRAGAL/MULLION		Stainelss Steel	MSAJSSPSS	804420042
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Black Nickel	MPGSGTCS21-1D	804490295
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Brushed Nickel	MPGSGTCS21-1C	804490296
HANDLESET MPLS GRIP STYLE CAPTURED TONGUE STRIKE PACKAGE		Oil Rubbed Bronze	MPGSGTCS21-1H	804490294
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Black Nickel	MPMARTS-1D	804490077
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Brushed Nickel	MPMARTS-1C	804490076
MPLS TONGUE STRIKE PACKAGE CURVED LIP		Oil Rubbed Bronze	MPMARTS-1H	804490078

**Strike Plate Screws**

Description	Finish	Part #	Item
SCREW PACKAGE A	Yellow Zinc	MSSCRPA	804520088
SCREW PACKAGE A	Black Nickel	MSSCRPA-1D	804520090
SCREW PACKAGE A	Brushed Nickel	MSSCRPA-1C	804520089





**Boise Cascade**  
MILLWORK

## Rain Protection

Helps repel moisture away from areas exposed to wind-driven moisture infiltration enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.




**Rain Deflector**  
(Inswing):  
Colors:  
Bronze  
White

Description	Part #	Size	Color	Item
RAIN DEFLECTOR BRONZE	HPRD30UB	3/0 U1	Bronze	802900003
RAIN DEFLECTOR WHITE	HPRD30UW	3/0 U1	White	802900005

## DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



(40.64 mm / 1.6 in.)  
Look for the ( ) icon.

(107.95 mm / 4.25 in.)  
Look for the ( ) and ( ) icons.

(139.70 mm / 5.5 in.)  
Look for the ( ) and ( ) icons.

Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the ( ) and ( ) icons.

(40.64 mm / 1.6 in.)  
Look for the ( ) icon.

Description	Part #	Width	Item
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"	800920004
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"	800920011
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"	800920012
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"	800920016
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"	800920013
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"	800952277
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"	800952276

## ACCESSORIES

### Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes Pyramid and round clavos as well as strap hinges.



Description	Part #	Size	Item
CLAVOS SQUARE BLACK	CLVSBL100SAB20	1"	801070001
CLAVOS SQUARE BLACK	CLVSBL125SAB20	1-1/4"	801070003
CLAVOS SQUARE BLACK	CLVSBL150SAB20	1-1/2"	801070004
CLAVOS ROUND BLACK	CLVSBL100RAB20	1"	801070000
CLAVOS ROUND BLACK	CLVSBL125RAB20	1-1/4"	801070002
CLAVOS ROUND BLACK	CLVSBL175RAB20	1-3/4"	801070005
STRAP HINGE BLACK	STRPHSD183	18"	806680005

### Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf



Fiber-Classic<sup>®</sup> 4-Block Dentil Shelf\*



Classic Craft<sup>®</sup> Fir Grain 4-Block Dentil Shelf  
(Pairs with 3'6" wide doors.)



Smooth-Star<sup>®</sup> 4-Block Dentil Shelf\*



Classic Craft<sup>®</sup> Canvas 4-Block Dentil Shelf

Description	Part #	Size	Item
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"	800920007
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"	800920002
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"	800960459

Description	Part #	Size	Item
FC DENTIL SHELF	DSB4BLK	26.2"	801460175
SS DENTIL SHELF	DSW4BLK	25.4"	801460176

### Corner Seal Pads

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

#### Classic Craft<sup>®</sup> 7-Shape Pads

Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access



#### Fiber-Classic<sup>®</sup> / Smooth-Star<sup>®</sup> 7-Shape Pads

Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access



Description	Part #	Color	Item
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE LH	CCCPPKLB	Bronze	800920020
CC TRU-DEFENSE CORNER SEAL PAD PACKAGE RH	CCCPPKRB	Bronze	800920023
FC/SS TRU-DEFENSE CORNER SEAL PAD PACKAGE	CPPKB	Bronze	802120010

### Transport Clips

Description	Part #	Item
TRANSPORT CLIP	MS00TPC	804520021

\* TRU-DEFENSE ELIGIBLE

\* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.



**Boise Cascade**  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**THERMA TRU**  
DOORS

thermatru.com | 1-800-THERMA-TRU | 20



**Boise Cascade**<sup>®</sup>  
MILLWORK

## EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

### Exterior Frames

Description	Primed	Duraframe	Hemlock	Okume	Kalder
4-7/8"-6'8"	•	N/S	N/S	N/S	N/S
4-7/8"-3'0"	•	N/S	N/S	N/S	N/S
4-9/16"-6'8"	•	•	•	•	•
4-9/16"-8'0"	•	•	•	•	•
4-9/16"-2'8"	•	N/S	N/S	N/S	N/S
4-9/16"-3'0"	•	N/S	•	•	•
4-9/16"-6'0"	•	N/S	N/S	N/S	N/S
4-9/16"-10'0"	•	N/S	N/S	N/S	N/S
4-9/16"-14'0"	•	N/S	N/S	N/S	N/S
5-1/4"-6'8"	N/S	N/S	•	•	N/S
5-1/4"-3'0"	N/S	N/S	N/S	•	N/S
5-1/4"-8'0"	N/S	N/S	•	•	N/S
6-9/16"-6'8"	•	•	•	•	•
6-9/16"-8'0"	•	•	•	•	•
6-9/16"-2'8"	•	N/S	N/S	N/S	N/S
6-9/16"-3'0"	•	N/S	•	•	•
6-9/16"-6'0"	•	N/S	N/S	N/S	N/S
6-9/16"-14'0"	•	N/S	N/S	N/S	N/S
7-1/4"-6'8"	•	•	•	•	N/S
7-1/4"-8'0"	•	•	•	•	N/S
7-1/4"-3'0"	•	N/S	•	•	N/S
7-1/4"-6'0"	•	N/S	N/S	N/S	N/S
11-1/4"-6'8"	N/S	•	N/S	N/S	N/S
11-1/4"-8'0"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 6'8"	N/S	•	N/S	N/S	N/S
Mullpost 3-9/16" 8'0"	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 6'8" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-9/16" 8'0" Fatboy	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 6'8" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8" 8'0" Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'6" Retro	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" OS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 6'8" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x2" 8'0" IS Patio	N/S	•	N/S	N/S	N/S
Mullpost 4-3/8"x 2-1/2"-8'0"	N/S	N/S	•	N/S	N/S
Mullpost 4-3/8" x 2-1/2"-9'0"	N/S	N/S	•	N/S	•
4-9/16" 5'0" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
4-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S



### Exterior Frames (CONT.)

Description	Primed	Duraframe	Hemlock	Okume	Kalder
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 5'4" Common Arch Head	N/S	N/S	N/S	•	N/S
6-9/16" 6'0" Common Arch Head	N/S	N/S	N/S	•	N/S
T-Astragal 1-3/8 (1-1/4"x2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/8 (1-1/4"x2")84"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 (1-1/4"x2-1/2")100"	N/S	N/S	N/S	N/S	•
T-Astragal 1-3/4 Ext.(1-1/4"x3-1/8")98"	N/S	N/S	•	•	•
WM180 Bmould 17'	•	N/S	N/S	N/S	N/S
WM180 Bmould 6'8"	•	•	N/S	N/S	N/S
WM180 Bmould 8'0"	•	•	•	•	N/S
WM180 Bmould 10'0"	N/S	N/S	N/S	N/S	•
WM180 Bmould 2'8"	•	N/S	N/S	N/S	N/S
WM180 Bmould 3'0"	•	N/S	N/S	N/S	N/S
S4S 11/16" X 3-1/2 -9'	N/S	N/S	•	•	N/S
S4S 11/16" X 3-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 5-1/2 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 7-1/4 -10'	N/S	N/S	N/S	N/S	•
S4S 11/16" X 3-1/2 -8'	N/S	•	N/S	N/S	N/S

### Interior Jambs

Description	Fingerjoint	Primed	Solid	Veneer
4-9/16"-6'8"	•	•	•	•
4-9/16"-8'0"	•	•	N/S	•
4-9/16"-3'0"	•	N/S	•	N/S
4-9/16"-6'0"	•	•	•	N/S
4-7/8"-6'8"	•	•	N/S	N/S
4-7/8"-7'0"	N/S	•	N/S	N/S
4-7/8"-8'0"	•	•	N/S	N/S
4-7/8"-3'0"	•	•	N/S	N/S
4-7/8"-6'0"	•	•	N/S	N/S
6-9/16"-6'8"	•	N/S	•	N/S
6-9/16"-8'0"	•	N/S	•	N/S
6-9/16"-3'0"	•	N/S	•	N/S
6-9/16"-6'0"	•	N/S	•	N/S

### Sheetrock Return Jambs

Description	Fingerjoint
3-1/2" -8'0"	•
5-1/2" -8'0"	•

Description	Knotty Alder
4-9/16"-6'8"	•
4-9/16"-8'0"	•
4-9/16"-3'0"	•
5-1/4"-6'8"	•
5-1/4"-8'0"	•
5-1/4"-3'0"	•
6-9/16"-6'8"	•
6-9/16"-8'0"	•
6-9/16"-3'0"	•
Mullpost 4-3/8" x 2-3/8" -9'	•



Standard Flat Jamb with Applied Stop



Rabbit Jamb



Sheetrock Return Jamb



Flat Jamb

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



**Boise Cascade**<sup>®</sup>  
MILLWORK

[millwork.bc.com](http://millwork.bc.com)

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606





**Boise Cascade**  
MILLWORK

## MOULDINGS

Non-Stock - N/S

In Stock - •

Description	Fingerjoint	Primed	Solid
WM324 Wedge Casing 5/8" x 2-1/8" 14'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/4"- 8'7"(103")	•	N/S	•
A-Colonial Casing 5/8" x 2-1/4" 14'	N/S	•	N/S
WM356 Casing 5/8" x 2-1/4"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
A-Colonial Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-211 Casing 5/8" x 2-1/2"-8'3"(103")	•	N/S	•
C-211 Casing 5/8" x 2-1/2"-14'	N/S	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-7'	•	N/S	N/S
C-322 Casing 5/8" x 2-1/2"-8'7"(103")	•	N/S	•
#9 B Base 1/2" x 3-1/4" 8'7"(103")	•	N/S	N/S
MC9E Casing 7/8" x 3-1/4" 8'6"(103")	N/S	•	N/S
C-295 Casing 9/16" x 3-1/2"-8'7"(103")	N/S	N/S	•
LC11 Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
C-522 casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	N/S
C347 Casing 9/16" x 3-7/16" 16'	•	N/S	N/S
A-Colonial Casing 5/8" x 3-1/2" 8'7"(103")	•	N/S	•
WM876 Door Stop 7/16" x 1-3/8"	•	N/S	•
1X4 S4S 8'6"(102")	N/S	•	•
1X4 S4S 7'4"(88")	N/S	•	N/S
WM876 80-1/2" DBL Mitered	N/S	•	N/S
WM876 96-1/2" DBL Mitered	N/S	•	N/S



WM 324




WM 356



MC-9 E IMPERIAL



A-Colonial 2.25




A-Colonial 2.5



A-Colonial 3.5



B-9



C-211



C-295




C-322



C-522



Int Flat Jamb Profile



LC11

## BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059060		BARN DOOR CON PLATE FLAT BLACK
769059084		BARN DOOR SOFT CLOSE KIT FLAT BLACK



## KWIKSET

Item	Description
653000158	58 SQT 11P SMT RCAL 5063
653002638	660 15 SMT RCAL RCS
653002639	660 11P SMT RCAL RCS K3
653003135	780 15 SMT RCAL 5063
653003136	780 11P SMT RCAL 5063
653003137	158 SQT 15 SMT RCAL 5063
653008704	913CNT 15 SMT RCALFD
653008705	913CNT 11P SMT RCALFD
653008708	913TRL 15 SMT RCALFD
653008709	913TRL 11P SMT RCALFD
653009503	85063- 11P
653009504	85063-15
653040500	604BL 15 LH
653040501	604BL 15 RH
653040502	604BL 11P LH
653040503	604BL 11P RH
653041433	400CV 11P SMT 6AL RCS K3
653041434	400CV 15 SMT 6AL RCS
653041474	604CV 15
653041483	604CV 11P V1

Item	Description
653042402	740H 15 SMT 6AL RCS K3
653042404	966H 15
653042410	966H 11P
653042411	740H 11P SMT 6AL RCS
653060500	405BL 15 SMT 6AL RCS K4
653060501	405BL 11P SMT 6AL RCS K4
653062453	156HFL SQT 11P SMT 6AL RCS
653062454	156HFL SQT 15 SMT 6AL RCS
653062493	966HFL SQT 11P
653062494	966HFL SQT 15
653080005	687AMD LIP 15 SMT RCAL RCS
653080006	687AMD LIP 11P SMT RCAL RCS
653081315	687DA LIP 15 SMT RCAL RCS
653081316	687DA LIP 11P SMT RCAL RCS
653082100	971HFL SQT 15
653082104	971HFL SQT 11P
653082404	800HE LIP 15 SMT RCAL 5063
653082405	800HE LIP 11P SMT RCAL 5063
653086006	818SCE LIP 15 SMT RCAL RCS
53086007	818SCE LIP 11P SMT RCAL RCS



**Boise Cascade**  
MILLWORK

millwork.bc.com

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606

**Kwikset**



Boise Cascade®  
MILLWORK

## COMPOSITE DOOR FRAME

featuring Tru Guard™ Composite Technology




1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill



Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.

### TRU GUARD™ COMPOSITE TECHNOLOGY




#### Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

#### Available Textures

##### Buff Grained



- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.

##### White Smooth



- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

## CAPABILITIES

### Size Modifications (cut or trim)

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Therma-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



### Access Doors

Boise can build smaller doors to accommodate access areas.



### Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs. Will not install.



### Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.



### Therma-Tru Products & Applications

Composite Door Frame  
+ Classic Craft® Door  
+ Components

Warranty  
For First Homeowner



Frame + Door + Components

Warranty Riders  
Transferable 1x to Second Homeowner

Lifetime 1x Transferable Full-System Rider

Frame + Door + Components

Composite Door Frame  
+ Fiber-Classic®, Smooth-Star®,  
Pulse® Fiberglass Door + Components



Frame + Door + Components

10-Year Transferable Full-System Rider

Frame + Door + Components

\*See your Therma-Tru seller for details on product availability.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.




millwork.bc.com  
500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606



# MULTI-POINT LOCKING SYSTEMS (MPLS)

## Lever-Style MPLS

### Exterior Handlesets




Heirloom    Venture    Millennium  
Backplates: Wide / Narrow; Locking: Active / Inactive (Not Shown)

### Standard Door Options




Tongue (For single door systems.)  
Shootbolt (For double door systems.)



Engages at three critical points.  
Exterior view of door with lever-style MPLS.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.


### Finish Options



Bright Brass    Brushed Nickel    Black Nickel    Polished Chrome    Oil-Rubbed Bronze

## Grip-Style MPLS


### Handlesets



### Standard Door Options



Tongue (For single door systems.)  
Shootbolt (For double door systems.)  
Heights: 6'8" Inswing, 7'0" Outswing, 8'0" Outswing



Side view of door.  
Engages at three critical points.  
Interior view of door.

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

### Finish Options




Brushed Nickel    Black Nickel    Oil-Rubbed Bronze

Grip Style MPLS is NOT available for double french doors.


# HANDING

All units viewed from exterior of the home.


### Inswing



### Outswing



### Fixed



\*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.

## Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.
2. Therma-Tru<sup>®</sup> bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.
3. In-swing unit with corner seal pads.
4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft<sup>®</sup> door systems have ball-bearing radius/radius hinges).
5. Compression bronze weatherstrip.
6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.
8. Sill cover (not included on fixed doors).
9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.
10. Installation instructions.
11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.
12. Inactive door is not bored.
13. Door with sidelites feature continuous composite adjustable sill.

F = Fixed Panel    L = Left Hand  
A = Astragal    R = Right Hand







## PRE-HUNG FEATURES

Standard Boise Cascade Specs:

- 4-9/16" primed Duraframe frame (rot-free wood: limited lifetime warranty) and PVC brickmould
- Therma-Tru bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustable screws
- In-swing unit with corner seal pads
- Three 4x4 brushed nickel 5/8" self aligning
- Compression bronze weatherstrip
- Adjustable strike plate. Transport clip
- Double bore for lockset and deadbolt prep with double strike prep on frame
- Sill Cover (not included on fixed doors)
- (2) 2-1/2" hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike

### Installation Instructions

- Double doors include matching T-Astragal with bronze weatherstrip and strike plates installed
- Inactive door is not bored
- Door with sidelites feature continuous composite adjustable sill

### Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

### Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

## PRE-HUNG FEATURES

### Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

### Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

### Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Lock Preparation:  
 2-3/8" Backset  
 2-18" Face Bore  
 2-1/4" Edge Prep  
 Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.


Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.





**Boise Cascade**  
MILLWORK

## HINGE LOCATIONS




## ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

### Our Custom Service Offerings:

- Multipoint Lock Prep
- Cutouts
- SDLs
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,



**Boise Cascade**  
MILLWORK

[millwork.bc.com](http://millwork.bc.com)

500 Industrial Blvd, Suite 100  
Sugar Land, TX 77478  
833-504-1606