



Boise Cascade®  
MILLWORK



NOW AVAILABLE IN THE BOISE MARKET

**SIMPSON DOORS IN STOCK**  
*at Boise Cascade Millwork* **NEW FOR 2025**

**Simpson®**  
Door Company



Boise Cascade Millwork is proud to offer Simpson pre-hung and slab exterior and interior doors to its customers. America's finest and most well-known wood door brand is now available in stock for quick delivery.

Doors available with the shortest possible lead time are stocked in our Boise location. Additional doors are also available through our Commerce City (Denver) location. And doors are also available from Simpson's Redi-Ship® Program (see [simpsondoor.com/rediship](http://simpsondoor.com/rediship)) for quick delivery. Contact your Boise Cascade Millwork representative for lead time. In addition, any special order or custom door you can dream of is available through Simpson's manufacturing facility in Washington state. Contact your Boise Cascade Millwork representative today to order your dream Simpson door.

## TABLE OF CONTENTS



© Davis Photography

**SPECIAL ORDER  
AND CUSTOM DOORS** p. 3



**DOUGLAS FIR  
EXTERIOR DOORS** pp. 4-5



© Great NW Homes

**KNOTTY ALDER  
EXTERIOR DOORS** pp. 6-7



**MAHOGANY  
EXTERIOR DOORS** p. 8



© Rob Karosis

**DOUGLAS FIR  
INTERIOR DOORS** p. 9



**KNOTTY ALDER  
INTERIOR DOORS** pp. 10-11



© William Geddes

**REDI-PRIME®  
INTERIOR DOORS** pp. 12-13



**REDI-SHIP® INTERIOR  
DOOR PROGRAM (IN STOCK  
AT SIMPSON)** pp. 14-15



**Boise Cascade®**  
MILLWORK

## **SIMPSON SPECIAL ORDER, CONCEPT® CUSTOM DOORS AND MATCHING MILLWORK**

If you haven't found what you are looking for from our in stock offerings throughout this catalog, let your Boise Cascade Millwork representative help you create a one-of-a-kind door to fit your needs. From species selection to design, Boise Cascade Millwork and Simpson can guide you through the process of creating a custom door. And you can expect the same great service and attention to detail from both.



© Davis Photography



© Davis Photography




**Simpson®**  
Door Company



# DOUGLAS FIR EXTERIOR DOORS

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7002**

Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**7701**

Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"




**7002 Shaker**

Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"




**7701 Shaker**

Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7002**

WaterBarrier®  
with Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"




**37010**

Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"



**37010 Shaker**

Low-E  
2'0", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'6", 2'8",  
3'0" x 8'0"




**37010**

WaterBarrier®  
with Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7403 Shaker**

Satin Etch IG  
3'0" x 6'8"



**7403 Shaker**

WaterBarrier®  
with Satin Etch IG  
3'0" x 6'8"



**7404 Shaker**

Satin Etch IG  
3'0" x 6'8"



**7404 Shaker**

WaterBarrier®  
with Satin Etch IG  
3'0" x 6'8"




**7405 Shaker**

Satin Etch IG  
3'0" x 8'0"



**7405 Shaker**

WaterBarrier®  
with Satin Etch IG  
3'0" x 8'0"



**7501**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**7801**

DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501**

DHRP and  
Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**7801**

DHRP and Seedy  
Baroque IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**37598**

DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37504**

DHRP and  
Low-E  
3'0" x 6'8"  
3'0", 3'6" x 8'0"



**37802**

DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"




**37504**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37802**

DHRP and Seedy  
Baroque IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506**

DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37803**

DHRP and  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)



## DOUGLAS FIR EXTERIOR DOORS (CONTINUED)

All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.




**Boise Cascade®**  
MILLWORK




**37506**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37803**

DHRP and Seedy  
Baroque IG  
12" x 14" x 6'8"  
12" x 14" x 8'0"



**37508**

DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**37804**

DHRP and  
Low-E  
12" x 14" x 6'8"  
12" x 14" x 8'0"



**37508**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**37804**

DHRP and Seedy  
Baroque IG  
12" x 14" x 6'8"  
12" x 14" x 8'0"




**7044**

DHRP and  
Low-E  
2'8" x 3'0" x 6'8"



**37444**

DHRP and  
Low-E  
2'8" x 3'0" x 6'8"



**37944**

DHRP and  
Low-E  
2'8" x 3'0" x 6'8"



**6801**

DHRP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker**

FP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker**

FP and  
Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**36804**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**7130**

DHRP  
2'8" x 3'0" x 6'8"



**9541 Denti Shelf**

### AVAILABLE WITH MATCHING MAHOGANY MILLWORK

All Okoume Mahogany doors come available with beautiful matching millwork.

Mull Post



10123

2-1/2" x 4-3/8"

Single Rabbet Kerfed JAMB



10002

Brickmould



10020

Sidelight Stop



10060

3/8" x 3/8"

Stops



10123

2-1/2" x 4-3/8"



10050

7/16" x 1-3/8"



10051

7/16" x 1-3/8"



10052

7/16" x 1-3/8"

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING  
FP = 3/4" FLAT PANEL

**Simpson®**  
Door Company

SIMPSONDOOR.COM | 800.SIMPSON | #SIMPSONDOOR 5

# KNOTTY ALDER EXTERIOR DOORS

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**7002**  
Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7701**  
Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501**  
DHRP and Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7801**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**7501**  
DHRP and Seedy Baroque IG  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**7801**  
DHRP and Seedy Baroque IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504**  
DHRP and Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"




**37802**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37504**  
DHRP and Seedy Baroque IG  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37802**  
DHRP and Seedy Baroque IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506**  
DHRP and Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"




**37803**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**37506**  
DHRP and Seedy Baroque IG  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37803**  
DHRP and Seedy Baroque IG  
12", 14" x 6'8"  
12", 14" x 8'0"



**37508**  
DHRP and Low-E  
2'6", 2'8", 3'0" x 6'8"  
2'6", 2'8", 3'0" x 8'0"



**37804**  
DHRP and Low-E  
12", 14" x 6'8"  
12", 14" x 8'0"



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)




## KNOTTY ALDER EXTERIOR DOORS (CONTINUED)

All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.



**Boise Cascade®**  
MILLWORK



**37508**

DHRP and Seedy  
Baroque IG  
2'6" x 6'8"  
2'6" x 8'0"



**37804**

DHRP and Seedy  
Baroque IG  
12" x 14" x 6'8"  
12" x 14" x 8'0"



**6801**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**6175**

DHRP and Low-E  
12" x 14" x 6'8"  
12" x 14" x 8'0"



**6801 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**6801**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**6801 Shaker**

FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"




**36802 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36802**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36802 Shaker**

FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36803**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36803 Shaker**

FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36804**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36804 Shaker**

FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806**

DHRP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker**

FP and Low-E  
3'0" x 6'8"  
3'0" x 8'0"



**36806**

DHRP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



**36806 Shaker**

FP and Seedy  
Baroque IG  
3'0" x 6'8"  
3'0" x 8'0"



© Great NW Homes

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING  
FP = 3/4" FLAT PANEL

**Simpson®**  
Door Company

SIMPSONDOOR.COM | 800.SIMPSON | #SIMPSONDOOR 7

# MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.

<b>7002</b> Low-E 2'6", 2'8", 3'0" x 6'8" 2'6", 2'8", 3'0" x 8'0"	<b>7403 Shaker</b> Satin Etch IG 3'0" x 6'8"	<b>7404 Shaker</b> Satin Etch IG 3'0" x 6'8"	<b>7405 Shaker</b> Satin Etch IG 3'0" x 8'0"
<b>7501 Shaker</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>7504 Shaker</b> DHRP and Bevel Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>7506 Shaker</b> DHRP and Bevel Low-E 3'0" x 6'8" 3'0" x 8'0"	<b>6801</b> DHRP and Low-E 3'0" x 6'8" 3'0" x 8'0"

### AVAILABLE WITH MATCHING MAHOGANY MILLWORK

All Okoume Mahogany doors come available with beautiful matching millwork.

<b>Mull Post</b>  1-1/2"	<b>Single Rabbet Kerfed JAMB</b>  10002	<b>Brickmould</b>  10020	<b>Sidelight Stop</b>  10060 3/8" x 3/8"
<b>Stops</b>  10123 2-1/2" x 4-3/8"	 10050 7/16" x 1-3/8"	 10051 7/16" x 1-3/8"	 10052 7/16" x 1-3/8"



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)



# DOUGLAS FIR INTERIOR DOORS

Douglas Fir interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."




**Boise Cascade®**  
MILLWORK



**720 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**9320 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"




**701 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**782 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**702 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**730 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**9330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**703 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**760 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9360 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"




**700 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**755 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**9355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**705 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**55 \***  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9255 \***  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8"



**66 \***  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9266 \***  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8"



**1501**  
Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**1501**  
White Lamine SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



© Rob Karosis | RobKarosis.com

\* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION  
SG = 1/8" SINGLE GLAZED  
FP = FLAT PANEL  
RP = DOUBLE HIP-RAISED PANEL  
IG = 3/4" INSULATED GLAZING

**Simpson®**  
Door Company

SIMPSONDOOR.COM | 800.SIMPSON | #SIMPSONDOOR 9

# KNOTTY ALDER INTERIOR DOORS


Knotty Alder interior doors are stocked 1-3/8" thick - unless otherwise noted - and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**720 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9320 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**701 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**782 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"




**9382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**702 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**730 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**703 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**760 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**9360 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"




**700 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**755 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"



**9355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"



**705 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"




**82**  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9282**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**43 Bifold**  
3/4" RP  
2'0", 2'6", 3'0" x 6'8"




**82 \***  
V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**9282 \***  
V-Groove 1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**43 Bifold \***  
V-Groove 3/4" RP  
2'0", 2'6", 3'0" x 6'8"



**465**  
3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9265**  
1-3/4" Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**45 Bifold**  
3/4" RP  
2'0", 2'6", 3'0" x 6'8"



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)




## KNOTTY ALDER INTERIOR DOORS (CONTINUED)

Knotty Alder interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."




**Boise Cascade®**  
MILLWORK



**465 \***

V-Groove 3/4" RP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**9265 \***

V-Groove 1-3/4"  
Fire-Rated  
1-7/16" RP  
2'8", 3'0" x 6'8",  
2'8", 3'0" x 8'0"



**45 Bifold \***

V-Groove 3/4" RP  
2'0", 2'6", 3'0" x 6'8"



**80801 Shaker**

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**80812 Shaker**

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**80815 Shaker**

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0",  
3'0", 3'6" x 8'4"



**1501**

Clear SG  
2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8",  
2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



© Great NW Homes

\* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION  
SG = 1/8" SINGLE GLAZED  
FP = FLAT PANEL  
RP = DOUBLE HIP-RAISED PANEL

**Simpson®**  
Door Company

# REDI-PRIME® DOORS

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



**8720 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89320 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8701 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**8782 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**89382 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8702 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**8730 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89330 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8703 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**8760 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 2'10", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 2'10", 3'0" x 8'0"




**9360 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"




**8700 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



**8755 Shaker**  
3/8" FP  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89355 Shaker**  
1-3/4" Fire-Rated  
3/4" FP  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**8705 Shaker Bifold**  
3/8" FP  
2'0", 2'6", 3'0" x 6'8"



© Property Brothers | Buying + Selling



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)




## REDI-PRIME® DOORS (CONTINUED)

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."




**Boise Cascade®**  
MILLWORK




**89934**

Flush Grooved  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"




**89234**

1-3/4" Fire-Rated  
Flush Grooved  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**89935**

Flush Grooved  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 6'8"  
1'6", 2'0", 2'4", 2'6",  
2'8", 3'0" x 8'0"



**89235**

1-3/4" Fire-Rated  
Flush Grooved  
2'8", 3'0" x 6'8"  
2'8", 3'0" x 8'0"



**89801 Shaker \***

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**89812 Shaker \***

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"



**89815 Shaker \***

Barn Door with  
V-Groove  
3'0", 3'6" x 7'0"  
3'0", 3'6" x 8'4"




**8001**

Clear SG  
2'0", 2'4", 2'6", 2'8",  
2'8", 3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
2'8", 3'0" x 8'0"




**8411**

White Laminate SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"



**8733 Shaker**

Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"




**8733 Shaker**

White Laminate SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"




**8735 Shaker**

Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8735 Shaker**

White Laminate SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8010**

Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"



**8012**

Clear SG  
2'0", 2'4", 2'6", 2'8",  
3'0" x 6'8"  
2'0", 2'4", 2'6", 2'8",  
3'0" x 8'0"




\* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION  
SG = 1/8" SINGLE GLAZED  
FP = FLAT PANEL

## REDI-SHIP® INTERIOR IN STOCK AT SIMPSON

Simpson stocks today's most popular interior (both 1-3/8" and 1-3/4") door designs as part of their Redi-Ship® special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade Millwork representative or visit [simpsondoor.com/rediship](http://simpsondoor.com/rediship) for a complete list of designs and sizes. If you can't find what you need in stock at Boise Cascade Millwork, look to Redi-Ship.

## DOUGLAS FIR AND WESTERN HEMLOCK

Choose from over 130 Douglas Fir or Western Hemlock door designs, all 1-3/8" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



82 RP



720



465 RP



760



1645



1501 Shaker  
With Heavy Water



1592



1596

## KNOTTY ALDER

Choose from over 70 Knotty Alder door designs, both 1-3/8" and 1-3/4" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



760 (8'0")



782 (8'0")



1590 (8'0")




1501 (8'0")



1596



1501  
With Rain



1501 Shaker  
With Narrow Reed



1501 Shaker  
With Heavy Water



**Boise Cascade®**  
MILLWORK

Boise, ID

208-563-0655 | [boisemillwork@bc.com](mailto:boisemillwork@bc.com) | [millwork.bc.com](http://millwork.bc.com)




## HARDWOOD OPTIONS


Choose from over 50 interior hardwood panel doors available in maple, red oak and poplar. All stocked 1-3/8" and in a variety of widths and heights




**Boise Cascade®**  
MILLWORK



**760** Maple



**782** Maple



**44** Oak



**66** Oak



**782** Poplar

## REDI-PRIME®

Choose from over 200 Redi-Prime® door designs, both 1-3/8" and 1-3/4" and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.



**8020** Ovolo



**8120** Ovolo



**8030** Ovolo



**8055** Ovolo




**8720** (7'0")



**8760** (7'0")



**8009** Ovolo




**8282** Ovolo



**8082** RP  
Ovolo



**80465** RP  
Ovolo



**8770** Louver




**8784** Shaker




**8762** Shaker



**8499** Mirror



**8182** Shaker



**8734** Shaker


RP =RAISED PANEL

**Simpson®**  
Door Company





**Boise Cascade®**  
MILLWORK



© Rill Architects



**Boise Cascade®**  
MILLWORK

Boise, ID  
208-563-0655  
[boisemillwork@bc.com](mailto:boisemillwork@bc.com)  
[millwork.bc.com](http://millwork.bc.com)



**SIMPSONDOOR.COM** | 800 SIMPSON | #SIMPSONDOOR

©2025 Simpson Door Company. Printed in USA Catalog and door designs covered by copyright. All rights reserved. June 2025.

**Simpson®**  
Door Company