



**TRANSCEND THE
THRESHOLD OF
EXPECTATIONS**



**BOISE CASCADE MILLWORK
BOISE**

3208 EAST AMITY ROAD
BOISE, ID 83716
1-208-384-7700

millwork.bc.com

Edition 2

BOISE STOCK CATALOG

ON SITE DOOR SHOP SERVICES

Boise Cascade Millwork offers top-of-the-line exterior and interior door solutions and components. If you can imagine it, we can get it or create it.. We have state of the art equipment and dedicated millwork professionals for any and all of your millwork needs.

Our Custom Service Offerings:

- Lock Prep
- Cutouts
- SDLs
- Card Reader Prep
- Cut Down Services
- Bore Prep
- Hinge Prep
- Pet Doors
- Access Doors
- Hidden Hinge Prep
- Prefinish - Custom Paint & Stain,

DOORWAY TO EXCELLENCE: EXPLORE BOISE CASCADE® MILLWORK

Boise Cascade® Millwork, a leader in building materials and a division of Boise Cascade, transcends the threshold of conventional service. With over 60 years of experience in residential and commercial construction, we empower builders, contractors, developers, and homeowners through our expert millwork solutions. We operate in the nation's fastest-growing markets, we offer premium exterior and interior door solutions. If you can envision it, we will source or create it. At Boise Cascade Millwork, we don't just meet expectations; we go beyond, transforming vision into reality.

Only Boise Cascade Millwork leverages the unparalleled buying power and reach of Boise Cascade Building Materials Distribution to deliver the best value and access to challenging-to-find inventory. We understand that it's more than just a door; it's a partnership built on reliability with brands you and your customer's trust. Transcend the threshold of expectations at Boise Cascade Millwork—where surpassing your needs is our ultimate dedication.





TABLE OF CONTENTS

Handing	2	Brickmould	62
Pre-Hung Features	3-4	Sills	63-65
Hinge Locations	5	Door Bottoms	66
Capabilities	6	Astragals	67
PrismaGuard [®] Prefinish	7-10	Endrail	68
PrismaGuard [®] Premium Paint	11-12	Weatherstrip	68
Therma-Tru Doors		Exterior Hinges	69-70
Door Construction - Classic Craft	13-14	Handlesets	71-72
Classic Craft Mahogany Common Arch	15	Hardware	73
Classic Craft [®]	16-19	Door & Lite Divider Bars	73
Grain Options - Fiber Classic and Smooth Star	20	Dentil Shelves	74
Door Construction	21	Simpson Doors	
Fiber-Classic [®] Oak	22	Douglas Fir Exterior	75-76
Fiber-Classic [®] Mahogany/Oak	23-24	Knotty Alder Exterior	81-82
Smooth-Star [®]	25-30	Mahogany Exterior	79
Steel-Profiles [™] /Traditions	31-32	Douglas Fir Interior	80
Advanta Lite Frame	33-35	Knotty Alder Interior	81-82
Glass		Redi-Prime [®]	83-84
Calix	36	Redi-Ship [®] Interior	85-86
Echelon	36	Jeld-Wen	
Kensington	37	Molded and Flush Interior Doors	87-88
Wellesley	38	Interior Hinges	89-90
Latitude	39	Exterior Frames & Jambs	91-92
Homeward [™]	40	MDF Mouldings	93
Texas Star	41	Bard Door Hardware	94
Augustine [®]	42	Wood Pocket Door Frames	95
Borrassa [®]	43		
Lucerna [®]	43		
Saratoga [™]	44		
Riserva [®]	45		
Pembroke [™]	45		
Axis [®]	46		
Internal Blinds	47		
Reeded	48		
Satin Etch	49		
Chord	50		
Chinchilla	51		
Rainglass	52		
Granite	53		
Divided Lites	54		
Clear Glass	55		
Grilles	56		
Hinged Pato Door Systems	57-58		
Veris	59-60		
Frames	61		
Fasteners Setting Tool & Screw Plug Covers	61		
Composite Entry Mullion	62		
Composite Patio Mullion	62		
Cove Mould	62		


HANDING

All units viewed from exterior of the home.


Inswing



Outswing



Fixed



*For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect patio unit from exposure.



F = Fixed Panel L = Left Hand
A = Astragal R = Right Hand

PRE-HUNG FEATURES

Standard Boise Pre-hung Features:

1. 4-9/16" Primed DuraFrame frame (rot-free; limited lifetime warranty) and PVC brickmould.

2. Therma-Tru[®] bronze door sweep and composite cap adjustable mill finish sill with stainless steel adjustment screws.

3. In-swing unit with corner seal pads.

4. (3) 4x4 Brushed nickel 5/8" radius/square hinges (Classic Craft[®] door systems have ball-bearing radius/radius hinges).

5. Compression bronze weatherstrip.

6. Adjustable strike plate. Transport clip.
7. Double bore for lockset and deadbolt prep with double strike prep on frame.

8. Sill cover (not included on fixed doors).

9. (2) 2-1/2" Hinge screws and (2) 2-1/2" security strike screws on units with security adjustable strike.

10. Installation instructions.

11. Double doors include standard aluminum T-astragal with bronze weatherstrip and strike plates installed.

12. Inactive door is not bored.

13. Door with sidelites feature continuous composite adjustable sill.

Inswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 13/16"	26 1/4" x 82 5/16"	28" x 83 1/16"
	2'4"	29 1/2" x 81 13/16"	30 1/4" x 82 5/16"	32" x 83 1/16"
	2'6"	31 1/2" x 81 13/16"	32 1/4" x 82 5/16"	34" x 83 1/16"
	2'8"	33 1/2" x 81 13/16"	34 1/4" x 82 5/16"	36" x 83 1/16"
	2'10"	35 1/2" x 81 13/16"	36 1/4" x 82 5/16"	38" x 83 1/16"
	3'0"	37 1/2" x 81 13/16"	38 1/4" x 82 5/16"	40" x 83 1/16"
	3'6"	43 1/2" x 81 13/16"	44 1/4" x 82 5/16"	46" x 83 1/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 13/16"	50 15/16" x 82 5/16"	52 11/16" x 83 1/16"
	4'8"	58 3/16" x 81 13/16"	58 15/16" x 82 5/16"	60 11/16" x 83 1/16"
	5'0"	62 3/16" x 81 13/16"	62 15/16" x 82 5/16"	64 11/16" x 83 1/16"
	5'4"	66 3/16" x 81 13/16"	66 15/16" x 82 5/16"	68 11/16" x 83 1/16"
	5'8"	70 3/16" x 81 13/16"	70 15/16" x 82 5/16"	72 11/16" x 83 1/16"
	6'0"	74 3/16" x 81 13/16"	74 15/16" x 82 5/16"	76 11/16" x 83 1/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 13/16"	63 1/4" x 82 5/16"	65" x 83 1/16"
	5'4"	66 1/2" x 81 13/16"	67 1/4" x 82 5/16"	69" x 83 1/16"
	5'8"	70 1/2" x 81 13/16"	71 1/4" x 82 5/16"	73" x 83 1/16"
	6'0"	74 1/2" x 81 13/16"	75 1/4" x 82 5/16"	77" x 83 1/16"

Doors & Sidelite(s) with Continuous Sill System-Inswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 13/16"	49 1/4" x 82 5/16"	51" x 83 1/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 13/16"	51 1/4" x 82 5/16"	53" x 83 1/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 13/16"	60 1/4" x 82 5/16"	62" x 83 1/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 13/16"	64 1/4" x 82 5/16"	66" x 83 1/16"

PRE-HUNG FEATURES

Outswing Door System

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
SINGLE DOOR UNIT	2'0"	25 1/2" x 81 3/16"	26 1/4" x 81 11/16"	28" x 82 11/16"
	2'4"	29 1/2" x 81 3/16"	30 1/4" x 81 11/16"	32" x 82 11/16"
	2'6"	31 1/2" x 81 3/16"	32 1/4" x 81 11/16"	34" x 82 11/16"
	2'8"	33 1/2" x 81 3/16"	34 1/4" x 81 11/16"	36" x 82 11/16"
	2'10"	35 1/2" x 81 3/16"	36 1/4" x 81 11/16"	38" x 82 11/16"
	3'0"	37 1/2" x 81 3/16"	38 1/4" x 81 11/16"	40" x 82 11/16"
	3'6"	43 1/2" x 81 3/16"	44 1/4" x 81 11/16"	46" x 82 11/16"
DOUBLE DOOR UNIT	4'0"	50 3/16" x 81 3/16"	50 15/16" x 81 11/16"	52 11/16" x 82 11/16"
	4'8"	58 3/16" x 81 3/16"	58 15/16" x 81 11/16"	60 11/16" x 82 11/16"
	5'0"	62 3/16" x 81 3/16"	62 15/16" x 81 11/16"	64 11/16" x 82 11/16"
	5'4"	66 3/16" x 81 3/16"	66 15/16" x 81 11/16"	68 11/16" x 82 11/16"
	5'8"	70 3/16" x 81 3/16"	70 15/16" x 81 11/16"	72 11/16" x 82 11/16"
	6'0"	74 3/16" x 81 3/16"	74 15/16" x 81 11/16"	76 11/16" x 82 11/16"
PATIO DOOR UNIT	5'0"	62 1/2" x 81 3/16"	63 1/4" x 81 11/16"	65 1/2" x 82 11/16"
	5'4"	66 1/2" x 81 3/16"	67 1/4" x 81 11/16"	69 1/2" x 82 11/16"
	5'8"	70 1/2" x 81 3/16"	71 1/4" x 81 11/16"	73 1/2" x 82 11/16"
	6'0"	74 1/2" x 81 3/16"	75 1/4" x 81 11/16"	77 1/2" x 82 11/16"

Doors & Sidelite(s) with Continuous Sill System-Outswing

Description	Size	Actual Unit Size	Rough Opening	Outside Brickmold
W/ 1-10" SIDELITE	3'0"	48 1/2" x 81 3/16"	49 1/4" x 81 11/16"	51 1/2" x 82 11/16"
W/ 1-12" SIDELITE	3'0"	50 1/2" x 81 3/16"	51 1/4" x 81 11/16"	53 1/2" x 82 11/16"
W/ 2-10" SIDELITE	3'0"	59 1/2" x 81 3/16"	60 1/4" x 81 11/16"	62 1/2" x 82 11/16"
W/ 2-12" SIDELITE	3'0"	63 1/2" x 81 3/16"	64 1/4" x 81 11/16"	66 1/2" x 82 11/16"

Important Information:

1. For 7' doors, add 4" and for 8' doors, add 16" to the actual unit size and rough opening height dimension.
2. 12" rectangular and elliptical transoms are 13-1/2" in height, add accordingly. For 10" rectangular transoms add 11-1/2" to the unit height.
3. For units with public access sills, subtract 1" for in-swing height.

Slab Sizes	Width	6/8	8/0
FIR & MAHOGANY WOOD DOORS	2'0"	23 13/16" x 79 1/4"	23 13/16" x 95 1/4"
	2'4"	27 13/16" x 79 1/4"	27 13/16" x 95 1/4"
	2'6"	29 13/16" x 79 1/4"	29 13/16" x 95 1/4"
	2'8"	31 13/16" x 79 1/4"	31 13/16" x 95 1/4"
	2'10"	33 13/16" x 79 1/4"	33 13/16" x 95 1/4"
	3'0"	35 13/16" x 79 1/4"	35 13/16" x 95 1/4"

Lock Preparation:

2-3/8" Backset


2-18" Face Bore

2-1/4" Edge Prep

Standard passage bore is 44" from top of the door to center of bore. Dead bolt spacing is 5-1/2" center to center.




HINGE LOCATIONS



CAPABILITIES

Multiple Mull Options

Boise has the ability to incorporate various "Mull" configurations to meet specific sizing requirements. And if under 12 feet in width for inswing (12 feet for outswing), Boise will use a continuous sill for better performance and a better overall look. Available in Standard, Patio, Fat Boy, Back-to-Back and Spread mull configurations. Back-to-Back only on composite - spread mull not available.



FRONT:
1. Back-to-Back 2. Fat Boy 3. Patio 4. Standard
5. Spread



BACK:
5. Spread 4. Standard 3. Patio 2. Fat Boy
1. Back-to-Back

Mull Adders

Description	Add Per Mull
Standard	0"
Patio	0"
Fat Boy	1/2"
Back-to-Back	1/2"
Spread	1/2" + Spread*
*max 3" spread	

Size Modifications (cut or trim) *Limitations will apply to different materials

Boise can modify the size of all fiberglass doors to help meet your exact needs...without voiding the warranty from Thermo-Tru®. All cut down doors are "re-railed" to maintain their integrity. Whether in the width or in the height, modifications can be made. The amount which can be trimmed depends on the particular design style of the door or the interior make-up of the door. Boise also stocks several Retro size doors.



Access Doors

Boise can build smaller doors to accommodate access areas.



Doggy Doors

Boise can cut and/or install Doggy Doors to meet your exact needs.



Dutch Doors

Boise can build selected Fiberglass into Dutch style doors.





Finished for Lasting Beauty

Today's homeowners expect perfection — PrismaGuard offers an impeccable, factory-applied finish that meets the toughest expectations.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR
LIMITED WARRANTY

Classic Craft Finish
Transferable

10 YEAR
LIMITED WARRANTY

Fiber-Classic,
Smooth-Star, Pulse,
Steel Finish



Professional
Application



Durable
Topcoat



Boise Cascade®
MILLWORK

Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



Protection from the elements.


Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.




Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.



Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the () symbol.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Left Page: Smooth-Star, Clear Glass with SDLs, Doors – S2104, Finish – Cypress
Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door – FC83XK, Finish – Acorn

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 277 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Barley



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



PRISMAGUARD PREFINISH

Handcrafted and professionally applied in a controlled environment, low-maintenance PrismaGuard® finish preserves your door's lasting beauty and protects against normal wear and tear, saving you time and money. And it's backed by a 10-year limited finish warranty for your peace of mind.

PrismaGuard® Stain Options

Stains are shown on Classic Craft Mahogany Grain



PrismaGuard® Brushed Finish Options

Available for select Smooth-Star door styles



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.





Boise Cascade
MILLWORK

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



PRISMAGUARD PREMIUM PAINT

Add a pop of color and tailor the look of the entry. PrismaGuard premium paint is designed with high-definition color and optimal sheen to enhance the look of smooth and wood-grained Therma-Tru® products for a beautiful lasting impression.

PrismaGuard® Paint Options



Boise Cascade
MILLWORK

SYMPHONY
COLLECTION™

Introducing the Symphony Collection by Boise Cascade

Enhance your home with this palette offering a ten year PrismaGuard warranty.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions. All trademarks are property of their respective owners.

THERMA-TRU
DOORS



Boise Cascade®
MILLWORK

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider¹ to welcome more natural light into the home.



TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



THERMA-TRU® DOOR FRAME

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker¹ for added durability and better long-term performance.



TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain® technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.¹



CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.²

¹Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit thermatru.com for details.

²Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo





CLASSIC CRAFT MAHOGANY COMMON ARCH††



CCM301CAL
CCM301CAR
Clear Glass
3/0 x 6/8



CCM8301CAL
CCM8301CAR
Clear Glass
3/0 x 8/0



CCM305CAL-SDLF6
CCM305CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8305CAL-SDLF6
CCM8305CAR-SDLF6
Clear Glass
3/0 x 8/0



CCM306CAL-SDLF6
CCM306CAR-SDLF6
Clear Glass
3/0 x 6/8



CCM8306CAL-SDLF6
CCM8306CAR-SDLF6
Clear Glass
3/0 x 8/0



CLASSIC CRAFT®

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



CCA2400-LE
CCA82400-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4900-SDLF3LE
CCA84900-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910L-SDLF3LE
CCA84910L-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA4910R-SDLF3LE
CCA84910R-SDLF3LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA3400SL-LE
CCA3500SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCA3450SL-SDLLE
CCA3560SL-SDLLE
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

†† = QUICK SHIP
SDLF6 = SIMULATED DIVIDED LITES
SDL = SIMULATED DIVIDED LITES
SDLF3 = SIMULATED DIVIDED LITES



CLASSIC CRAFT® (CONTINUED)

Classic Craft® doors offer the authentic look of wood. It's virtually impossible to tell the difference. Performing as exceptionally as they look, offering long-lasting energy efficiency, durability and security.



CCA210-LE
CCA8210-LE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA220-SDLLE
CCA8220-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA230-SDLLE
CCA8230-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA240-SDLLE
CCA8240-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA260-SDLLE
CCA8260-SDLLE

Low-E Glass
3/0 x 6/8
3/0 x 8/0



CCA87100-LE

Low-E Glass
3/6 x 8/0



CCA87200-SDLLE

Low-E Glass
3/6 x 8/0



CCA87300-SDLLE

Low-E Glass
3/6 x 8/0



CCA87400-SDLLE

Low-E Glass
3/6 x 8/0



CCA87600-SDLLE

Low-E Glass
3/6 x 8/0

Other Available Glass Options:

Granite



Chinchilla



Rainglass



Chord



Available in Full Light:

Low-E



Satin Etch



CCA1100
CCA81100

3/0 x 6/8
3/0 x 8/0



CCA4905-DDBF3
CCA84905-DDBF3

3/0 x 6/8
3/0 x 8/0



CCA4915L-DDBF3
CCA84915L-DDBF3

3/0 x 6/8
3/0 x 8/0



CCA4915R-DDBF3
CCA84915R-DDBF3

3/0 x 6/8
3/0 x 8/0





CLASSIC CRAFT® (CONTINUED)

Choose from our many door selections to complement the architectural style of the home. Choose from premium fiberglass entryways in four wood grains or a smooth paintable surface that all rival custom wood.



CCM60††
3/0 x 6/8



CCM890††
3/0 x 8/0



CCR205
CCR8205
3/0 x 6/8
3/0, 3/6†† x 8/0



CCR8225††
3/0, 3/6 x 8/0



CCR3400SL-LE
CCR8000SL-LE††
Low-E Glass
12", 14" x 6/8
12", 14" x 8/0



CCR8005††
3/0 x 8/0



CCR040††
CCR8040††
3/0 x 6/8
3/0, 3/6 x 8/0



CCR8222
3/0, 3/6 x 8/0



CCR200
CCR8200††
3/0 x 6/8
3/0, 3/6 x 8/0



CCR100††
CCR8100††
3/0, 3/6 x 6/8
3/0, 3/6 x 8/0



CCV205††
3/0 x 6/8



CCV220††
3/0 x 6/8



CCV050††
3/0 x 6/8



Grain Options



FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 250–256.



Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 106.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame, starting on page 130. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass, starting on page 115.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



¹Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit thermatru.com for details.
²Comparison of fiberglass to wood doors (both without glass).



Boise Cascade®
MILLWORK

Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.¹ Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood², Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

FIBER-CLASSIC® OAK

Create an airy, open feeling in the home with larger daylight openings. EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



2000-LE†
8000-LE†
Low-E Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



2000XE†
8000XE†
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



† = FOUR WEEK LEAD
†† = QUICK SHIP




NEW Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

THERMA-TRU®
DOORS



FIBER-CLASSIC® MAHOGANY / OAK

Fiber-Classic Mahogany complements rich wood tones in home exteriors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak features the warm look and feel of natural Oak graining.



FCM4810-LE
Low-E Glass
3/0 x 6/8



FCM4812-SDLF1LE
Low-E Glass
3/0 x 6/8




FCM4813-SDLF1LE
Low-E Glass
3/0 x 6/8




FCM4814-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM4816-SDLF1LE
Low-E Glass
3/0 x 6/8



FCM31
2/8, 3/0 x 6/8



FCM220
2/8, 3/0 x 6/8



FCM205
2/8, 3/0 x 6/8



FCM600
2/8, 3/0 x 6/8



FCM60
FCM860†
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



FCM1000
FCM81000
3/0 x 6/8
2/0†, 2/6†, 2/8†, 3/0 x 8/0



FC31
2/8, 3/0 x 6/8



FC809
2/8, 3/0 x 6/8



FC862†
2/8, 3/0 x 8/0



FC755†
3/0 x 6/8



FC60
FC860
3/0 x 6/8
2/8, 3/0 x 8/0



1000
81000
3/0 x 6/8
3/0 x 8/0





SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



S2000
S8000
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S2000-LE
S8000-LE
Low-E Glass
2/0, 2/6, 2/8, 2/10, 3/0 x 6/8
2/8, 3/0 x 6/0



S2000SL-LE
S8000SL-LE
Low-E Glass
12", 14" x 6/8
12", 14" x 6/0



S2000XE
S8000XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



S2600-LE
S82600-LE
Internal Blinds
2/6, 2/8, 3/0 x 6/8
2/6†, 2/8, 3/0 x 8/0



S2200†
S82200†
Clear Glass
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0



S2200-LE
S82200-LE
Low-E Glass
3/0 x 6/8
3/0 x 8/0



S2200-XE
S82200-XE
Satin Etch Glass
3/0 x 6/8
3/0 x 8/0



S82200XC†
Chord Glass
3/0 x 8/0




S82200XN†
Granite Glass
3/0 x 8/0




S82200XR†
Rain Glass
3/0 x 8/0



S2100-LE†
Clear Glass
2/8, 3/0 x 6/8



S4810-LE
S84810-LE
Low-E Glass
Shaker
3/0 x 6/8
3/0 x 8/0



S4810XE†
S84810XE†
Satin Etch Glass
Shaker
3/0 x 6/8
3/0 x 8/0



S4810XR†
Rain Glass
Shaker
3/0 x 6/8




S6240†
Saratoga Glass
Shaker
3/0 x 6/8




SMOOTH-STAR®


Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.




S93
Fire Door
Available
2/8, 3/0 x 6/8




S220
S8200
2/8, 2/10, 3/0 x 6/8
3/0 x 7/0
2/8, 3/0 x 8/0




S1100
S81100
Shaker
Fire Door Available
2/8, 3/0 x 6/8
3/0 x 8/0




S120
S8120
Shaker
Fire Door Available
3/0 x 6/8
2/8, 3/0 x 8/0




S200
S897
3/0 x 6/8
3/0 x 8/0




S205
S8201
Fire Door Available
2/8, 3/0 x 6/8
3/0 x 8/0




S31
S831
3/0 x 6/8
2/8, 3/0 x 8/0




S960†
2/8, 3/0 x 6/8




S755†
3/0 x 6/8




S11†
3/0 x 6/8




S4800
S84800
Shaker
2/8, 3/0 x 6/8
3/0 x 8/0



S600
S8600
2/8, 3/0 x 6/8
3/0 x 8/0




S210
S810
2/6, 2/10, 3/0 x 6/8
2/6, 2/8, 2/10, 3/0 x 8/0




S100
S81000
2/0, 2/4, 2/6, 2/8, 2/10,
3/0, 3/6 x 6/8
3/0 x 7/0
2/6, 2/8, 3/0, 3/6 x 8/0




SMOOTH-STAR® FIRE DOORS




SSF120
Fire Door
2/8, 3/0 x 6/8




SSF160
Fire Door
2/8, 3/0 x 6/8




SSF200
Fire Door
2/8, 3/0 x 6/8




SSF205
Fire Door
2/8, 3/0 x 6/8



SSF220
Fire Door
2/8, 3/0 x 6/8



SSF600
Fire Door
2/8, 3/0 x 6/8



SSF4800
Fire Door
2/8, 3/0 x 6/8





SMOOTH-STAR®



S3300-LE
S83300-LE
Low-E Glass
6/8, 8/0†



S3400-LE
S83400-LE
Low-E Glass
6/8, 8/0†



S3500-LE
S83500-LE
Low-E Glass
6/8, 8/0†



S3600-LE
S83600-LE
Low-E Glass
6/8, 8/0†



S3301
S83301
6/8, 8/0†



S3401
S83401
6/8, 8/0†



S3501
S83501
6/8, 8/0†



S3601
S83601
6/8, 8/0†



S5701
S85701
6/8, 8/0†



S5721
S85721
6/8, 8/0†

Other Available Glass Options:

Clear 	Chinchilla 	Reeded
Satin Etch 	Chord 	



SMOOTH-STAR® 1/2 LITES†



S3200
S83200
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0




S4200
S84200
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S6200
S86200
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S9200
S89200
Clear Glass
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



S3200SL
S83200SL
Clear Glass
12", 14" x 6/8
12", 14" x 8/0



S4200SL
S84200SL
Clear Glass
12", 14" x 6/8
12", 14" x 8/0



S6200SL
S86200SL
Clear Glass
12", 14" x 6/8
12", 14" x 8/0



Other Available Glass Options:

Reeded 	Chord 	Rainglass
Satin Etch 	Chinchilla 	Granite

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.¹

20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 232–235.



Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available • = Not Applicable P = Paint		
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Frame Options		
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
Additional Options		
Finish	P	P


RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options on pages 202–207.

- 5'0" Patio Opening = (2) 2'4" Doors
- 6'0" Patio Opening = (2) 2'10" Doors

STEEL – PROFILES™ / TRADITIONS

Coupling distinctive styling with affordability, Therma-Tru steel doors offer versatile front entry and house-to-garage options.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.




¹Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.
²Decorative glass designs are shown in Profiles only.
³Brass coming not available for Impact.
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.




Lite Frames

Therma-Tru[®] doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.







Advanta[®] Lite Frame1

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the () symbols.

Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	ADVANTA LITE FRAME	STANDARD LITE FRAME
Flat Option		
Scrolled Option		
Plugless Design	■	
Buff Option	■	■
White Option (Alpine Color-Matched)	■	■
Durable Weather-Resistant Material	■	■
Decorative & Privacy Glass ¹	■	
Clear & Specialty Glass ¹	■	■

¹See your Therma-Tru seller for details on product availability.
^{*}Not available with Advanta lite frame.
Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey



ADVANTA LITE FRAME


A new frame of mind. Achieve a seamless look with the Advanta™ lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.



CALIX

Glass Privacy Rating **1** 10


Calix includes an on-trend “x” design and a delicate diamond pattern with 1 clear glass, providing fine-lined geometric appeal.



ECHELON


Glass Privacy Rating **1** 10

Echelon provides 1 clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.






KENSINGTON



WELLESLEY




† = FOUR WEEK LEAD



LATITUDE

Glass Privacy Rating 1 **2** 10

Bending tradition. Latitude showcases 1 seeded glass and simple curved details in a half-moon geometric design.



HOMeward™ †

Glass Privacy Rating 1 **4** 10

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive clear bevels, seeded glass and gray artique glass. An ideal complement for a Transitional home design.



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.


† = FOUR WEEK LEAD TIME
PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



TEXAS STAR[†]

Glass Privacy Rating 1 5 10


Beautifully crafted with clear bevels, curved bevels, clear waterglass, granite glass, glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



AUGUSTINE^{®†}

Glass Privacy Rating 1 10

Augustine's swirl leaf design adds a touch of elegance. Made of round wrought iron and granite glass for ultimate privacy, Augustine pays homage to classic English styling.







BORRASSA®†

Glass Privacy Rating 1 10



A statement of strength and beauty, Borrassa combines linear and curved wrought iron with hammered glass for ultimate privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.




LUCERNA®†

Glass Privacy Rating 1 10

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of curved, diamond and rectangular bevels surrounded by smooth, swirling barn wood and heavily textured diamond border glass.





Caming Options



SARATOGA™

Glass Privacy Rating 1 10

Saratoga evokes a certain urban sophistication while offering modest privacy with its clear bevels, diamond glass, reed glass and caming. The geometric pattern bridges both modern and traditional designs.



† = FOUR WEEK LEAD TIME


FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



INTERNAL BLINDS

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with a single handle that opens, closes and tilts the blinds.



REEDED

Glass Privacy Rating 1 7 10

Refined, transitional style. The clean lines of Reeded glass bring a modern look to the home, featuring a vertical, linear texture. Reeded glass provides ample natural light while maintaining moderate privacy.



FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.
CE = LOW-E
FC = BUFF
SS = SMOOTH

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



SATIN ETCH

22 x 80

07 x 80

22 x 64

07 x 64

22 x 47

22 x 36

21 x 15

8 x 6

CHORD

Glass Privacy Rating 1 10

A vertical flowing pattern reminiscent of waves on the water.

22 x 80

07 x 80

22 x 64

07 x 64

22 x 47

22 x 36

21 x 15


8 x 6

FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



CHINCHILLA



RAINGLASS




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.



GRANITE

Glass Privacy Rating 1 10

A coarse-grained arrangement with surface detail over the entirety of the glass.



DIVIDED LITES

Simulated Divided Lites (SDL)



Grilles Between Glass (GBG)




Fixed Grilles (FXG)



Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.




Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

FC = BUFF
SS = SMOOTH
Z = FLAT FRAME


PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



CLEAR GLASS



GRILLES



† = FOUR WEEK LEAD TIME

CE = LOW-E
FC = BUFF
SS = SMOOTH
Z = FLAT FRAME

PRODUCT IMAGES SHOW EXTERIOR SIDE OF DOOR.



HINGED PATIO DOOR SYSTEMS

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

A Therma-Tru patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.



VENTED SIDELITES

Enjoy the view — and a fresh breeze, too.


- 8 Multi-Point Locking System (Included)
- 9 Removable Screens
 - Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
 - Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)

PATIO TRANSOMS


Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T



19050T

Classic Craft, starting on page 96.

Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 202.

Note: See page 277 for important product details that may help with your purchase decision.
Left Page: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood



Boise Cascade[®]
MILLWORK

Veris[™]

COLLECTION

Open to possibilities.

The Veris Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

THE VERIS[™] COLLECTION



Pivot Doors



Hinged Doors



Folding Doors



Sliding Doors



NEW SATIN GLASS

Subtle privacy glass with a smooth, seamless finish, delivering understated elegance.

Veris privacy glass provides optimal performance and privacy while allowing natural light to brighten the interior.

Double-pane construction allows for an easy-to-clean surface.



Experience the Veris Collection.



Scan the QR code to view the complete Veris Collection catalog.

Explore options and see it in your home with our visualizer at veriscollection.com.

FRAMES

Composite Frames - Smooth



Description	Material	Part #	Size
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR68HHSG*	6/8 4-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN4IL80HHSG*	8/0 4-9/16†
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN4IR80HHSG*	8/0 4-9/16†
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR68HHSG*	6/8 6-9/16
FRAME COMPOSITE SMOOTH RAW IS LH HD/SILL	Composite	JCSN6IL80HHSG*	8/0 6-9/16
FRAME COMPOSITE SMOOTH RAW IS RH HD/SILL	Composite	JCSN6IR80HHSG*	8/0 6-9/16
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN430U1B*	3/0 4-9/16 U1†
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK SKID	Composite	JCSN490WMU1B*	9/0 4-9/16 U1†
HEADER COMPOSITE SMOOTH RAW BK SKID	Composite	JCSN630U1B*	3/0 6-9/16 U1†
FRAME COMPOSITE SMOOTH RAW TRIPLE W/ MULL BK	Composite	JCSN690WMU1B*	9/0 6-9/16 U1†

Other Frames†


Description	Material	Part #	Size
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC ARCH TOP FRAME	Primed Pine	JHA636U1WP	3/6 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR430U1WP	3/0 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR436U1WP	3/6 4-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR630U1WP	3/0 6-9/16 U1
FRAME HEAD RUSTIC RADIUS TOP FRAME	Primed Pine	JHR636U1WP	3/6 6-9/16 U1

FASTENERS SETTING TOOL & SCREW PLUG COVERS

Jamb screw plugs hide unsightly screws, allowing jamb to be installed with screws through its thickest part for better aesthetics and long-term performance.

Screw plugs are available on a collated strip for ease of installation and finishing.

Description	Part #	Size
JAMB PLUG COMPOSITE SMOOTH RAW	JAMB	JPCSN
JAMB PLUG INSTALLATION SCREWS	JAMB	JPSCREW
JAMB PLUG INSTALLATION TOOL	JAMB	JPTOOL



COMPOSITE ENTRY MULLION



2" Entry Narrow 
2-1/2" Entry Wide 

Description	Material	Part #	Size
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2"
MULL COMPOSITE SMOOTH RAW ENTRY NARROW IS BLANK HD/SILL	Composite	MCSNENIB80HHSG*	8/0 X 2 1/2"†


COMPOSITE PATIO MULLION



2" Patio Narrow

Description	Material	Part #	Size
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2"†
MULL COMPOSITE GRAINED RAW PATIO NARROW IS BLANK HD/SILL	Composite	MCGNPNIB80HHSG*	8/0 X 2 1/2"

COVE MOULD



7/16" x 5/16" Cove Mould

Description	Application	Material	Part #	Size
COVE MOULD COMPOSITE SMOOTH RAW	Inswing	Composite	CMCSN80LN	8/0

BRICKMOULD




2" Brickmould WM180

Description	Application	Material	Part #	Size
BRICKMOULD COMPOSITE SMOOTH RAW IS BLANK U1	Inswing	Composite	BMCSNIB90WBK	9/0
	Inswing	Composite	BMCSNII68U	
	Inswing	Composite	BMCSNIR68U	
	Inswing	Composite	BMCSNII80U	
	Inswing	Composite	BMCSNIR80U	

Additional Brickmould:

Description	Material	Part #	Size
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH30U1A	3/0 U1
BRICKMOULD RUSTIC ARCH TOP†	Primed Pine	BMH36U1A	3/6 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH30U1R	3/0 U1
BRICKMOULD RUSTIC RADIUS TOP†	Primed Pine	BMH36U1R	3/6 U1

 PRE-INSERTED WEATHERSTRIP OPTION AVAILABLE FOR SELECT WHITE SMOOTH JAMBS AND MULLIONS PRE-MACHINED FOR HINGES AND LOCKS.

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.

† - SIX WEEK LEAD TIME


SILLS

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Sill Finishes



Mill



Bronze

Cap Colors



Darkwood


Inswing Composite Adjustable Sill



- Composite Adjustable Sill (Premium)
- Thick wood-grained composite cap and nosing.
 - U-shaped weather seal.
 - Adjustable flush stainless steel screws.
- Continuous length with spread mullion capability to fill 49"–75" rough openings.*

Description	Application	Part #	Size
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5EF507UNBD	5/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5EF507UNMD	5/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5EF607UNBD	6/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5EF607UNMD	6/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5EL30UD14NBD	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5EL30UD14NMD	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5ES28UNBD*	2/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5ES28UNMD*	2/8 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5ES30UNBD*	3/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5ES30UNMD*	3/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5PD60ULNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5PD60ULNMD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5PD60URNBD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5PD60URNMD	6/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO TRIPLE CTR BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS5PT90UCNBD	9/0 5-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO TRIPLE CTR MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS5PT90UCNMD	9/0 5-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7EF507UNBD	5/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7EF507UNMD	5/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7EF607UNBD	6/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 7/8 ASTRAGAL MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7EF607UNMD	6/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7EL30UD14NBD	3/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE W/ 2 14" SIDELITES MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7EL30UD14NMD	3/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7ES28UNBD*	2/8 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7ES28UNMD*	2/8 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7ES30UNBD*	3/0 7-3/4 U1
IS SILL NO SCREEN ADJUSTABLE STANDARD COMPOSITE MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7ES30UNMD*	3/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7PD60ULNBD	6/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE LH MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7PD60ULNMD	6/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7PD60URNBD	6/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO DOUBLE RH MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7PD60URNMD	6/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO TRIPLE CTR BRONZE DARK WOOD CAP _80326	Inswing	ISL3AS7PT90UCNBD	9/0 7-3/4 U1
IS SILL ADJUSTABLE STANDARD COMPOSITE PATIO TRIPLE CTR MILL FINISH DARK WOOD CAP _80326	Inswing	ISL3AS7PT90UCNMD	9/0 7-3/4 U1

Outswing Composite Outswing Sill



- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.


Description	Application	Part #	Size
OS SILL OSB THERMAL BREAK MILL FINISH _80514	Outswing	OS30082U1	3/0 5-3/4 U1
OS SILL THERMAL BREAK BRONZE _80514	Outswing	OS300ABU1	3/0 5-3/4 U1
OS SILL THERMAL BREAK NO PREP HOLES MILL FINISH _80514	Outswing	OS60082U1	6/0 5-3/4 U1
OS SILL THERMAL BREAK BRONZE _80514	Outswing	OS600ABU1	6/0 5-3/4 U1
OS SILL THERMAL BREAK MILL FINISH _80514	Outswing	OS730082U1	3/0 7-3/4 U1
OS SILL THERMAL BREAK BRONZE _80514	Outswing	OS7300ABU1	3/0 7-3/4 U1
OS SILL THERMAL BREAK BUMP 6-9/16 NO PREP MILL FINISH _80514	Outswing	OS760082U1	6/0 7-3/4 U1
OS SILL THERMAL BREAK BRONZE _80514	Outswing	OS7600ABU1	6/0 7-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP WEATHERSTRIP _80514	Outswing	OSE28USF5BDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP _80514	Outswing	OSE28USF5MDB*	2/8 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP WEATHERSTRIP _80514	Outswing	OSE30USF5BDB*	3/0 5-3/4 U1
TRU-DEFENSE OS SILL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP _80514	Outswing	OSE30USF5MDB*	3/0 5-3/4 U1
OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED BRONZE DARK WOOD CAP WEATHERSTRIP _80514	Outswing	OSE607USF5BDB	6/0 5-3/4 U1
OS SILL W/ 7/8 ASTRAGAL STANDARD COMPOSITE FIXED MILL FINISH DARK WOOD CAP BRONZE WEATHERSTRIP _80514	Outswing	OSE607USF5MDB	6/0 5-3/4 U1

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

TRU-DEFENSE ELIGIBLE

*SEE THE THERMA-TRU ARCHITECTURAL DETAILS & COMPONENTS MANUAL FOR ACTUAL UNIT SIZE SPECIFICATIONS.


Public Access Sill With or Without Thermal Break
(For ADA Applications**)



- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.

Description	Part #	Size
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S430PATBU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S430PATU1	3/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S460PATBU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S460PATU1	6/0 4-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S630PATBU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S630PATU1	3/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK BRONZE	S660PATBU1	6/0 6-9/16 U1
PUBLIC ACCESS SILL THERMAL BREAK MILL	S660PATU1	6/0 6-9/16 U1


Sill Pan
(Recommended) ❖



- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Description	Part #	Size
SILL PAN MAX FRAME	TTSLPAN430	3/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN460	6/0 4-9/16
SILL PAN MAX FRAME	TTSLPAN630	3/0 6-9/16
SILL PAN MAX FRAME	TTSLPAN660	6/0 6-9/16

Sill Covers
(Recommended)



- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.


Shown over composite adjustable sill.

Description	Part #	Size
TRU-DEFENSE OS SILL COVER BULK	TDOCOV530B	3/0 5-3/4
TRU-DEFENSE R&R SILL COVER BULK	TD3SC5300B	3/0 5-5-3/4

Sill Extenders



Shown in 2"



Finishes:
Darkwood (Premium)


Sizes:
3/4"
2"

Description	Finish	Part #	Size
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD130X2B	3-1/4" X13/0
TRU-DEFENSE SILL EXTENDER BRONZE FINISH	Bronze	SETD30UX2B	3-1/4" X3/0 U1
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD130X2M	3-1/4" X13/0
TRU-DEFENSE SILL EXTENDER MILL FINISH	Mill	SETD30UX2M	3-1/4" X3/0 U1
TRU-DEFENSE PATIO SILL EXTENDER BRONZE FINISH	Bronze	SETD60PUX2B	3-1/4" X6/0 U1
TRU-DEFENSE PATIO SILL EXTENDER MILL FINISH	Mill	SETD60PUX2M	3-1/4" X6/0 U1

DOOR BOTTOMS

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Color:
Bronze

Description	Application	Part #	Size
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU260B	2/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	DBDBU360B	3/6 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU280B-50	2/8 U1
DOOR BOTTOM IS DP ACTIVE BRONZE 50 PER PACK	Inswing	DBDBU300B-50	3/0 U1


Dual Bulb Kerf-Applied Door Bottom for Composite Adjustable, Basic Composite Adjustable, Hardwood Adjustable Sills



Non-kerf-applied option available for replacement applications. Available in bronze only.

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDBU300B	3/0 U1

Inactive Door Bottoms for Composite Inswing Sills ❖



Sills:
Composite Adjustable
Hardwood Adjustable

Color:
Bronze

Description	Application	Part #	Size
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB14B	14"
TRU-DEFENSE REPLACEMENT IS INACTIVE DOOR BOTTOM BRONZE	Inswing	FDBIB30UB	3/0

Additional Door Bottoms Available:

Description	Application	Part #	Size
REPLACEMENT DOOR BOTTOM IS DP ACTIVE BRONZE	Inswing	RPDBDB360B	3/6

❖ TRU-DEFENSE ELIGIBLE

**DOOR SYSTEMS BUILT WITH PUBLIC ACCESS SILLS HAVE LITTLE RESISTANCE TO WATER PENETRATION AND HAVE A POTENTIAL TO LEAK IF INSTALLED EXPOSED TO WEATHER. WE RECOMMEND THESE SYSTEMS BE INSTALLED AWAY FROM WEATHER UNDER LARGE SOFFITS OR OVERHANGS.

ASTRAGALS

Cover the margin between double doors to help complete the seal against air and moisture infiltration with aluminum construction for stability, holding power and durability. Available in a sustainable wood-grained vinyl wrap or aluminum.

Aluminum Astragal ❖

Coastal option also available.



Heights:
6'6"
6'8"
7'0"
8'0"

Width:
7/8"

Configurations:
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed

Grain Options:
Bronze
White

Weatherstrip:
Bronze

Description	Application	Part #	Size
ASTRAGAL ALUMINUM IS WHITE LH _80046	Inswing	ASIS0SAAL	6/8 U1
ASTRAGAL ALUMINUM IS WHITE RH _80046	Inswing	ASIS7SAAL	6/8 U1
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP _80046	Inswing	ASISPSAAL	6/8 U1
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP _80046	Inswing	ASIS0SAAR	6/8 U1
ASTRAGAL ALUMINUM IS THERMAL BREAK BRONZE LH _80046	Inswing	ASIS7SAAR	6/8 U1
ASTRAGAL ALUMINUM IS THERMAL BREAK BRONZE RH _80046	Inswing	ASISPSAAR	6/8 U1
ASTRAGAL ALUMINUM IS WHITE LH _80046	Inswing	ASOS7SAAL	8/0 U1
ASTRAGAL ALUMINUM IS WHITE RH _80046	Inswing	ASOSPSAAL	8/0 U1
ASTRAGAL ALUMINUM IS BRONZE LH W/ FIR WRAP WEATHERSTRIP _80046	Inswing	ASOS7SAAR	8/0 U1
ASTRAGAL ALUMINUM IS BRONZE RH W/ FIR WRAP WEATHERSTRIP _80046	Inswing	ASOSPSAAR	8/0 U1
ASTRAGAL ALUMINUM IS STANDARD BRONZE LH _80046	Inswing	ASIS0SAAL	8/0 U1
ASTRAGAL ALUMINUM IS STANDARD THERMAL BREAK BRONZE RH _80046	Inswing	ASIS0SAAL	8/0 U1

Description	Application	Part #	Size
ASTRAGAL ALUMINUM OS WHITE LH _80046	Outswing	ASOS0USAAL	6/8 U1
ASTRAGAL ALUMINUM OS WHITE RH _80046	Outswing	ASOS0USAAR	6/8 U1
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP _80046	Outswing	ASOS0USABFL	6/8 U1
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP _80046	Outswing	ASOS0USABFR	6/8 U1
ASTRAGAL ALUMINUM OS BRONZE LH _80046	Outswing	ASOS0USABL	6/8 U1
ASTRAGAL ALUMINUM OS BRONZE RH _80046	Outswing	ASOS0USABR	6/8 U1
ASTRAGAL ALUMINUM OS WHITE LH _80046	Outswing	ASOS8USAAL	8/0 U1
ASTRAGAL ALUMINUM OS WHITE RH _80046	Outswing	ASOS8USAAR	8/0 U1
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE LH WEATHERSTRIP _80046	Outswing	ASOS8USABFL	8/0 U1
ASTRAGAL ALUMINUM OS W/ FIR WRAP BRONZE RH WEATHERSTRIP _80046	Outswing	ASOS8USABFR	8/0 U1
ASTRAGAL ALUMINUM OS DB BRONZE LH _80046	Outswing	ASOS8USABL	8/0 U1
ASTRAGAL ALUMINUM OS DB BRONZE RH _80046	Outswing	ASOS8USABR	8/0 U1

END RAIL

END RAIL

Description	Part #	Size
CC REPLACEMENT KERF END RAIL	RPCCER30C	3/0
CC REPLACEMENT KERF END RAIL	RPCCER36SS	3/6
REPLACEMENT END RAIL	RPER36C	3/6
REPLACEMENT KERF ENDRAIL STEEL	RPER30C	3/0
SS REPLACEMENT KERF END RAIL	RPSSFCE30C	3/0

WEATHERSTRIP

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip ❖



Colors:
Bronze
White

Long-Reach Weatherstrip ❖



Colors:
Bronze
White

Description	Part #	Size	Color
WEATHERSTRIP HEAD LONG REACH 37"	WHFB	3/0	Bronze
WEATHERSTRIP HEAD MEDIUM REACH 38"	WHFB7	3/0	Bronze
WEATHERSTRIP SIDE LONG REACH 81"	WSFB	6/8	Bronze
WEATHERSTRIP SIDE LONG REACH	WS8FB	8/0	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 81"	WSFB7	6/8	Bronze
WEATHERSTRIP SIDE MEDIUM REACH 97"	WS8FB7	8/0	Bronze



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

EXTERIOR HINGES

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation.
Features options to suit various applications and mate with mortise pockets machined into our doors.

Classic Craft Ball-Bearing Staggered Hole Pattern Hinge ❖




Description	Finish	Part #	Size
CC NRP HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCSR5NRP-1C	5/8†
CC NRP HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCSR5NRP-1D	5/8†
CC NRP HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCSR5NRP-1H	5/8†
CC NRP HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCSR5NRP-YZ	5/8†
CC HINGE BALL BEARING STAGGERED	Brushed Nickel	HGBCCR5S-1C	5/8
CC HINGE BALL BEARING STAGGERED	Black Nickel	HGBCCR5S-1D	5/8
CC HINGE BALL BEARING STAGGERED	Rubbed Bronze	HGBCCR5S-1H	5/8
CC HINGE BALL BEARING STAGGERED	Yellow Zinc	HGBCCR5S-YZ	5/8

Self-Aligning Ball-Bearing Hinge ❖



Description	Finish	Part #	Size
HINGE BALL BEARING RH	Black Nickel	HGBBR5-1D	5/8"
HINGE BALL BEARING RH	Brushed Nickel	HGBBR5-1C	5/8"
HINGE BALL BEARING RH	Oil-Rubbed Bronze	HGBBR5-1H	5/8"
HINGE BALL BEARING RH	Yellow Zinc	HGBBR5-YZ	5/8"
HINGE BALL BEARING LH	Black Nickel	HGBBL5-1D	5/8"
HINGE BALL BEARING LH	Brushed Nickel	HGBBL5-1C	5/8"
HINGE BALL BEARING LH	Oil-Rubbed Bronze	HGBBL5-1H	5/8"
HINGE BALL BEARING LH	Yellow Zinc	HGBBL5-YZ	5/8"

Self-Aligning Hinge ❖



Description	Finish	Part #	Size
HINGE NRP BULK PACK	Black Nickel	HG58RP-1D-S	5/8"
HINGE NRP BULK PACK	Brushed Nickel	HG58RP-1C-S	5/8"
HINGE NRP BULK PACK	Oil-Rubbed Bronze	HG58RP-1H-S	5/8"
HINGE NRP BULK PACK	Yellow Zinc	HG58RPYZ-S	5/8"
HINGE BULK PACK	Brushed Nickel	HG58-1C-S	5/8"
HINGE SELF ALIGNING BULK PACK	Oil-Rubbed Bronze	HG58-1H-S	5/8"
HINGE ASSEMBLED LH	Yellow Zinc	HG58YZLA	5/8"
HINGE ASSEMBLED RH	Yellow Zinc	HG58YZRA	5/8"

Spring-Loaded Hinge ❖




Description	Finish	Part #	Size
HINGE SPRING LOADED	Black Nickel	HG58SL-1D	5/8"
HINGE SPRING LOADED	Brushed Nickel	HG58SL-1C	5/8"
HINGE SPRING LOADED	Oil-Rubbed Bronze	HG58SL-1H	5/8"
HINGE SPRING LOADED	Yellow Zinc	HG58SLYZ	5/8"



HANDLESETS

Designed to complement Therma-Tru door styles from traditional to contemporary.

Available
Handleset
Finishes



Grip Style Handlesets

Forte



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE FORTE	Black Nickel	MPGSGTHS2016-1D	Active
HANDLESET GRIP STYLE FORTE	Brushed Nickel	MPGSGTHS2016-1C	Active
HANDLESET GRIP STYLE GEAR TONGUE FORTE	Oil-Rubbed Bronze	MPGSGTHS2016-1H	Active

Prospect



Description	Finish	Part #	Locking
HANDLESET GRIP STYLE GEAR TONGUE PROSPECT	Oil-Rubbed Bronze	MPGSGTHS1986-1H	Active
HANDLESET GRIP STYLE PROSPECT	Black Nickel	MPGSGTHS1986-1D	Active
HANDLESET GRIP STYLE PROSPECT	Brushed Nickel	MPGSGTHS1986-1C	Active

Lever Style Handlesets

Heirloom



Description	Finish	Part #	Locking	Backplate
HANDLESET HEIRLOOM	Brushed Nickel	MPTS112374-1C	Active	Narrow
HANDLESET HEIRLOOM	Black Nickel	MPTS112374-1D	Active	Narrow
HANDLESET HEIRLOOM	Oil-Rubbed Bronze	MPTS112374-1H	Active	Narrow

Millennium



Backplates:
Wide
Narrow
Locking:
Active
Inactive

Description	Finish	Part #	Locking	Backplate
HANDLESET MILLENNIUM	Black Nickel	MPTS151216-1D	Active	Narrow
HANDLESET MILLENNIUM	Black Nickel	MPTS1513955N-1D	Active	Wide†
HANDLESET MILLENNIUM	Brushed Nickel	MPTS151216-1C	Active	Narrow
HANDLESET MILLENNIUM	Brushed Nickel	MPTS1513955N-1C	Active	Wide†
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS151216-1H	Active	Narrow
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	MPTS1513955N-1H	Active	Wide†
HANDLESET MILLENNIUM	Black Nickel	DTS151216-1D	Inactive	Narrow†
HANDLESET MILLENNIUM	Black Nickel	DTS1513955N-1D	Inactive	Wide†
HANDLESET MILLENNIUM	Brushed Nickel	DTS151216-1C	Inactive	Narrow†
HANDLESET MILLENNIUM	Brushed Nickel	DTS1513955N-1C	Inactive	Wide†
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS151216-1H	Inactive	Narrow†
HANDLESET MILLENNIUM	Oil-Rubbed Bronze	DTS1513955N-1H	Inactive	Wide†

Venture



Description	Finish	Part #	Locking	Backplate
HANDLESET VENTURE	Brushed Nickel	MPTS1020374-1C	Active	Narrow
HANDLESET VENTURE	Black Nickel	MPTS1020374-1D	Active	Narrow
HANDLESET VENTURE	Oil-Rubbed Bronze	MPTS1020374-1H	Active	Narrow




† = FOUR WEEK LEAD TIME

Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

HARDWARE

Security Strike Plate

Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.



Description	Finish	Part #
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Black Nickel	MS00SSPTD-1D
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Brushed Nickel	MS00SSPTD-1C
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Oil-Rubbed Bronze	MS00SSPTD-1H
TRU-DEFENSE ADJUSTABLE SECURITY STRIKE PLATE JAMB	Yellow Zinc	MS00SSPTD-YZ

DOOR & LITE DIVIDER BARS

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. 4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars.



Description	Part #	Width
CCA 24 PIECE DOOR VERTICAL DIVIDER PACK For use with 3'6" Flush-Glazed Doors.	CCA36LD3024V24	1.6"
CCA 4-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L4-1	1.6"
CCA 6-LITE DOOR DIVIDER KIT 1 PER PACK For use with 3'6" Flush-Glazed Doors.	CCALD3024L6-1	1.6"
CCA STYLE LITE DIVIDER 4-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 4 horizontal pieces (1 door).	CCALD2618L4-1	1.6"
CCA STYLE LITE DIVIDER 6-LITE DOOR PACKAGE 1 PER PACK Contains 2 vertical and 6 horizontal pieces (1 door).	CCALD2618L6-1	1.6"
CCA STYLE LITE DIVIDER SIDELITE LONG HORIZONTAL 20-PACK Contains 20 long horizontal pieces.	CCALDSLHL20	1.6"
CCA STYLE LITE DIVIDER VERTICAL 24-PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCALD2618V24	1.6"
CCS WI 5.5 DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS5LD86-6	5.5"
CCS WI DOOR/LITE DIVIDER LINEAL BULK PACK For use with 26" x 66" and 26" x 80" shaker flush-glazed doors and opaque 1 panel shaker.	CCS4LD86-6	4.25"
CCV LITE DIVIDER SIDELITE HORIZONTAL 20 PER PACK	CCVLDSLH-20	1.6"

DENTIL SHELVES

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.

Description	Part #	Size
CCA 4-BLOCK DENTIL SHELF	CCADS04	26.2"
CCA 4-BLOCK DENTIL SHELF	CCA36DS04	35.1"
CCV 4-BLOCK DENTIL SHELF	CCVDS04	25.8"



Classic Craft® Fir Grain 4-Block Dentil Shelf



Classic Craft® Canvas 4-Block Dentil Shelf



Classic Craft® Fir Grain 4-Block Dentil Shelf
(Pairs with 3'6" wide doors.)

Description	Part #	Size
FC DENTIL SHELF	DSB4BLK	26.2"
SS DENTIL SHELF	DSW4BLK	25.4"



Fiber-Classic® 4-Block Dentil Shelf*



Smooth-Star® 4-Block Dentil Shelf*



❖ TRU-DEFENSE ELIGIBLE


* NOT RECOMMENDED FOR USE BEHIND STORM DOORS OR TO BE PAINTED DARK COLORS, IF EXPOSED TO DIRECT SUNLIGHT.

THERMA TRU®
DOORS




DOUGLAS FIR EXTERIOR DOORS*


All Douglas Fir exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.




7002
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0




7701
Low-E
12", 14" x 6/8
12", 14" x 8/0




7002 Shaker
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0




7701 Shaker
Low-E
12", 14" x 6/8
12", 14" x 8/0




7002
WaterBarrier®
Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0




37010
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0




37010 Shaker
Low-E
2/0, 2/6, 2/8,
3/0 x 6/8
2/0, 2/6, 2/8,
3/0 x 8/0




37010
WaterBarrier®
with Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0




7403 Shaker
Satin Etch IG
3/0 x 6/8




7403 Shaker
WaterBarrier®
with Satin Etch IG
3/0 x 6/8




7404 Shaker
Satin Etch IG
3/0 x 6/8




7404 Shaker
WaterBarrier®
with Satin Etch IG
3/0 x 6/8




7405 Shaker
Satin Etch IG
3/0 x 8/0



7405 Shaker
WaterBarrier®
with Satin Etch IG
3/0 x 8/0



7501
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



7801
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



7501
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



7801
DHRP and Seedy
Baroque IG
12", 14" x 6/8
12", 14" x 8/0



37598
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



37504
DHRP and Low-E
3/0 x 6/8
3/0, 3/6 x 8/0



37802
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0



37504
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37802
DHRP and Seedy
Baroque IG
12", 14" x 6/8
12", 14" x 8/0



37506
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



37802
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0

DOUGLAS FIR EXTERIOR DOORS



37506
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0



37803
DHRP and Seedy
Baroque IG
12", 14" x 6/8
12", 14" x 8/0



37508
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



37804
DHRP and Low-E
12", 14" x 6/8
12", 14" x 8/0




37508
DHRP and Seedy
Baroque IG
3/0 x 6/8
3/0 x 8/0




37804
DHRP and Seedy
Baroque IG
12", 14" x 6/8
12", 14" x 8/0




7044
DHRP and Low-E
2/8, 3/0 x 6/8




37444
DHRP and Low-E
2/8, 3/0 x 6/8




37944
DHRP and Low-E
2/8, 3/0 x 6/8




6801
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0




6801 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0




36802
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0




36802 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0




36803
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0




36803 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0




36804
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0



36804 Shaker
FP and Low-E
3/0 x 6/8
3/0 x 8/0



7130
DHRP
2/8, 3/0 x 6/8




9541
Dentil Shelf

AVAILABLE WITH
MATCHING MAHOGANY MILLWORK

All Okoume Mahogany doors come available
with beautiful matching millwork.


Mull Post



1-1/2"


10123
2-1/2" x 4-3/8"

Single Rabbit Kerfed JAMB




10002

Stops



10050
7/16" x 1-3/8"


Brickmould



10020

10051
7/16" x 1-3/8"

Sidelight Stop



10060
3/8" x 3/8"

10052
7/16" x 1-3/8"

* = TWO-THREE WEEK LEAD TIME

DHRP = 1-7/16" DOUBLE HIP-RAISED PANEL
FP = 3/4" FLAT PANEL
IG = 3/4" INSULATED GLAZING
SG = 1/8" SINGLE GLAZED



KNOTTY ALDER EXTERIOR DOORS
















All Knotty Alder exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock® technology and are stocked in the sizes noted.









							
7002 Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7701 Low-E 12", 14" x 6/8 12", 14" x 8/0	7501 DHRP and Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7801 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	7501 DHRP and Seedy Baroque IG 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	7801 DHRP and Seedy Baroque IG 12", 14" x 6/8 12", 14" x 8/0	37504 DHRP and Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37802 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0
							
37504 DHRP and Seedy Baroque IG 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37802 DHRP and Seedy Baroque IG 12", 14" x 6/8 12", 14" x 8/0	37506 DHRP and Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37803 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0	37506 DHRP and Seedy Baroque IG 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37803 DHRP and Seedy Baroque IG 12", 14" x 6/8 12", 14" x 8/0	37508 DHRP and Low-E 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37804 DHRP and Low-E 12", 14" x 6/8 12", 14" x 8/0



Stock status is subject to availability, please contact your Boise Cascade Millwork Representative with any questions.

KNOTTY ALDER EXTERIOR DOORS

							
37508 DHRP and Seedy Baroque IG 2/6, 2/8, 3/0 x 6/8 2/6, 2/8, 3/0 x 8/0	37804 DHRP and Seedy Baroque IG 12\", 14\" x 6/8 12\", 14\" x 8/0	6801 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	6175 DHRP and Low-E 12\", 14\" x 6/8 12\", 14\" x 8/0	6801 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	6801 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	6801 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	
							
36802 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	36802 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	36802 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	36802 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	36803 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	36803 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	36803 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	36803 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0

			
36804 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	36804 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	36804 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	36804 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0
			
36806 DHRP and Low-E 3/0 x 6/8 3/0 x 8/0	36806 Shaker FP and Low-E 3/0 x 6/8 3/0 x 8/0	36806 DHRP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0	36806 Shaker FP and Seedy Baroque IG 3/0 x 6/8 3/0 x 8/0





MAHOGANY EXTERIOR DOORS

All Okoume Mahogany exterior doors and sidelights are 1-3/4" thick, come standard with UltraBlock[®] technology and are stocked in the sizes noted.



7002
Low-E
2/6, 2/8, 3/0 x 6/8
2/6, 2/8, 3/0 x 8/0

7403 Shaker
Satin Etch IG
3/0 x 6/8

7404 Shaker
Satin Etch IG
3/0 x 6/8

7405 Shaker
Satin Etch IG
3/0 x 6/8



7501 Shaker
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0

7504 Shaker
DHRP and Bevel
Low-E
3/0 x 6/8
3/0 x 8/0

7506 Shaker
DHRP and Bevel
Low-E
3/0 x 6/8
3/0 x 8/0

6801
DHRP and Low-E
3/0 x 6/8
3/0 x 8/0

**AVAILABLE WITH
MATCHING MAHOGANY MILLWORK**

All Okoume Mahogany doors come available with beautiful matching millwork.

Mull Post	Single Rabbet Kerfed JAMB	Brickmould	Sidelight Stop
10123 2-1/2" x 4-3/8"	10002 7/16" x 1-3/8"	10020 7/16" x 1-3/8"	10060 3/8" x 3/8"
	Stops		
	10050 7/16" x 1-3/8"	10051 7/16" x 1-3/8"	10052 7/16" x 1-3/8"



DOUGLAS FIR INTERIOR DOORS

Douglas Fir interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0

9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

701 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8

782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0

9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

702 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8

703 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8

760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0

9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

700 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8

755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0




9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0

705 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8

55 *
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

9255 *
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8



66 *
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

9266 *
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8

1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8

1501
White Laminate SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL
RP = DOUBLE HIP-RAISED PANEL
IG = 3/4" INSULATED GLAZING

KNOTTY ALDER INTERIOR DOORS

Knotty Alder interior doors are stocked 1-3/8” thick - unless otherwise noted - and in the sizes noted. Fire-rated doors are stocked 1-3/4” thick. Doors have ovolo sticking unless noted with "Shaker."



720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



701 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



702 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



703 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



700 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8



9355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8



705 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



82
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



43 Bifold
3/4" RP
2/0, 2/6, 3/0 x 6/8



82 *
V-Groove, 3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9282 *
V-Groove
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



43 Bifold *
V-Groove, 3/4" RP
2/0, 2/6, 3/0 x 6/8



465
3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



45 Bifold
3/4" RP
2/0, 2/6, 3/0 x 6/8

KNOTTY ALDER INTERIOR DOORS (CONTINUED)

Knotty Alder interior doors are stocked 1-3/8” thick and in the sizes noted. Fire-rated doors are stocked 1-3/4” thick. Doors have ovolo sticking unless noted with "Shaker."



465 *
V-Groove, 3/4" RP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



9265 *
V-Groove
1-3/4" Fire-Rated
1-7/16" RP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



45 Bifold *
V-Groove, 3/4" RP
2/0, 2/6, 3/0 x 6/8



80801 Shaker
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80812 Shaker
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



80815 Shaker
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



1501
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



© Great NW Homes

* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL
RP = DOUBLE HIP-RAISED PANEL

REDI-PRIME® DOORS

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



8720 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89320 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8701 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



8782 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89382 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8702 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



8730 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89330 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8703 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8




8760 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 2/10, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 2/10, 3/0 x 8/0




9360 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



8700 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8



8755 Shaker
3/8" FP
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89355 Shaker
1-3/4" Fire-Rated
3/4" FP
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0




8705 Shaker Bifold
3/8" FP
2/0, 2/6, 3/0 x 6/8




© Property Brothers | Buying + Selling

REDI-PRIME® DOORS (CONTINUED)

Redi-Prime® interior doors are stocked 1-3/8" thick and in the sizes noted. Fire-rated doors are stocked 1-3/4" thick. Doors have ovolo sticking unless noted with "Shaker."



89934
Flush Grooved
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89234
1-3/4" Fire-Rated
Flush Grooved
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



89935
Flush Grooved
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
1/6, 2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



89235
1-3/4" Fire-Rated
Flush Grooved
2/8, 3/0 x 6/8
2/8, 3/0 x 8/0



89801 Shaker *
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89812 Shaker *
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



89815 Shaker *
Barn Door with
V-Groove
3/0, 3/6 x 7/0
3/0, 3/6 x 8/4



8001
Clear SG
2/0, 2/4, 2/6,
2/8, 3/0 x 6/8
2/0, 2/4, 2/6,
2/8, 3/0 x 8/0



8411
White Laminate SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



8733 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8733 Shaker
White Laminate SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8




8735 Shaker
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8735 Shaker
White Laminate SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8010
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8



8012
Clear SG
2/0, 2/4, 2/6, 2/8,
3/0 x 6/8
2/0, 2/4, 2/6, 2/8,
3/0 x 8/0



* = STOCKED IN OUR COMMERCE CITY (DENVER) LOCATION
SG = 1/8" SINGLE GLAZED
FP = FLAT PANEL



REDI-SHIP[®] INTERIOR IN STOCK AT SIMPSON

Simpson stocks today’s most popular interior (both 1-3/8” and 1-3/4”) door designs as part of their Redi-Ship[®] special order program, which delivers the doors to you in 2-3 weeks. Below is a sample of the doors available in the Redi-Ship program. Contact your Boise Cascade Millwork representative or visit simpsondoor.com/rediship for a complete list of designs and sizes. If you can’t find what you need in stock at Boise Cascade Millwork, look to Redi-Ship.

DOUGLAS FIR AND WESTERN HEMLOCK

Choose from over 130 Douglas Fir or Western Hemlock door designs, all 1-3/8” and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.




KNOTTY ALDER

Choose from over 70 Knotty Alder door designs, both 1-3/8” and 1-3/4” and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.




HARDWOOD OPTIONS

Choose from over 50 interior hardwood panel doors available in maple, red oak and poplar. All stocked 1-3/8” and in a variety of widths and heights



REDI-PRIME[®]


Choose from over 200 Redi-Prime[®] door designs, both 1-3/8” and 1-3/4” and in a variety of heights and widths. Some additional designs not stocked at Boise Cascade Millwork includes the following.




RP =RAISED PANEL

MOLDED AND FLUSH INTERIOR DOORS


In Stock - •
All other sizes are special order.




2 Panel
Arch Top




2 Panel
Square Top



Textured
6 Panel




5 Panel




Primed
Hardboard

Bead & Cove


Flush




3 Panel
Craftsman Shaker




1 Panel
Shaker



2 Panel Square
Top Shaker



5 Panel
Shaker



3 Equal
Panel

Shaker

Molded Hollow Core 6'8"
1-3/8"

Description	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"
2 Panel Arch Top	•	•	•	•	•	•
2 Panel Square Top	•	•	•	•	•	•
Textured & Smooth 6 Panel	•	•	•	•	•	•
5 Panel	•	•	•	•	•	•

Molded Solid Core 6'8"
1-3/4"

Description	20 min U1 Height	
	2'8"	3'0"
2 Panel Arch Top	•	•
2 Panel Square Top	•	•
Textured & Smooth 6 Panel	•	•
5 Panel	•	•
1 Panel Shaker	•	•
2 Panel Square Top Shaker	•	•


Flush Hollow Core 6'8"
1-3/8"

Description	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"
Primed Hardboard	•	•	•	•	•	•

Flush Solid Core 6'8"
1-3/4"

Description	2'8"	3'0"
Primed Hardboard	•	•


STICKING PROFILES




Bead & Cove

1.81

0.441



Shaker




Ovolo

1.81

0.54

INTERIOR HINGES

We can special order anything and in any color — need another color/size? Just ask!



3.5” Radius Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME SI 3.5x3.5 5/8	Satin Chrome		5/8

Ball Bearing

Description	Finish	Part #	Size
US15 SATIN NICKLE BALL BEARING HINGE SI 3.5x3.5 5/8	Satin Nickel		5/8
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 3.5x3.5 5/8	Oil-Rubbed Bronze		5/8
US1D BLACK RADIUS BALL BEARING SI 3.5x3.5 5/8	Black Nickel		5/8
US26D SATIN CHROME BALL BEARING SI 3.5x3.5 5/8	Satin Chrome		5/8

Radius 4.0” Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME SI 4X4 5/8	Satin Chrome		5/8"

Ball Bearing Radius 4.0” Hinge

Description	Finish	Part #	Size
US15 SATIN NICKLE RADIUS BALL BEARING SI 4X4 5/8	Satin Nickel		5/8"
US10B OIL RUBBED BRONZE RADIUS BALL BEARING SI 4X4 5/8	Oil-Rubbed Bronze		5/8"
US1D BLACK RADIUS BALL BEARING SI 4X4 5/8	Black Nickel		5/8"
US26D SATIN CHROME BALL BEARING SI 4X4 5/8	Satin Chrome		5/8"

Self Closing Hinge

Description	Finish	Part #	Size
SELF CLOSING US15 SATIN NICKLE RADIUS SC 4X4 5/8	Satin Nickel		5/8"
SELF CLOSING US10B OIL RUBBED BRONZE RADIUS SC 4X4 5/8	Oil-Rubbed Bronze		5/8"
SELF CLOSING US1D BLACK RADIUS SC 4X4 5/8	Black Nickel		5/8"
SELF CLOSING US26D SATIN CHROME RADIUS SC 4X4 5/8	Satin Chrome		5/8"

NRP 4.0” Hinge

Description	Finish	Part #	Size
NRP US15 SATIN NICKLE RADIUS NRP 4X4 5/8	Satin Nickel		5/8"
NRP US10B OIL RUBBED BRONZE RADIUS NRP 4X4 5/8	Oil-Rubbed Bronze		5/8"
NRP US1D BLACK RADIUS NRP 4X4 5/8	Black Nickel		5/8"
NRP US26D SATIN CHROME RADIUS NRP 4X4 5/8	Satin Chrome		5/8"

EXTERIOR FRAMES & JAMBS

Non-Stock - N/S

In Stock - •

Exterior Frames

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-9/16" 2/8H	•	N/S	N/S
4-9/16" 3/0H	•	N/S	N/S
4-9/16" 6/0H	•	N/S	N/S
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-9/16" 2/8H	•	N/S	N/S
6-9/16" 3/0H	•	N/S	N/S
6-9/16" 6/0H	•	N/S	N/S
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
Mull Post 3-9/16" 6/8	•	•	•
Mull Post 3-9/16" 8/0	•	•	•
Mull Post 4-3/8" 6/8	•	•	•
Mull Post 4-3/8" 8/0	•	•	•
Mull Post 4-3/8" Wide 6/8	•	N/S	N/S
Mull Post 4-3/8" Wide 8/0	•	N/S	N/S
Raidus Head 4-9/16" 5/4	N/S	N/S	N/S
Radius Head 4-9/16" 6/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/0	N/S	N/S	N/S
Radius Head 4-9/16" 3/6	N/S	N/S	N/S
Raidus Head 6-9/16" 5/4	N/S	N/S	N/S
Radius Head 6-9/16" 6/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/0	N/S	N/S	N/S
Radius Head 6-9/16" 3/6	N/S	N/S	N/S
T-Astragal 1-3/4" W/S Kerf 6/8	N/S	•	•
T-Astragal 1-3/4" W/S Kerf 8/0	N/S	•	•
WM180 Brickmold 6/8	•	•	•
WM180 Brickmold 8/0	•	•	•
WM180 Brickmold 3/0H	•	N/S	N/S
WM180 Brickmold 2/8H	•	N/S	N/S



Interior Jambs

Description	Primed	Knotty Alder	Douglas Fir
4-9/16" 6/8	•	•	•
4-9/16" 8/0	•	•	•
4-7/8" 6/8	•	•	N/S
4-7/8" 8/0	•	•	N/S
5-1/4" 6/8	•	N/S	N/S
5-1/4" 8/0	•	N/S	N/S
6-9/16" 6/8	•	•	•
6-9/16" 8/0	•	•	•
6-7/8" 6/8	•	•	N/S
6-7/8" 8/0	•	•	N/S
7-1/4" 6/8	•	•	N/S
7-1/4" 8/0	•	•	N/S
WM887 Stop 6/8	•	•	•
WM887 Stop 8/0	•	•	•
T-astragal 1-3/8" 6/8	•	N/S	N/S
T-astragal 1-3/8" 8/0	•	•	•
T-astragal 1-3/4" 8/0	N/S	•	•



Rabbet Jamb




Flat Jamb



MDF MOULDINGS

CASING



356
5/8" x 2 1/4" x 14'



313
11/16 x 3-1/4 x 85"
11/16 x 3-1/4 x 16'



1x3 8' With Back Out




1x4 85" With Back Out
1x4 102" With Back Out




473
9/16" X 2-1/4" X 17'

BASE



1/2 x 3-1/2 302 – 16'
1/2 x 5-1/4 603 – 16'
1/2 x 5-1/2 359 – 16'
1/2 x 7-1/4 360 – 16'

HEADER 5/4




1" x 3-1/2
1" x 5-1/2

SHIPLAP



5/8 x 5-1/2
5/8 x 7-1/4

LVL ROUND



1-1/4x1-1/4 – 12'
1-1/4x1-1/4 – 16'

1 X E2E BOARDS



1x2 - 11/16 x 1-1/2 x 16'
1x3 – 11/16 x 2-1/2 x 16'
1x4 – 11/16 x 3-1/2 x16'
1x6 – 11/16 x 5-1/2 x 16'
1x8 – 11/16 x 7-1/4 x 16'
1x12 – 11/16 x 11-1/4 x 16'

1 X E2E BOARDS



1x2 - 3/4 x 1-1/2 x 17'
1x4 – 3/4 x 3-1/2 x 17'
1x6 – 3/4 x 5-1/2 x 17'
1x8 – 3/4 x 7-1/4 x 17'
1x12 – 3/4 x 11-1/4 x 17'

BARN DOOR HARDWARE

Item	Length	Description
769059001	6'	BARN DOOR BENT STRAP SET FLAT BLACK
769059003	8'	BARN DOOR BENT STRAP SET FLAT BLACK
769059005	6'	BARN DOOR BENT STRAP SET SATIN NICKEL
769059007	8'	BARN DOOR BENT STRAP SET SATIN NICKEL



WOOD POCKET DOOR FRAMES

Description	Extended Description
Wood PKT Door Frame	3/0x6/8 4-9/16 Includes Track
Wood PKT Door Frame	2/8x6/8 4-9/16 Includes Track
Wood PKT Door Frame	2/6x6/8 4-9/16 Includes Track
Wood PKT Door Frame	2/4x6/8 4-9/16 Includes Track
Wood PKT Door Frame	2/0x6/8 4-9/16 Includes Track
Wood PKT Door Frame	3/0x8/0 4-9/16 Includes Track
Wood PKT Door Frame	2/8x8/0 4-9/16 Includes Track
Wood PKT Door Frame	2/6x8/0 4-9/16 Includes Track
Wood PKT Door Frame	2/4x8/0 4-9/16 Includes Track
Wood PKT Door Frame	2/0x8/0 4-9/16 Includes Track
Pocket Door HDW Ball Bearing	
Pocket Door Standard HDW	



YOUR
TRUSTED
PARTNER IN
MILLWORK

Boise Cascade Millwork is known for its efficient lead times, delivering quality products that exceed industry expectations. The millwork sector, noted for intricate craftsmanship, demands timely delivery for construction and renovation projects. Boise Cascade Millwork excels by streamlining production and logistics, ensuring their products, from doors to moldings, reach clients quickly. This reliability makes them a preferred partner in the competitive millwork market.

